

476



# *The Scottish Naturalist*

*Founded 1871*

*Volume 113 2001  
Parts 1-2*

*Annual Subscription £ 35.00*

*A Journal of Scottish Natural History*

# THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

Editorial Committee:

J.A. Gibson

John Hamilton

John C. Smyth

THE SCOTTISH NATURAL HISTORY LIBRARY  
Foremount House, Kilbarchan, Renfrewshire PA10 2EZ

The *Scottish Naturalist*, now published by the Scottish Natural History Library, is an independent journal primarily devoted to the study of Scottish natural history. It was founded in 1871 by Dr. F. Buchanan White, of Perthshire, and in 1988 completed one hundred years of publication. For a summary of the record of publication, see the inside back cover.

Although the journal's main interests have always centred on the history and distribution of Scottish fauna and flora, it is prepared to publish contributions on the many aspects of Scottish natural science embraced by its title, including Zoology, Botany, Geology, History, Geography, Medicine and the allied sciences, Archaeology, and the Environment.

All papers and notes for publication, or books for review, should be sent to the Editors at the Scottish Natural History Library, Foremount House, Kilbarchan, Renfrewshire PA10 2EZ.

Contributions should be clearly written; whenever possible they should be typed, double-spaced, on one side of the paper, with adequate margins, and should try to conform to the general style and arrangement of papers and notes in the current number of the journal. Maps, diagrams and graphs should be drawn in black ink on white unlined paper. Photographs should be on glossy paper. Proofs of all contributions will be sent to authors and should be returned without delay.

Authors of papers, but not of short notes, will receive thirty reprints in covers free of charge. Additional reprints may be ordered, at cost, when the proofs are returned.

The *Scottish Naturalist* is usually published three times a year. The standard annual subscription is £35.00, which should be sent to the Editors at the Library address. Members of recognised natural history organisations, however, can receive the *Scottish Naturalist* at a greatly reduced subscription; for details apply to the Editors.

# THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History*  
and *The Western Naturalist*

---

113th Year

2001

---

## CONTENTS

2001 - Parts 1-2

### **Vertebrate Zoology in the Scottish Naturalist**

#### **Part 3: 1901-1925**

**3b: *Scottish Naturalist* 1912-1925**

By Dr. J.A. Gibson

3-100

---

Published by The Scottish Natural History Library

---

## EDITORS

J.A. Gibson

John Hamilton

John C. Smyth

All items for publication should be sent to the Editors at  
The Scottish Natural History Library  
Foremount House, Kilbarchan, Renfrewshire PA10 2EZ

ISSN 0268-3385

The *Scottish Naturalist* is the national journal of Scottish natural history. It was founded in 1871 by Dr. F. Buchanan White, of Perthshire, and in 1988 completed one hundred years of publication. The journal exists to provide a medium for the publication of original work on all aspects of Scottish natural science. All contributions, however, represent the personal opinions of the authors concerned, and do not necessarily reflect the views of the Editors of the *Scottish Naturalist*.

Published by

**THE SCOTTISH NATURAL HISTORY LIBRARY**

## VERTEBRATE ZOOLOGY IN THE SCOTTISH NATURALIST

A Classified Index of all Contributions on Vertebrate Zoology  
in the *Scottish Naturalist* from its Commencement in 1871  
to the end of the Year 2000

### Part 3: 1901-1925

#### 3b: *Scottish Naturalist* 1912-1925

By J.A. GIBSON

*Representative for Scotland,  
Society for the History of Natural History*

This third part (continued) of the survey of the contributions on vertebrate zoology in the *Scottish Naturalist* covers the first twenty-five years of the 20th century, from 1901 to 1925. The first two parts dealt with the Introduction (Gibson, 1998a) and the thirty years from the commencement of the journal in 1871 until 1900 (Gibson, 1998b).

As previously indicated, however, because of the large number of contributions, the first quarter of the 20th century (1901-1925) was divided into two sections (Gibson, 2000). Part 3a covered the final years of the *Annals of Scottish Natural History*, from 1901 to 1911, and this present section, Part 3b, covers the years from 1912, when the journal's original name of the *Scottish Naturalist* was restored, to 1925.

The *Scottish Naturalist* was published monthly from 1912 until the end of 1918, when it began to be published bi-monthly, and this publication of six parts each year continued until the end of 1939, when the journal temporarily ceased publication until after the second world war.

As before, all items are listed in chronological order, and are referenced by name of journal, year of publication, and pagination; no volume numbers were actually issued from 1892 to 1939.

**References**

- Gibson, J.A. (1998a). Vertebrate zoology in the *Scottish Naturalist*. Part 1: Introduction. *Scottish Naturalist*, **110**: 3-11.
- Gibson, J.A. (1998b). Vertebrate zoology in the *Scottish Naturalist*. Part 2: 1871-1900. *Scottish Naturalist*, **110**: 109-205.
- Gibson, J.A. (2000). Vertebrate zoology in the *Scottish Naturalist*. Part 3: 1901-1925. 3a: *Annals of Scottish Natural History* 1901-1911. *Scottish Naturalist*, **112**: 75-154.

---

**1901-1925***Scottish Naturalist* 1912-1925

Chronological List

Pages 3-87

Faunal Area Distribution

Pages 88-100

---

- 1861 **Elwes, H.J.** (1912). Notes on the primitive breeds of sheep in Scotland. *Scottish Naturalist*, 1912: 1-7, 25-32, 49-52.  
Class: Mamm  
Area: Gen CS OH SK OR SH FI
- 1862 **Clarke, W.E.** (1912). On the occurrence of the Pine Bunting, Thrush Nightingale, and Baird's Sandpiper in Scotland. *Scottish Naturalist*, 1912: 8-10.  
Class: Bird  
Area: SK FI
- 1863 **Rintoul, L.J. and Baxter, E.V.** (1912). On the occurrence of the Woodchat Shrike in Forth area. *Scottish Naturalist*, 1912: 10-11.  
Class: Bird  
Area: FO
- 1864 **Wild, O.H.** (1912). Serin Finch (*Serinus serinus*) in Midlothian. *Scottish Naturalist*, 1912: 11.  
Class: Bird  
Area: FO
- 1865 **Brock, S.E.** (1912). Jackdaw nesting in Squirrel's drey. *Scottish Naturalist*, 1912: 15.  
Class: Mamm Bird  
Area: Gen FO
- 1866 **Bedford, Duchess of** (1912). Richard's Pipit and Lapland Bunting at Fair Isle. *Scottish Naturalist*, 1912: 15.  
Class: Bird  
Area: FI
- 1867 **Bedford, Duchess of** (1912). Greater Wheatear at Barra in November. *Scottish Naturalist*, 1912: 15.  
Class: Bird  
Area: OH
- 1868 **Waldron, P.L.** (1912). Montagu's Harrier in Roxburghshire. *Scottish Naturalist*, 1912: 15.  
Class: Bird  
Area: TW
- 1869 **Maxwell, H.** (1912). Honey-Buzzard in Wigtownshire. *Scottish Naturalist*, 1912: 15-16.  
Class: Bird  
Area: SO
- 1870 **Graham, G.** (1912). Grey Phalarope in Ayrshire. *Scottish Naturalist*, 1912: 16.  
Class: Bird  
Area: CL
- 1871 **Evans, W.** (1912). Wood-Sandpiper in south-east Fife (Forth). *Scottish Naturalist*, 1912: 16.  
Class: Bird  
Area: FO
- 1872 **Baxter, E.V.** (1912). Blue Shark in Forth. *Scottish Naturalist*, 1912: 16.  
Class: Fish  
Area: FO
- 1873 **Editorial comment.** (1912). The Grouse in Health and in Disease. *Scottish Naturalist*, 1912: 33-40.  
Class: Bird  
Area: Gen
- 1874 **Gladstone, H.S.** (1912). Badger in Lanarkshire. *Scottish Naturalist*, 1912: 42.  
Class: Mamm  
Area: CL

- 1875 **Laidlaw, T.G.** (1912). Bird notes from Berwickshire. *Scottish Naturalist*, 1912: 42-43.  
Class: Bird  
Area: TW
- 1876 **Gladstone, H.S.** (1912). Some bird notes from the Solway area. *Scottish Naturalist*, 1912: 43.  
Class: Bird  
Area: SO
- 1877 **Campbell, B.** (1912). Hawfinch in West Lothian. *Scottish Naturalist*, 1912: 43.  
Class: Bird  
Area: FO
- 1878 **Evans, W.** (1912). The Continental Song-Thrush and Northern Willow-Wren in Haddingtonshire. *Scottish Naturalist*, 1912: 43-44.  
Class: Bird  
Area: FO
- 1879 **Cook, C.** (1912). Little Bustard in Kincardineshire. *Scottish Naturalist*, 1912: 44.  
Class: Bird  
Area: DE
- 1880 **Editorial note.** (1912). [Records of the Little Bustard in Scotland]. *Scottish Naturalist*, 1912: 44-45.  
Class: Bird  
Area: TA DE MO CS
- 1881 **Rintoul, L.J. and Baxter, E.V.** (1912). Black-tailed Godwits and Green Sandpiper in Solway. *Scottish Naturalist*, 1912: 45.  
Class: Bird  
Area: SO
- 1882 **Evans, W.** (1912). Whimbrel in "Forth" in winter. *Scottish Naturalist*, 1912: 45.  
Class: Bird  
Area: FO
- 1883 **Ritchie, R.L.** (1912). Whimbrel in December. *Scottish Naturalist*, 1912: 45.  
Class: Bird  
Area: FO
- 1884 **Ritchie, R.L.** (1912). Black Tern in East Lothian. *Scottish Naturalist*, 1912: 45.  
Class: Bird  
Area: FO
- 1885 **Baxter, E.V. and Rintoul, L.J.** (1912). Bird notes from the Isle of May in 1911. *Scottish Naturalist*, 1912: 53-58.  
Class: Bird  
Area: FO
- 1886 **Edwards, A.J.H.** (1912). The presence of functional teeth in the upper jaw of the Sperm Whale. *Scottish Naturalist*, 1912: 65-66.  
Class: Mamm  
Area: Gen OL SH
- 1887 **Macdonald, D.** (1912). Greater Wheatear in Argyll. *Scottish Naturalist*, 1912: 66.  
Class: Bird  
Area: AG IH
- 1888 **Evans, W.** (1912). The Shore-Lark and other birds on the Haddingtonshire coast. *Scottish Naturalist*, 1912: 66-67.  
Class: Bird  
Area: FO
- 1889 **Jackson, A.C.** (1912). Continental race of the Redbreast in East Ross. *Scottish Naturalist*, 1912: 67.  
Class: Bird  
Area: MO



- 1890 **Maxwell, H.** (1912). Honey-Buzzard reported from Wigtownshire. *Scottish Naturalist*, 1912: 67.  
 Class: Bird  
 Area: SO
- 1891 **Bisshopp, C.H.** (1912). Bittern at Oban. *Scottish Naturalist*, 1912: 67.  
 Class: Bird  
 Area: AG
- 1892 **Jackson, A.C.** (1912). Occurrence of the Black-necked Grebe on the Cromarty Firth. *Scottish Naturalist*, 1912: 67.  
 Class: Bird  
 Area: MO
- 1893 **Rintoul, L.J. and Baxter, E.V.** (1912). Tadpole-Fish in Largo bay, Firth of Forth. *Scottish Naturalist*, 1912: 68.  
 Class: Fish  
 Area: FO
- 1894 **McIntosh, W.C.** (1912). On the storm of January, 1912, in the bay of St. Andrews. *Scottish Naturalist*, 1912: 73-77.  
 Class: Bird Fish  
 Area: TA
- 1895 **Editorial comment.** (1912). The Little Auk visitation of 1911-12. *Scottish Naturalist*, 1912: 77-81, 141.  
 Class: Bird  
 Area: Gen SO TW CL FO TA DE MO CS NW AG IH OH OR SH FI
- 1896 **Bonar, H.N.** (1912). Some trees in which the Great Spotted Woodpecker (*Dendrocopus major*, Linn.) has bored or nested in Scotland. *Scottish Naturalist*, 1912: 81-83.  
 Class: Bird  
 Area: Gen
- 1897 **Thomson, A.L.** (1912). The Sandwich Tern (*Sterna cantiaca*) in "Dee": general status and first nesting record. *Scottish Naturalist*, 1912: 84-85.  
 Class: Bird  
 Area: DE
- 1898 **Gordon, J.G.** (1912). Otters in Wigtownshire. *Scottish Naturalist*, 1912: 88.  
 Class: Mamm  
 Area: SO
- 1899 **Galloway, A.R.** (1912). Rooks and Lapwings. *Scottish Naturalist*, 1912: 88-89.  
 Class: Bird  
 Area: Gen DE
- 1900 **Gladstone, H.S.** (1912). Migration of Fieldfares. *Scottish Naturalist*, 1912: 89.  
 Class: Bird  
 Area: SO
- 1901 **Stout, G.** (1912). Rock-Pipit on the Clyde estuary. *Scottish Naturalist*, 1912: 89.  
 Class: Bird  
 Area: CL
- 1902 **Jackson, A.C.** (1912). White Wagtails on migration in East Ross. *Scottish Naturalist*, 1912: 89-90.  
 Class: Bird  
 Area: MO
- 1903 **Saxby, T.E.** (1912). Tengmalm's Owl in Shetland. *Scottish Naturalist*, 1912: 90.  
 Class: Bird  
 Area: SH
- 1904 **Baxter, E.V.** (1912). A note on the Gannet. *Scottish Naturalist*, 1912: 90.  
 Class: Bird  
 Area: Gen FO

- 1905 **Gladstone, H.S.** (1912). Solamosse Geese. *Scottish Naturalist*, 1912: 90-91.  
Class: Bird  
Area: Gen SO FO
- 1906 **Crosbie, K.C.** (1912). Occurrence of Smew in Forth area. *Scottish Naturalist*, 1912: 91.  
Class: Bird  
Area: FO
- 1907 **Crosbie, K.C.** (1912). Smew eating Goby (*Gobius minutus*). *Scottish Naturalist*, 1912: 91.  
Class: Bird Fish  
Area: Gen FO
- 1908 **Mackenzie, A.** (1912). Occurrence of Smew in Moray area. *Scottish Naturalist*, 1912: 91.  
Class: Bird  
Area: MO
- 1909 **Russell, G.W.** (1912). Occurrence of Smew in Shetland. *Scottish Naturalist*, 1912: 91.  
Class: Bird  
Area: SH
- 1910 **Clarke, W.E.** (1912). Smews and Red-necked Grebes in the Firth of Forth. *Scottish Naturalist*, 1912: 91-92.  
Class: Bird  
Area: FO
- 1911 **Gladstone, H.S.** (1912). Movements of ringed Woodcocks. *Scottish Naturalist*, 1912: 92.  
Class: Bird  
Area: SO
- 1912 **Jackson, A.C.** (1912). Black-tailed Godwits in Moray. *Scottish Naturalist*, 1912: 92.  
Class: Bird  
Area: MO
- 1913 **Stout, G.** (1912). Early appearance of the Common Tern on the Clyde. *Scottish Naturalist*, 1912: 92.  
Class: Bird  
Area: CL
- 1914 **Harvie-Brown, J.A.** (1912). The Fulmar: its past and present distribution as a breeding species in the British Isles. *Scottish Naturalist*, 1912: 97-102, 121-132.  
Class: Bird  
Area: CS NW AG IH OH SK OL OR SH FI
- 1915 **Clarke, W.E.** (1912). Notes on the plumage of the Fulmar Petrel. *Scottish Naturalist*, 1912: 102-104.  
Class: Bird  
Area: Gen SK SH FI
- 1916 **Gladstone, H.S.** (1912). The Killer, or Grampus, in the Solway. *Scottish Naturalist*, 1912: 114-115.  
Class: Mamm  
Area: SO
- 1917 **Evans, W.** (1912). The Greater Wheatear in Midlothian. *Scottish Naturalist*, 1912: 115.  
Class: Bird  
Area: FO
- 1918 **Laidlaw, T.G.** (1912). Barn Owls in Berwickshire. *Scottish Naturalist*, 1912: 115.  
Class: Bird  
Area: TW

- 1919 **Editorial note.** (1912). [Increase of Barn Owls in Haddingtonshire]. *Scottish Naturalist*, 1912: 115.  
Class: Bird  
Area: FO
- 1920 **Laidlaw, T.G.** (1912). Brent Goose in Peeblesshire. *Scottish Naturalist*, 1912: 115-116.  
Class: Bird  
Area: TW
- 1921 **Brock, S.E.** (1912). The "display" of the Goosander. *Scottish Naturalist*, 1912: 116.  
Class: Bird  
Area: Gen FO
- 1922 **Leach, R.H.W.** (1912). Smew in Elginshire. *Scottish Naturalist*, 1912: 116-117.  
Class: Bird  
Area: MO
- 1923 **Laurence, J.R.** (1912). Early appearance of the Common Tern on the Clyde. *Scottish Naturalist*, 1912: 117.  
Class: Bird  
Area: CL
- 1924 **Thomson, A.L.** (1912). Supposed Blue-headed Wagtail in "Dee". *Scottish Naturalist*, 1912: 139.  
Class: Bird  
Area: DE
- 1925 **Waterston, J.** (1912). Early occurrence of the Swallow in Delting, Shetland. *Scottish Naturalist*, 1912: 139-140.  
Class: Bird  
Area: SH
- 1926 **Robinson, H.W.** (1912). Size of immature Smew drake. *Scottish Naturalist*, 1912: 140.  
Class: Bird  
Area: Gen MO
- 1927 **Gordon, J.G.** (1912). Smew in Wigtownshire. *Scottish Naturalist*, 1912: 140.  
Class: Bird  
Area: SO
- 1928 **Mackay, H.** (1912). Smew on Duddingston loch. *Scottish Naturalist*, 1912: 140.  
Class: Bird  
Area: FO
- 1929 **Editorial note.** (1912). Little Auk: a correction. *Scottish Naturalist*, 1912: 141.  
Class: Bird  
Area: SO FO
- 1930 **Thomson, A.L.** (1912). Aberdeen University Bird-Migration Inquiry: first interim report (1909-12). *Scottish Naturalist*, 1912: 145-153, 169-174, 217-224, 241-248.  
Class: Bird  
Area: Gen TW CL FO TA DE MO CS AG OH OR
- 1931 **Bartholomew, J.** (1912). Lesser Shrew and Badger near Glasgow. *Scottish Naturalist*, 1912: 162.  
Class: Mamm  
Area: CL
- 1932 **Gladstone, H.S.** (1912). Badgers in Kirkcudbrightshire. *Scottish Naturalist*, 1912: 162-163.  
Class: Mamm  
Area: SO

- 1933 **Jackson, A.C.** (1912). Continental Song-Thrush in the Moray and Solway areas. *Scottish Naturalist*, 1912: 163.  
Class: Bird  
Area: SO MO
- 1934 **Jackson, A.C.** (1912). Northern form of Willow-Wren in Solway. *Scottish Naturalist*, 1912: 163.  
Class: Bird  
Area: SO
- 1935 **Harvie-Brown, J.A.** (1912). Fatality amongst Rooks. *Scottish Naturalist*, 1912: 163-164.  
Class: Bird  
Area: Gen FO
- 1936 **Clyne, R.** (1912). The Snowy Owl. *Scottish Naturalist*, 1912: 164.  
Class: Bird  
Area: SH
- 1937 **MacGillivray, W.L.** (1912). Greenland Falcon at Barra, Outer Hebrides. *Scottish Naturalist*, 1912: 164.  
Class: Bird  
Area: OH
- 1938 **Clyne, R.** (1912). Some habits of the Gannet. *Scottish Naturalist*, 1912: 164.  
Class: Bird  
Area: Gen OH
- 1939 **Davidson, G.D.** (1912). Smew at Melrose. *Scottish Naturalist*, 1912: 165.  
Class: Bird  
Area: TW
- 1940 **Graham, G.** (1912). Early breeding of Ringed Plover in Ayrshire. *Scottish Naturalist*, 1912: 165.  
Class: Bird  
Area: CL
- 1941 **Gordon, J.G.** (1912). Black Tern in Wigtownshire. *Scottish Naturalist*, 1912: 165.  
Class: Bird  
Area: SO
- 1942 **Gordon, J.G.** (1912). Fishes taken off the Wigtownshire coast. *Scottish Naturalist*, 1912: 165.  
Class: Fish  
Area: SO
- 1943 **Bartholomew, J.** (1912). Scarcity of young Rooks. *Scottish Naturalist*, 1912: 184.  
Class: Bird  
Area: Gen CL
- 1944 **Kirk, C.** (1912). Great Spotted Woodpecker breeding on Loch Lomondside. *Scottish Naturalist*, 1912: 185.  
Class: Bird  
Area: CL
- 1945 **Macdonald, D.** (1912). Herons nesting near Stornoway. *Scottish Naturalist*, 1912: 185.  
Class: Bird  
Area: OH
- 1946 **Nash, J.K.** (1912). Remarkable eggs of Tufted Duck. *Scottish Naturalist*, 1912: 185.  
Class: Bird  
Area: Gen FO
- 1947 **Cairns, J.B.** (1912). Turtle-Dove nesting near Gretna Green. *Scottish Naturalist*, 1912: 186.  
Class: Bird  
Area: SO

- 1948 **Baxter, E.V. and Rintoul, L.J.** (1912). Green Sandpiper in Tay. *Scottish Naturalist*, 1912: 186.  
Class: Bird  
Area: TA
- 1949 **Evans, W.** (1912). The Greater Wheatear in Berwickshire. *Scottish Naturalist*, 1912: 186.  
Class: Bird  
Area: TW
- 1950 **Evans, W.** (1912). The Great Crested Grebe in Peeblesshire, &c. *Scottish Naturalist*, 1912: 186.  
Class: Bird  
Area: TW FO
- 1951 **Bedford, Duchess of** (1912). Black-necked Grebe in Perthshire. *Scottish Naturalist*, 1912: 186.  
Class: Bird  
Area: TA
- 1952 **Editorial comment.** (1912). The new nomenclature of British birds. *Scottish Naturalist*, 1912: 193-198.  
Class: Bird  
Area: Gen
- 1953 **Clarke, W.E.** (1912). On a case of hybridism between an Eider and a Wild Duck. *Scottish Naturalist*, 1912: 198-201.  
Class: Bird  
Area: Gen OR
- 1954 **Harvie-Brown, J.A.** (1912). Hedgehog in Argyll. *Scottish Naturalist*, 1912: 209.  
Class: Mamm  
Area: NW AG
- 1955 **Bedford, Duchess of** (1912). Female Greenland Wheatear in male plumage. *Scottish Naturalist*, 1912: 210.  
Class: Bird  
Area: Gen OH
- 1956 **Stout, G.** (1912). Lesser Whitethroat in Dumfriesshire. *Scottish Naturalist*, 1912: 210.  
Class: Bird  
Area: SO
- 1957 **Millar, G.** (1912). Hawfinch at Fidra, Firth of Forth. *Scottish Naturalist*, 1912: 210.  
Class: Bird  
Area: FO
- 1958 **Editorial note.** (1912). [The Hawfinch in south-east Scotland]. *Scottish Naturalist*, 1912: 210.  
Class: Bird  
Area: TW FO
- 1959 **Laidlaw, T.G.** (1912). Quails nesting in Peeblesshire. *Scottish Naturalist*, 1912: 210-211.  
Class: Bird  
Area: TW
- 1960 **Jopp, P.** (1912). Pheasants in Shetland. *Scottish Naturalist*, 1912: 211.  
Class: Bird  
Area: SH
- 1961 **Macdonald, D.** (1912). Herons nesting in the Lewis. *Scottish Naturalist*, 1912: 211.  
Class: Bird  
Area: OH

- 1962 **Gordon, J.G.** (1912). Green Sandpiper in Wigtownshire. *Scottish Naturalist*, 1912: 211-212.  
Class: Bird  
Area: SO
- 1963 **Berry, W.** (1912). Broad-billed Sandpiper in Fifeshire. *Scottish Naturalist*, 1912: 212-213.  
Class: Bird  
Area: TA
- 1964 **Bedford, Duchess of** (1912). Cream-coloured Whimbrel at Barra. *Scottish Naturalist*, 1912: 213.  
Class: Bird  
Area: OH
- 1965 **Rattray, M.H.** (1912). Little Tern on the Ayrshire coast. *Scottish Naturalist*, 1912: 213.  
Class: Bird  
Area: CL
- 1966 **Mackay, H.** (1912). Immature Eared Grebe in Solway. *Scottish Naturalist*, 1912: 213.  
Class: Bird  
Area: SO
- 1967 **Sinclair, T.** (1912). Fulmar Petrels nesting at Stronsay, Orkney. *Scottish Naturalist*, 1912: 214.  
Class: Bird  
Area: OR
- 1968 **Robinson, H.W.** (1912). Herons nesting in Orkney. *Scottish Naturalist*, 1912: 214.  
Class: Bird  
Area: OR
- 1969 **Somerville, R.** (1912). On the occurrence of the Little Owl in Fife. *Scottish Naturalist*, 1912: 225-226.  
Class: Bird  
Area: FO
- 1970 **Hall, C.A.** (1912). Hedgehog in Argyll. *Scottish Naturalist*, 1912: 235.  
Class: Mamm  
Area: CL AG
- 1971 **Kirk, C.** (1912). Cuckoo reared by Rock-Pipits at Ailsa Craig. *Scottish Naturalist*, 1912: 235.  
Class: Bird  
Area: CL
- 1972 **Rintoul, L.J. and Baxter, E.V.** (1912). Lapland form of Bluethroat on the Isle of May. *Scottish Naturalist*, 1912: 236.  
Class: Bird  
Area: FO
- 1973 **Evans, W.** (1912). The Tree-Sparrow breeding in Midlothian. *Scottish Naturalist*, 1912: 236.  
Class: Bird  
Area: FO
- 1974 **Bedford, Duchess of** (1912). Variety of Heron in Wigtownshire. *Scottish Naturalist*, 1912: 236.  
Class: Bird  
Area: SO
- 1975 **Leslie, A.S.** (1912). Marked Grouse - identification wanted. *Scottish Naturalist*, 1912: 236-237.  
Class: Bird  
Area: SO TW

- 1976 **Mackenzie, D.** (1912). Black-tailed Godwit in the Outer Hebrides. *Scottish Naturalist*, 1912: 237.  
Class: Bird  
Area: OH
- 1977 **Evans, W.** (1912). Sabine's Gull in the Firth of Forth. *Scottish Naturalist*, 1912: 237.  
Class: Bird  
Area: FO
- 1978 **Carmichael, A.D.** (1912). Fulmars breeding at Reawick, Shetland. *Scottish Naturalist*, 1912: 237.  
Class: Bird  
Area: SH
- 1979 **Tulloch, J.S.** (1912). Tunny in Shetland. *Scottish Naturalist*, 1912: 237.  
Class: Fish  
Area: SH
- 1980 **Wallace, A.B.** (1912). Large Sunfish in the Forth. *Scottish Naturalist*, 1912: 238.  
Class: Fish  
Area: FO
- 1981 **Grimshaw, P.H.** (1912). Note on the food of the Common Pheasant. *Scottish Naturalist*, 1912: 249-251.  
Class: Bird  
Area: Gen CL AG
- 1982 **Waterston, J.** (1912). On *Mackayia dimorpha*, a new genus and species of *Mallophaga* from the Manx Shearwater. *Scottish Naturalist*, 1912: 251-258.  
Class: Bird  
Area: Gen IH
- 1983 **Congalton, W.D.** (1912). The Hedgehog in Arran. *Scottish Naturalist*, 1912: 259.  
Class: Mamm  
Area: CL
- 1984 **Mackay, H.** (1912). Bird notes from the Solway. *Scottish Naturalist*, 1912: 259.  
Class: Bird  
Area: SO
- 1985 **Baxter, E.V. and Rintoul, L.J.** (1912). Female Greenland Wheatear assuming male plumage. *Scottish Naturalist*, 1912: 259-260.  
Class: Bird  
Area: Gen FO
- 1986 **Evans, W.** (1912). Late stay of Swifts about Edinburgh. *Scottish Naturalist*, 1912: 260.  
Class: Bird  
Area: FO
- 1987 **Ferguson, G.D.** (1912). Notes on the Fulmar Petrel. *Scottish Naturalist*, 1912: 260-261.  
Class: Bird  
Area: OR SH
- 1988 **Brock, S.E.** (1912). The Tufted-Duck (*Fuligula cristata*) in the nesting season. *Scottish Naturalist*, 1912: 265-271.  
Class: Bird  
Area: Gen FO
- 1989 **Clarke, W.E.** (1912). Great Grey Seal and Coal-Fish incident. *Scottish Naturalist*, 1912: 276-277.  
Class: Mamm Fish  
Area: OR
- 1990 **Gladstone, H.S.** (1912). Jays in Dumfriesshire. *Scottish Naturalist*, 1912: 277.  
Class: Bird  
Area: SO

- 1991 **Jourdain, F.C.R.** (1912). The winter quarters of the Yellow Wagtail. *Scottish Naturalist*, 1912: 277.  
Class: Bird  
Area: Gen
- 1992 **Bain, J.** (1912). Red-breasted Flycatcher at the Pentland Skerries. *Scottish Naturalist*, 1912: 278.  
Class: Bird  
Area: OR
- 1993 **Laidlaw, H.** (1912). Reed-Warbler in the Orkneys. *Scottish Naturalist*, 1912: 278.  
Class: Bird  
Area: OR
- 1994 **Gowan, J.** (1912). Late stay of Swifts in Banffshire. *Scottish Naturalist*, 1912: 278.  
Class: Bird  
Area: MO
- 1995 **Bartholomew, J.** (1912). Common Guillemot and Barn Owl near Glasgow. *Scottish Naturalist*, 1912: 278.  
Class: Bird  
Area: CL
- 1996 **Gladstone, H.S.** (1912). Quail nesting in Kirkcudbrightshire. *Scottish Naturalist*, 1912: 278.  
Class: Bird  
Area: SO
- 1997 **Evans, W.** (1912). Food of the Common Partridge. *Scottish Naturalist*, 1912: 278-279.  
Class: Bird  
Area: Gen FO
- 1998 **Evans, W.** (1912). Little Gull near Dunbar (Forth). *Scottish Naturalist*, 1912: 279.  
Class: Bird  
Area: FO
- 1999 **Tulloch, J.S.** (1912). Tunny stranded at Weisdale, Shetland. *Scottish Naturalist*, 1912: 279.  
Class: Fish  
Area: SH
- 2000 **Rintoul, L.J. and Baxter E.V.** (1912). Tunny in the Firth of Forth. *Scottish Naturalist*, 1912: 279-280.  
Class: Fish  
Area: SH
- 2001 **Baxter, E.V. and Rintoul, L.J.** (1912). *Report on Scottish Ornithology in 1911, including Migration.* *Scottish Naturalist*, Extra Publication No. 1. Edinburgh: Oliver & Boyd.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2002 **Bedford, Duchess of and Clarke, W.E.** (1913). Notes on migratory birds observed at Fair Isle during the year 1912. *Scottish Naturalist*, 1913: 5-8; 25-29.  
Class: Bird  
Area: FI
- 2003 **Bonar, H.N.** (1913). Male Pied Flycatcher at a last year's nesting site. *Scottish Naturalist*, 1913: 17-18.  
Class: Bird  
Area: Gen FO
- 2004 **Clarke, W.E.** (1913). Interesting variety of the Starling. *Scottish Naturalist*, 1913: 18.  
Class: Bird  
Area: Gen CL



- 2005 **Dewar, T.F.** (1913). Hoopoe in Forfarshire. *Scottish Naturalist*, **1913**: 18.  
Class: Bird  
Area: TA
- 2006 **Pagan, J.** (1913). A Cuckoo incident. *Scottish Naturalist*, **1913**: 18-19.  
Class: Bird  
Area: Gen FO
- 2007 **Tomlinson, R.** (1913). The Hobby in Midlothian. *Scottish Naturalist*, **1913**: -19.  
Class: Bird  
Area: FO
- 2008 **Watt H.B.** (1913). Scottish Heronries. *Scottish Naturalist*, **1913**: 19.  
Class: Bird  
Area: Gen OH OR
- 2009 **Wild, O.H.** (1913). Grey Lag-Goose in East Lothian. *Scottish Naturalist*, **1913**: 20.  
Class: Bird  
Area: FO
- 2010 **Alston, C.H.** (1913). Gadwall in Caithness. *Scottish Naturalist*, **1913**: 20.  
Class: Bird  
Area: CS
- 2011 **Evans, W.** (1913). The Pochard in east Stirling in the breeding season. *Scottish Naturalist*, **1913**: 20.  
Class: Bird  
Area: FO
- 2012 **MacKeith, T.T.** (1913). Sandwich Tern nesting in Clyde area. *Scottish Naturalist*, **1913**: 20.  
Class: Bird  
Area: CL
- 2013 **Baigrie, S.** (1913). Herring Gull eating Redwing. *Scottish Naturalist*, **1913**: 20.  
Class: Bird  
Area: Gen FO
- 2014 **Kirk, C.** (1913). Rare fishes in the Kelvingrove Museum, Glasgow. *Scottish Naturalist*, **1913**: 21-22.  
Class: Fish  
Area: FO OL
- 2015 **Tulloch, J.S.** (1913). Basking Shark in Shetland waters. *Scottish Naturalist*, **1913**: 22.  
Class: Fish  
Area: SH
- 2016 **Thomson, A.L.** (1913). Aberdeen University Bird-Migration Inquiry: First Interim Report (1909-12). *Scottish Naturalist*, **1913**: 29-35; 79-84; 121-131.  
Class: Bird  
Area: TW CL FO TA DE MO
- 2017 **Editorial comment.** (1913). Zoological nomenclature. *Scottish Naturalist*, **1913**: 40.  
Class: Mamm Bird Rept Amph Fish  
Area: Gen
- 2018 **Editorial comment.** (1913). The Scottish Bird-Migration Inquiry. *Scottish Naturalist*, **1913**: 40.  
Class: Bird  
Area: Gen
- 2019 **Taylor, W.** (1913). Risso's Dolphin in the Moray Firth. *Scottish Naturalist*, **1912**: 40-41.  
Class: Mamm  
Area: MO

- 2020 **Blackwood, W.** (1913). Male Pied Flycatcher at last year's nesting site. *Scottish Naturalist*, 1913: 41-42.  
Class: Bird  
Area: Gen TW
- 2021 **Jackson, A.C.** (1913). The Scarlet Grosbeak in Moray area. *Scottish Naturalist*, 1913: 42-43.  
Class: Bird  
Area: MO
- 2022 **Jackson, A.C.** (1913). Curious nesting site of the Tree Sparrow. *Scottish Naturalist*, 1913: 43.  
Class: Bird  
Area: NW
- 2023 **Carphin, J.E.** (1913). Variety of the Starling at Liberton. *Scottish Naturalist*, 1913: 43.  
Class: Bird  
Area: FO
- 2024 **Alston, C.H.** (1913). The Jay in Argyll. *Scottish Naturalist*, 1913: 43-44.  
Class: Bird  
Area: CL AG
- 2025 **Campbell, J.** (1913). Little Bittern in Fifeshire. *Scottish Naturalist*, 1913: 44.  
Class: Bird  
Area: TA
- 2026 **Robinson, H.W.** (1913). Wild Geese in Aberlady Bay, East Lothian. *Scottish Naturalist*, 1913: 44.  
Class: Bird  
Area: FO
- 2027 **Jackson, A.C.** (1913). Gadwall nesting in Caithness. *Scottish Naturalist*, 1913: 44-45.  
Class: Bird  
Area: CS
- 2028 **Mackay, H.** (1913). Common Redshank in unusual plumage. *Scottish Naturalist*, 1913: 45.  
Class: Bird  
Area: Gen FO
- 2029 **Rintoul, L.J. and Baxter E.V.** (1913). Bird notes from the Isle of May - spring and autumn 1912. *Scottish Naturalist*, 1913: 49-53.  
Class: Bird  
Area: FO
- 2030 **Clarke, W.E.** (1913). The Song-Thrush of the Outer Hebrides - *Turdus musicus hebridensis* - a new racial form. *Scottish Naturalist*, 1913: 53-55.  
Class: Bird  
Area: OH SK
- 2031 **Taylor, W.** (1913). Bottlenose and Lesser Fin-Whales in the Moray Firth. *Scottish Naturalist*, 1913: 67.  
Class: Mamm  
Area: MO
- 2032 **Kay, T.** (1913). Barred Warblers and other birds in Shetland. *Scottish Naturalist*, 1913: 67.  
Class: Bird  
Area: SH
- 2033 **Harvie-Brown, J.A.** (1913). Tree Sparrows in East Ross. *Scottish Naturalist*, 1913: 67.  
Class: Bird  
Area: NW

- 2034 **Blackwood, W.** (1913). Sparrows nesting in the foundations of Herons' nests. *Scottish Naturalist*, 1913: 67-68.  
Class: Bird  
Area: Gen FO
- 2035 **Wild, O.H.** (1913). Waxwing near Edinburgh. *Scottish Naturalist*, 1913: 68.  
Class: Bird  
Area: FO
- 2036 **Harvie-Brown, J.A.** (1913). Glossy Ibis in Skye. *Scottish Naturalist*, 1913: 68.  
Class: Bird  
Area: NW IH
- 2037 **Editorial note.** (1913). [Glossy Ibis shot in South Uist]. *Scottish Naturalist*, 1913: 68.  
Class: Bird  
Area: OH
- 2038 **Harvie-Brown, J.A.** (1913). Shoveler in the Moray Firth. *Scottish Naturalist*, 1913: 68.  
Class: Bird  
Area: MO
- 2039 **Kirk, C.** (1913). Hybrid Capercaillie-Blackcock in Argyll. *Scottish Naturalist*, 1913: 68-69.  
Class: Bird  
Area: Gen CL AG
- 2040 **Jackson, A.C.** (1913). Smews in Moray area. *Scottish Naturalist*, 1913: 69.  
Class: Bird  
Area: MO
- 2041 **Stout, G. and Duncan, H.** (1913). Green Sandpiper in Dumbartonshire. *Scottish Naturalist*, 1913: 69.  
Class: Bird  
Area: CL
- 2042 **Bedford, Duchess of** (1913). Manx Shearwater inland in Ayrshire. *Scottish Naturalist*, 1913: 69.  
Class: Bird  
Area: CL
- 2043 **Ritchie, J.** (1913). Fox Shark off Barra. *Scottish Naturalist*, 1913: 69-70.  
Class: Fish  
Area: OH
- 2044 **Anderson, P.** (1913). The birds of the Island of Tiree. *Scottish Naturalist*, 1913: 73-78, 169-172, 193-200, 217-224, 241-245. [Introductory remarks by J.A. Harvie-Brown].  
Class: Bird  
Area: AG IH
- 2045 **Gladstone, H.S.** (1913). Ornithological notes from Dumfriesshire. *Scottish Naturalist*, 1913: 91.  
Class: Bird  
Area: SO
- 2046 **Jackson, A.C.** (1913). Uncommon birds on the Beaully Firth. *Scottish Naturalist*, 1913: 92.  
Class: Bird  
Area: MO
- 2047 **Kirk, C.** (1913). Snowy Owl at Sule Skerry. *Scottish Naturalist*, 1913: 92.  
Class: Bird  
Area: OR
- 2048 **Bruce, S.** (1913). Quail nesting in Shetland. *Scottish Naturalist*, 1913: 92.  
Class: Bird  
Area: SH

- 2049 **Jackson, A.C.** (1913). White variety of the Lapwing. *Scottish Naturalist*, 1913: 92.  
Class: Bird  
Area: Gen MO
- 2050 **Jackson, A.C.** (1913). Green Sandpiper and Fork-tailed Petrel in Moray area. *Scottish Naturalist*, 1913: 93.  
Class: Bird  
Area: MO
- 2051 **Graham, G.** (1913). Bar-tailed Godwit [in summer plumage] in Ayrshire. *Scottish Naturalist*, 1913: 93, [163].  
Class: Bird  
Area: CL
- 2052 **Jackson, A.C.** (1913). Roseate Terns in Moray area. *Scottish Naturalist*, 1913: 93.  
Class: Bird  
Area: MO
- 2053 **Evans, W.** (1913). Lemming remains in south-east Scotland. *Scottish Naturalist*, 1913: 97-100.  
Class: Mamm  
Area: FO
- 2054 **Ramsay, L.N.G.** (1913). On the moulting of the Herring Gull (*Larus argentatus*) and other species. *Scottish Naturalist*, 1913: 100-105.  
Class: Bird  
Area: Gen DE
- 2055 **Evans, W.** (1913). White-sided Dolphin in the Dornoch Firth. *Scottish Naturalist*, 1913: 114-115.  
Class: Mamm  
Area: MO
- 2056 **Gordon, J.G.** (1913). Ornithological notes from Wigtownshire. *Scottish Naturalist*, 1913: 115.  
Class: Bird  
Area: SO
- 2057 **Tulloch, J.S.** (1913). Bird-notes from Shetland. *Scottish Naturalist*, 1913: 115.  
Class: Bird  
Area: SH
- 2058 **Bonar, H.N.** (1913). Hawfinch in East Lothian. *Scottish Naturalist*, 1913: 115.  
Class: Bird  
Area: FO
- 2059 **Clarke, W.E.** (1913). Greenland Falcons at Scottish islands. *Scottish Naturalist*, 1913: 116.  
Class: Bird  
Area: AG IH SH
- 2060 **Kirke, D.J.B.** (1913). Hoopoe in Fife. *Scottish Naturalist*, 1913: 116.  
Class: Bird  
Area: FO
- 2061 **Begg, W.** (1913). Black-throated and Red-throated Divers in the Firth of Forth. *Scottish Naturalist*, 1913: 116.  
Class: Bird  
Area: FO
- 2062 **Evans, W.** (1913). The Continental race of the Robin in Haddingtonshire. *Scottish Naturalist*, 1913: 141.  
Class: Bird  
Area: FO
- 2063 **MacGillivray, W.L.** (1913). Iceland and Greenland Falcons at Barra, Outer Hebrides. *Scottish Naturalist*, 1913: 141.  
Class: Bird  
Area: OH

- 2064 **Harvie-Brown, J.A.** (1913). Further increase of the Fulmar Petrel. *Scottish Naturalist*, 1913: 141-142.  
Class: Bird  
Area: CS
- 2065 **Alston, C.H.** (1913). A list of the Gaelic names of British mammals. *Scottish Naturalist*, 1913: 145-153.  
Class: Mamm  
Area: Gen
- 2066 **Clarke, W.E.** (1913). On the occurrence of Sykes's Blue-headed Wagtail at Fair Isle. *Scottish Naturalist*, 1913: 153-154.  
Class: Bird  
Area: FI
- 2067 **Bain, J.** (1913). On the occurrence of the Gull-billed Tern in Orkney. *Scottish Naturalist*, 1913: 154.  
Class: Bird  
Area: OR
- 2068 **Laidlaw, T.G.** (1913). Large litter of Fox cubs. *Scottish Naturalist*, 1913: 160.  
Class: Mamm  
Area: Gen TW
- 2069 **Gunnis, F.G.** (1913). Hawfinch in Sutherland. *Scottish Naturalist*, 1913: 160.  
Class: Bird  
Area: CS
- 2070 **Rintoul, L.J. and Baxter, E.V.** (1913). Grey-headed Wagtail in Forth. *Scottish Naturalist*, 1913: 160.  
Class: Bird  
Area: FO
- 2071 **Saxby J.E.** (1913). Honey Buzzard in Shetland. *Scottish Naturalist*, 1913: 161.  
Class: Bird  
Area: SH
- 2072 **Wedderburn, C.S.** (1913). Osprey in Tay. *Scottish Naturalist*, 1913: 161.  
Class: Bird  
Area: TA
- 2073 **Thomson, A.L.** (1913). An unrecorded heronry in "Dee". *Scottish Naturalist*, 1913: 161.  
Class: Bird  
Area: DE
- 2074 **Gladstone, H.S.** (1913). Geese struck by lightning in Dumfriesshire. *Scottish Naturalist*, 1913: 161-162.  
Class: Bird  
Area: SO
- 2075 **Thomson, A.L.** (1913). An unclaimed marked Woodcock. *Scottish Naturalist*, 1913: 162.  
Class: Bird  
Area: MO
- 2076 **McConachie, W.** (1913). Nesting of the Dunlin in Berwickshire. *Scottish Naturalist*, 1913: 162-163.  
Class: Bird  
Area: TW
- 2077 **Editorial note.** (1913). Bar-tailed Godwit [in summer plumage] in Ayrshire. *Scottish Naturalist*, 1913: [93], 163.  
Class: Bird  
Area: CL

- 2078 **Russell, G.W.** (1913). Notes on Shags and Fulmars in Shetland. *Scottish Naturalist*, 1913: 163-164.  
Class: Bird  
Area: SH
- 2079 **Harvie-Brown, J.A.** (1913). Fulmars in the Moray Firth. *Scottish Naturalist*, 1913: 164.  
Class: Bird  
Area: MO
- 2080 **Gladstone, H.S.** (1913). Perch in Dumfriesshire and Galloway. *Scottish Naturalist*, 1913: 164.  
Class: Fish  
Area: SO
- 2081 **Jackson, A.C.** (1913). Continental Song-Thrush, autumn record for Moray. *Scottish Naturalist*, 1913: 188.  
Class: Bird  
Area: MO
- 2082 **Jackson, A.C.** (1913). Black Redstart in Moray. *Scottish Naturalist*, 1913: 188.  
Class: Bird  
Area: MO
- 2083 **Brock, S.E.** (1913). Notes on a Carrion-Crow roost. *Scottish Naturalist*, 1913: 188-190.  
Class: Bird  
Area: CL FO
- 2084 **Beveridge, F.S.** (1913). Sea-Eagles in Argyll. *Scottish Naturalist*, 1913: 190.  
Class: Bird  
Area: AG
- 2085 **Taylor, W.** (1913). A bone of Rudolphi's Rorqual from the post-glacial sand of Elgin. *Scottish Naturalist*, 1913: 211.  
Class: Mamm  
Area: MO
- 2086 **Clyne, R.** (1913). The Squacco Heron in the Outer Hebrides. *Scottish Naturalist*, 1913: 211.  
Class: Bird  
Area: OH
- 2087 **Noble, H.** (1913). Scaup-Duck nesting in the Outer Hebrides. *Scottish Naturalist*, 1913: 211.  
Class: Bird  
Area: OH
- 2088 **Baigrie, S.** (1913). An Eider-Duck's unusual nesting-place. *Scottish Naturalist*, 1913: 211-212.  
Class: Bird  
Area: Gen FO
- 2089 **Laidlaw, H.** (1913). Ringed Plovers nesting under stones in Orkney. *Scottish Naturalist*, 1913: 212.  
Class: Bird  
Area: Gen OR
- 2090 **Bain, J.** (1913). Notes on Arctic Terns at the Pentland Skerries. *Scottish Naturalist*, 1913: 212.  
Class: Bird  
Area: OR
- 2091 **Harvie-Brown, J.A.** (1913). An early reference to Hebridean Thrushes. *Scottish Naturalist*, 1913: 233.  
Class: Bird  
Area: NW OH

- 2092 **Kirk, C.** (1913). Ring-Ouzel feeding young Cuckoo. *Scottish Naturalist*, 1913: 233.  
Class: Bird  
Area: Gen AG
- 2093 **Geddie, A.** (1913). Late breeding of the Crossbill in Speyside. *Scottish Naturalist*, 1913: 233.  
Class: Bird  
Area: Gen MO
- 2094 **Editorial note.** (1913). [Late breeding of the Crossbill in Speyside]. *Scottish Naturalist*, 1913: 233-234.  
Class: Bird  
Area: Gen MO
- 2095 **Nash, J.K.** (1913). The Nightjar in Edinburgh. *Scottish Naturalist*, 1913: 234.  
Class: Bird  
Area: FO
- 2096 **Bain, G.** (1913). Hoopoe off the coast of Caithness. *Scottish Naturalist*, 1913: 234.  
Class: Bird  
Area: CS
- 2097 **Begg, W.** (1913). Black Grouse on Inchkeith, Firth of Forth. *Scottish Naturalist*, 1913: 234.  
Class: Bird  
Area: FO
- 2098 **Mackay, H.** (1913). Spotted Redshank in Solway. *Scottish Naturalist*, 1913: 234-235.  
Class: Bird  
Area: SO
- 2099 **Beveridge, F.S.** (1913). Black-tailed Godwit in the Outer Hebrides. *Scottish Naturalist*, 1913: 235.  
Class: Bird  
Area: OH
- 2100 **McLean, J. and McGilvray, J.D.** (1913). Note on the Kittiwakes at the Flannan Islands. *Scottish Naturalist*, 1913: 235.  
Class: Bird  
Area: OL
- 2101 **Kirk, C.** (1913). Ailsa Craig deserted by Razorbills and Guillemots. *Scottish Naturalist*, 1913: 235-236.  
Class: Bird  
Area: CL
- 2102 **Evans, W.** (1913). [Scarcity of seabirds in Firth of Forth]. *Scottish Naturalist*, 1913: 236.  
Class: Bird  
Area: FO
- 2103 **Clyne, R.** (1913). The Fulmar and Common Guillemot in Lewis: extension of breeding-range. *Scottish Naturalist*, 1913: 236-237.  
Class: Bird  
Area: OH
- 2104 **Begg, W.** (1913). Storm Petrels in the Firth of Forth in summer. *Scottish Naturalist*, 1913: 237.  
Class: Bird  
Area: FO
- 2105 **Scrymgeour-Wedderburn, H.** (1913). Quail in Forfarshire. *Scottish Naturalist*, 1913: 259-260.  
Class: Bird  
Area: TA

- 2106 **Best, M.G.S.** (1913). Scarcity of Razorbills and Guillemots. *Scottish Naturalist*, 1913: 260.  
Class: Bird  
Area: Gen CL
- 2107 **Evans, W.** (1913). The Scandinavian race of the Lesser Black-backed Gull in Forth. *Scottish Naturalist*, 1913: 260.  
Class: Bird  
Area: FO
- 2108 **Editorial comment.** (1913). A List of British Terrestrial Mammals. *Scottish Naturalist*, 1913: 265-270.  
Class: Mamm  
Area: Gen
- 2109 **Clarke, W.E.** (1913). On the occurrence of *Phylloscopus fuscatus* (Blyth) in the Orkney Islands: a new British bird. *Scottish Naturalist*, 1913: 271-273.  
Class: Bird  
Area: OR
- 2110 **Baxter, E.V. and Rintoul, L.J.** (1913). Two new Scottish birds. *Scottish Naturalist*, 1913: 273-274.  
Class: Bird  
Area: FO
- 2111 **Bedford, Duchess of** (1913). Movements of migratory birds observed in Kirkcudbrightshire. *Scottish Naturalist*, 1913: 283.  
Class: Bird  
Area: SO
- 2112 **Brock, S.E.** (1913). Song of the Willow-Tit. *Scottish Naturalist*, 1913: 283-284.  
Class: Bird  
Area: Gen FO
- 2113 **Harris, C.K.** (1913). Glossy Ibis in Argyll. *Scottish Naturalist*, 1913: 284.  
Class: Bird  
Area: AG IH
- 2114 **Fowler, C.M.** (1913). Iceland Gull in West Ross-shire. *Scottish Naturalist*, 1913: 284.  
Class: Bird  
Area: NW
- 2115 **Anderson, J.** (1913). Newts in Caithness. *Scottish Naturalist*, 1913: 284.  
Class: Amph  
Area: CS
- 2116 **Editorial note.** (1913). [Palmated Newt in Sutherland]. *Scottish Naturalist*, 1913: 284.  
Class: Amph  
Area: CS
- 2117 **Rintoul, L.J. and Baxter, E.V.** (1913). *Report on Scottish Ornithology in 1912, including Migration.* *Scottish Naturalist*, Extra Publication No. 2. Edinburgh: Oliver & Boyd.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2118 **Clarke, W.E.** (1914). On some rare and interesting migratory birds observed at the Orcadian island of Auskerry in the autumn of 1913. *Scottish Naturalist*, 1914: 5-8.  
Class: Bird  
Area: OR
- 2119 **Gladstone, H.S.** (1914). Badger in Dumfriesshire. *Scottish Naturalist*, 1914: 19.  
Class: Mamm  
Area: SO



- 2120 **Hall, C.A.** (1914). Bank Vole (*Evotomys glareolus*) in Renfrewshire. *Scottish Naturalist*, 1914: 19.  
Class: Mamm  
Area: CL
- 2121 **Tomlinson, M.R.** (1914). Richard's Pipit in Midlothian. *Scottish Naturalist*, 1914: 19-20.  
Class: Bird  
Area: FO
- 2122 **Blackwood, W.T.** (1914). Nesting of Pied Flycatcher in Peebleshire. *Scottish Naturalist*, 1914: 20.  
Class: Bird  
Area: TW
- 2123 **Bartholomew, J.** (1914). Yellow-browed Warbler in Kirkcudbrightshire. *Scottish Naturalist*, 1914: 20-21.  
Class: Bird  
Area: SO
- 2124 **Macdougall, P.** (1914). Fieldfares in Shetland. *Scottish Naturalist*, 1914: 21.  
Class: Bird  
Area: SH
- 2125 **Page, R.H.S.** (1914). Late Swallow in West Lothian. *Scottish Naturalist*, 1914: 21.  
Class: Bird  
Area: FO
- 2126 **Bedford, Duchess of.** (1914). Sparrow Hawk and Mistle Thrush as migrants at Barra, Outer Hebrides. *Scottish Naturalist*, 1914: 21.  
Class: Bird  
Area: OH
- 2127 **Editorial note.** (1914). [First record of Sparrow Hawk and Mistle Thrush in Outer Hebrides]. *Scottish Naturalist*, 1914: 21-22.  
Class: Bird  
Area: Gen OH
- 2128 **Gurney, J.H.** (1914). Variety of the Gannet. *Scottish Naturalist*, 1914: 22.  
Class: Bird  
Area: FO
- 2129 **Cowan, R.C.** (1914). Ringed Grouse. *Scottish Naturalist*, 1914: 22.  
Class: Bird  
Area: FO
- 2130 **Kirke, D.J.B.** (1914). Quails in Fife. *Scottish Naturalist*, 1914: 22.  
Class: Bird  
Area: FO
- 2131 **Serle, W.** (1914). Common Snipe at Duddingston Loch. *Scottish Naturalist*, 1914: 22.  
Class: Bird  
Area: FO
- 2132 **Gladstone, H.S.** (1914). Sword-fish in Dumfriesshire. *Scottish Naturalist*, 1914: 22.  
Class: Fish  
Area: SO
- 2133 **Taylor, W.** (1914). A Sperm Whale in the Moray Firth. *Scottish Naturalist*, 1914: 28-30.  
Class: Mamm  
Area: MO

- 2134 **Best, M.G.S., Turner, E.L. and Haviland, M.D.** (1914). Notes on bird-life in the Outer Hebrides as observed during May and June 1913. *Scottish Naturalist*, 1914: 30-34.  
Class: Bird  
Area: OH
- 2135 **Watt, H.B.** (1914). Bank Vole in the Clyde area. *Scottish Naturalist*, 1914: 43.  
Class: Mamm  
Area: CL
- 2136 **Robinson, H.W.** (1914). The birds of Tiree - additional records. *Scottish Naturalist*, 1914: 43-44.  
Class: Bird  
Area: AG IH
- 2137 **Jackson, A.C.** (1914). The birds of Tiree - additional records. *Scottish Naturalist*, 1914: 44, [71].  
Class: Bird  
Area: AG IH
- 2138 **Russell, G.W.** (1914). Some bird notes from Shetland. *Scottish Naturalist*, 1914: 44.  
Class: Bird  
Area: SH
- 2139 **Clarke, W.E.** (1914). Northern Bullfinches in Orkney. *Scottish Naturalist*, 1914: 45.  
Class: Bird  
Area: OR
- 2140 **Laidlaw, H.** (1914). Woodchat Shrike in Orkney. *Scottish Naturalist*, 1914: 45.  
Class: Bird  
Area: OR
- 2141 **Jackson, A.C.** (1914). Nesting of the Pintail in Moray area. *Scottish Naturalist*, 1914: 45.  
Class: Bird  
Area: MO
- 2142 **Editorial note.** (1914). [Nesting of the Pintail in Inverness-shire]. *Scottish Naturalist*, 1914: 45.  
Class: Bird  
Area: MO
- 2143 **Beveridge, F.S.** (1914). Probable breeding of Tufted Duck in North Uist. *Scottish Naturalist*, 1914: 45.  
Class: Bird  
Area: OH
- 2144 **Editorial note.** (1914). [Previous record of Tufted Duck breeding in Outer Hebrides]. *Scottish Naturalist*, 1914: 45.  
Class: Bird  
Area: OH
- 2145 **Editorial comment.** (1914). The Great Skua in danger of extermination as a native of the British Islands. *Scottish Naturalist*, 1914: 46.  
Class: Bird  
Area: SH
- 2146 **Jackson, A.C.** (1914). Nesting of Great Crested Grebe in Moray area. *Scottish Naturalist*, 1914: 46.  
Class: Bird  
Area: MO
- 2147 **Clarke, W.E.** (1914). On some migratory birds observed at Fair Isle during the spring and autumn of 1913. *Scottish Naturalist*, 1914: 53-55.  
Class: Bird  
Area: FI

- 2148 **McConachie, W.** (1914). Yellow-browed Warbler in Berwickshire. *Scottish Naturalist*, 1914: 68.  
Class: Bird  
Area: TW
- 2149 **Robinson, H.W.** (1914). Arrival of the Pied Wagtail in Orkney. *Scottish Naturalist*, 1914: 68.  
Class: Bird  
Area: OR
- 2150 **Jackson, A.C.** (1914). Honey Buzzard in Ross-shire. *Scottish Naturalist*, 1914: 69.  
Class: Bird  
Area: NW
- 2151 **MacKeith, T.T.** (1914). Quails nesting in Renfrew and Bute. *Scottish Naturalist*, 1914: 69.  
Class: Bird  
Area: CL
- 2152 **Gray, W.A.** (1914). Ruff in the Outer Hebrides. *Scottish Naturalist*, 1914: 69.  
Class: Bird  
Area: OH
- 2153 **Jackson, A.C.** (1914). Occurrence of Iceland Gulls in the North. *Scottish Naturalist*, 1914: 69.  
Class: Bird  
Area: MO CS
- 2154 **Currie, T.** (1914). Fork-tailed Petrel in Peeblesshire. *Scottish Naturalist*, 1914: 69.  
Class: Bird  
Area: TW
- 2155 **Editorial comment.** (1914). Plumage (Prohibition) Bill. *Scottish Naturalist*, 1914: 73-74.  
Class: Bird  
Area: Gen
- 2156 **Editorial comment.** (1914). Egg coloration in the Cuckoo. *Scottish Naturalist*, 1914: 74-75.  
Class: Bird  
Area: Gen
- 2157 **Editorial comment.** (1914). Large quantities of fish eggs floating in North Sea, Shetland and Moray Firth. *Scottish Naturalist*, 1914: 75-76.  
Class: Fish  
Area: DE MO SH
- 2158 **Brock, S.E.** (1914). The display of the Mallard in relation to pairing. *Scottish Naturalist*, 1914: 78-86.  
Class: Bird  
Area: Gen
- 2159 **Campbell, H.B.** (1914). Pine Marten in Argyll. *Scottish Naturalist*, 1914: 93.  
Class: Mamm  
Area: CL AG
- 2160 **Clarke, W.E.** (1914). White Wagtail in the Orkneys. *Scottish Naturalist*, 1914: 93.  
Class: Bird  
Area: OR
- 2161 **Tulloch, J.S.** (1914). Redbreasts in Shetland. *Scottish Naturalist*, 1914: 93.  
Class: Bird  
Area: SH
- 2162 **Russell, G.W.** (1914). Siberian Chiffchaff in Shetland in winter. *Scottish Naturalist*, 1914: 93-94.  
Class: Bird  
Area: SH

- 2163 **Tulloch, J.S.** (1914). Grey Shrike in Shetland. *Scottish Naturalist*, 1914: 94.  
Class: Bird  
Area: SH
- 2164 **Bartholomew, J.** (1914). Ringed Grouse. *Scottish Naturalist*, 1914: 94.  
Class: Bird  
Area: Gen FO
- 2165 **Robinson, H.W.** (1914). Lesser Black-backed Gull in Orkney. *Scottish Naturalist*, 1914: 94-95.  
Class: Bird  
Area: OR
- 2166 **Campbell, B.** (1914). Whimbrel in the Forth district in January. *Scottish Naturalist*, 1914: 95.  
Class: Bird  
Area: Gen FO
- 2167 **Scott, T.** (1914). Seal louse (*Echinophthirius phocae*) from a Common Seal in the west of Scotland. *Scottish Naturalist*, 1914: 95.  
Class: Mamm  
Area: Gen CL
- 2168 **Editorial note.** (1914). [Salmon of 49 lb. weight from River Deveron]. *Scottish Naturalist*, 1914: 97.  
Class: Fish  
Area: DE
- 2169 **Ritchie, J.** (1914). Some early references to Four-horned Sheep in Scotland. *Scottish Naturalist*, 1914: 100-106.  
Class: Mamm  
Area: Gen SO TW CL OH SK SH
- 2170 **Baxter, E.V. and Rintoul, L.J.** (1914). Bird notes from the Isle of May in 1913. *Scottish Naturalist*, 1914: 106-111.  
Class: Bird  
Area: FO
- 2171 **Watt, H.B.** (1914). Scottish heronries. Fourth paper, with statistical summary. *Scottish Naturalist*, 1914: 112-115, 143.  
Class: Bird  
Area: SO TW CL FO TA DE MO NW AG IH OH OR
- 2172 **Laidlaw, T.G.** (1914). Supposed hybrid between Mallard and Wigeon in Berwickshire. *Scottish Naturalist*, 1914: 117-118.  
Class: Bird  
Area: Gen TW
- 2173 **Serle, W.** (1914). Smew on Duddingston Loch. *Scottish Naturalist*, 1914: 118.  
Class: Bird  
Area: FO
- 2174 **May, A.M.** (1914). Woodcock in the city of Edinburgh. *Scottish Naturalist*, 1914: 118.  
Class: Bird  
Area: FO
- 2175 **Rodger, A.M.** (1914). Scarcity of Frogs and Toads near Perth. *Scottish Naturalist*, 1914: 118.  
Class: Amph  
Area: TA
- 2176 **Clarke, W.E.** (1914). Notes on the Mice of St. Kilda. *Scottish Naturalist*, 1914: 124-128.  
Class: Mamm  
Area: SK

- 2177 **Oldham, C.** (1914). Goldfinch in the Moray area. *Scottish Naturalist*, 1914: 143.  
Class: Bird  
Area: MO
- 2178 **Tulloch, J.S.** (1914). Migratory Blackcap in song in Shetland. *Scottish Naturalist*, 1914: 143.  
Class: Bird  
Area: SH
- 2179 **Gladstone, H.S.** (1914). Swift in Dumfriesshire. *Scottish Naturalist*, 1914: 143.  
Class: Bird  
Area: SO
- 2180 **McConachie, W.** (1914). Nesting of the Dunlin in Berwickshire. *Scottish Naturalist*, 1914: 143-144.  
Class: Bird  
Area: TW
- 2181 **Alston, C.H.** (1914). Trout feeding on the Heather Beetle. *Scottish Naturalist*, 1914: 144.  
Class: Fish  
Area: Gen CL AG
- 2182 **Cash, G.C.** (1914). History of the Loch an Eilein Ospreys. *Scottish Naturalist*, 1914: 149-158.  
Class: Bird  
Area: MO
- 2183 **Gladstone, H.S.** (1914). Badger in Dumfriesshire. *Scottish Naturalist*, 1914: 162.  
Class: Mamm  
Area: SO
- 2184 **Baxter, E.V. and Rintoul, L.J.** (1914). Increase in cliff-breeding birds on the Isle of May. *Scottish Naturalist*, 1914: 162-163.  
Class: Bird  
Area: FO
- 2185 **Evans, W.** (1914). The nesting season of 1914. *Scottish Naturalist*, 1914: 163-164.  
Class: Bird  
Area: Gen FO
- 2186 **MacKeith, T.T.** (1914). Willow-Tit nesting in Renfrewshire. *Scottish Naturalist*, 1914: 164.  
Class: Bird  
Area: CL
- 2187 **Baxter, E.V.** (1914). Little Gull in Forth in June. *Scottish Naturalist*, 1914: 164-165.  
Class: Bird  
Area: FO
- 2188 **Clyne, R.** (1914). Fulmars at Butt of Lewis. *Scottish Naturalist*, 1914: 165.  
Class: Bird  
Area: OH
- 2189 **MacGregor, A.** (1914). Great Warty, Smooth, and Palmated Newts near Forres. *Scottish Naturalist*, 1914: 165-166.  
Class: Amph  
Area: MO
- 2190 **Graham, G.** (1914). Greater Fork-beard in Clyde. *Scottish Naturalist*, 1914: 166.  
Class: Fish  
Area: CL
- 2191 **Bedford, Duchess of** (1914). Spring bird-notes from various Scottish Islands. *Scottish Naturalist*, 1914: 173-181.  
Class: Bird Mamm Fish  
Area: MO CS NW OH SK OL FI

- 2192 **Berry, W.** (1914). Albino Weasel. *Scottish Naturalist*, 1914: 188.  
Class: Mamm  
Area: Gen TA
- 2193 **Baxter, E.V. and Rintoul, L.J.** (1914). Birds singing while on migration. *Scottish Naturalist*, 1914: 188-189.  
Class: Bird  
Area: Gen FO
- 2194 **Maxwell, H.** (1914). Increase of the Goldfinch in Scotland. *Scottish Naturalist*, 1914: 189.  
Class: Bird  
Area: SO
- 2195 **Rintoul, L.J. and Baxter, E.V.** (1914). Bird notes from the Isle of May - spring 1914. *Scottish Naturalist*, 1914: 198-201.  
Class: Bird  
Area: FO
- 2196 **Thomson, A.L.** (1914). Rare birds in Aberdeenshire in 1913. *Scottish Naturalist*, 1914: 201-202.  
Class: Bird  
Area: DE
- 2197 **Gladstone, H.S.** (1914). Black-headed Gulls in Dumfriesshire. *Scottish Naturalist*, 1914: 203-204.  
Class: Bird  
Area: SO
- 2198 **Gladstone, H.S.** (1914). Large Sturgeon in the Solway Firth. *Scottish Naturalist*, 1914: 213.  
Class: Fish  
Area: SO
- 2199 **Macvicar, S.M.** (1914). Scottish Heronries. *Scottish Naturalist*, 1914: 213.  
Class: Bird  
Area: AG
- 2200 **Kirk, C.** (1914). Nesting of Twites on Ailsa Craig. *Scottish Naturalist*, 1914: 213-214.  
Class: Bird  
Area: CL
- 2201 **Thin, R.G.** (1914). Dunlin brooding young Redshanks. *Scottish Naturalist*, 1914: 214.  
Class: Bird  
Area: Gen FO
- 2202 **Clyne, R.** (1914). Fulmars and Common Guillemots at Butt of Lewis. *Scottish Naturalist*, 1914: 214-215.  
Class: Bird  
Area: OH
- 2203 **Rintoul, L.J., Baxter, E.V. and Sutherland, L.R.** (1914). Fulmars at Fowlsheugh, Kincardineshire coast. *Scottish Naturalist*, 1914: 215.  
Class: Bird  
Area: TA DE
- 2204 **Clarke, W.E.** (1914). The "Blue Fulmar": its plumage and distribution. *Scottish Naturalist*, 1914: 221-225.  
Class: Bird  
Area: Gen SK SH
- 2205 **McConachie, W.** (1914). Bird notes from Lauderdale. *Scottish Naturalist*, 1914: 237.  
Class: Bird  
Area: TW

- 2206 **Bain, J.** (1914). Icterine Warbler in Orkney. *Scottish Naturalist*, 1914: 237.  
Class: Bird  
Area: OR
- 2207 **Ritchie, J.** (1914). The spread of the Starling in Scotland. *Scottish Naturalist*, 1914: 237-238.  
Class: Bird  
Area: DE MO
- 2208 **Beveridge, F.S.** (1914). Carrion Crow in North Uist. *Scottish Naturalist*, 1914: 238.  
Class: Bird  
Area: OH
- 2209 **Macdonald, A.** (1914). Young Goatsucker at Durris, Kincardineshire. *Scottish Naturalist*, 1914: 238.  
Class: Bird  
Area: TA DE
- 2210 **Douglas-Menzies, N.E.** (1914). Great Spotted Woodpecker in Dumfriesshire. *Scottish Naturalist*, 1914: 238.  
Class: Bird  
Area: SO
- 2211 **Baigrie, S.** (1914). Kingfisher at the Isle of May lantern. *Scottish Naturalist*, 1914: 239.  
Class: Bird  
Area: FO
- 2212 **Baigrie, S.** (1914). Dotterel at the Isle of May lantern. *Scottish Naturalist*, 1914: 239.  
Class: Bird  
Area: FO
- 2213 **Braid, C.H.** (1914). Dotterel at the Mull of Galloway lantern. *Scottish Naturalist*, 1914: 239.  
Class: Bird  
Area: SO
- 2214 **Rintoul, L.J. and Baxter, E.V.** (1914). Notes on some passerine birds found migrating in moult. *Scottish Naturalist*, 1914: 245-252.  
Class: Bird  
Area: Gen SO FO SK SH FI
- 2215 **Balfour, A.** (1914). Nesting of the Eider Duck in Tynninghame woods. *Scottish Naturalist*, 1914: 263.  
Class: Bird  
Area: FO
- 2216 **Balfour, A.** (1914). Lesser Tern in East Lothian. *Scottish Naturalist*, 1914: 263.  
Class: Bird  
Area: FO
- 2217 **Gaskell, T.K. and Gaskell, J.H.** (1914). Large numbers of the Lesser Launce in Largo Bay. *Scottish Naturalist*, 1914: 263.  
Class: Fish  
Area: FO
- 2218 **Galloway, A.R. and Thomson, A.L.** (1914). Notes on high mortality among young Common Terns in certain seasons. *Scottish Naturalist*, 1914: 271-278.  
Class: Bird  
Area: Gen DE
- 2219 **Tulloch, J.S.** (1914). Bird notes from Shetland. *Scottish Naturalist*, 1914: 287.  
Class: Bird  
Area: SH

- 2220 **Page, R.** (1914). Bird notes from Leith. *Scottish Naturalist*, 1914: 287.  
Class: Bird  
Area: FO
- 2221 **McConachie, W.** (1914). Increase of the Tree-Sparrow in Lauderdale. *Scottish Naturalist*, 1914: 287-288.  
Class: Bird  
Area: TW
- 2222 **Editorial note.** (1914). [Increase of Tree-Sparrow in the eastern Borders]. *Scottish Naturalist*, 1914: 288.  
Class: Bird  
Area: TW
- 2223 **White, A.** (1914). Long-eared Owl in Shetland. *Scottish Naturalist*, 1914: 288.  
Class: Bird  
Area: SH
- 2224 **Nicolson, A.J.** (1914). Spotted Crake in Shetland. *Scottish Naturalist*, 1914: 288-289.  
Class: Bird  
Area: SH
- 2225 **Nash, J.K.** (1914). Razorbills and Guillemots on Ailsa Craig. *Scottish Naturalist*, 1914: 289.  
Class: Bird  
Area: CL
- 2226 **Evans, W.** (1914). Blackbird feeding on Daisies. *Scottish Naturalist*, 1914: 289-290.  
Class: Bird  
Area: Gen FO
- 2227 **Nash, J.K.** (1914). Song-Thrush's strange bill of fare. *Scottish Naturalist*, 1914: 290.  
Class: Bird  
Area: Gen FO
- 2228 **Baxter, E.V. and Rintoul, L.J.** (1914). *Report on Scottish Ornithology in 1913, including Migration.* *Scottish Naturalist*, Extra Publication No. 3. Edinburgh: Oliver & Boyd.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2229 **Ticehurst, C.B.** (1915). On the juvenile plumage of the Starling (*Sturnus vulgaris*) from the Shetland Islands. *Scottish Naturalist*, 1915: 3-4.  
Class: Bird  
Area: Gen SH
- 2230 **Clarke, W.E.** (1915). A new Scottish bird: the Aquatic Warbler at Fair Isle. *Scottish Naturalist*, 1915: 5.  
Class: Bird  
Area: FI
- 2231 **Bolam, G.** (1915). Newts on the eastern Borders. *Scottish Naturalist*, 1915: 6-7.  
Class: Amph  
Area: TW
- 2232 **Wilson, R.** (1915). Enormous rush of Redwings at Skerryvore lantern. *Scottish Naturalist*, 1915: 21.  
Class: Bird  
Area: AG IH
- 2233 **Clarke, W.E.** (1915). Curlew ringed in Finland and recovered in Lewis. *Scottish Naturalist*, 1915: 21-22.  
Class: Bird  
Area: OH



- 2234 Kirk, C. (1915). Siberian Chiffchaff in Shetland. *Scottish Naturalist*, 1915: 22.  
Class: Bird  
Area: SH
- 2235 Coates, H. (1915). The recent irruption of the Little Auk (*Alle alle*) in Scotland. *Scottish Naturalist*, 1915: 22.  
Class: Bird  
Area: TA
- 2236 Kirk, C. (1915). The recent irruption of the Little Auk (*Alle alle*) in Scotland. *Scottish Naturalist*, 1915: 22-23.  
Class: Bird  
Area: CL FO
- 2237 Nicholson, W.A. (1915). The recent irruption of the Little Auk (*Alle alle*) in Scotland. *Scottish Naturalist*, 1915: 23.  
Class: Bird  
Area: FO
- 2238 Editorial note. (1915). [Other records of the Little Auk (*Alle alle*) in Scotland]. *Scottish Naturalist*, 1915: 23.  
Class: Bird  
Area: FO TA DE MO
- 2239 Ritchie, J. (1915). A curious habitat of Amphipod Crustacea [in Cod roe]. *Scottish Naturalist*, 1915: 23.  
Class: Fish  
Area: MO
- 2240 Clyne, R. (1915). Notes on birds observed at the Butt of Lewis. *Scottish Naturalist*, 1915: 29-37, 77-81.  
Class: Bird  
Area: OH
- 2241 McConachie, W. (1915). Voles, Shrews, and Mice in Lauderdale. *Scottish Naturalist*, 1915: 44.  
Class: Mamm  
Area: TW
- 2242 McConachie, W. (1915). Hawfinches in Lauderdale. *Scottish Naturalist*, 1915: 44-45.  
Class: Bird  
Area: TW
- 2243 Bolam, G. (1915). Tree-sparrow in Lauderdale, etc. *Scottish Naturalist*, 1915: 45-46.  
Class: Bird  
Area: TW
- 2244 Robertson, J. (1915). Occurrence of the Knot inland. *Scottish Naturalist*, 1915: 46.  
Class: Bird  
Area: Gen CL
- 2245 Robertson, J. (1915). Migration of the Ringed Plover in east Renfrewshire. *Scottish Naturalist*, 1915: 46.  
Class: Bird  
Area: CL
- 2246 Macdonald, D. (1915). Green Sandpiper in "Clyde" in spring. *Scottish Naturalist*, 1915: 46.  
Class: Bird  
Area: CL
- 2247 Robertson, J. (1915). Green Sandpiper in east Renfrewshire. *Scottish Naturalist*, 1915: 46-47.  
Class: Bird  
Area: CL

- 2248 **Bain, G.** (1915). Northern Bullfinch in Caithness. *Scottish Naturalist*, 1915: 68.  
Class: Bird  
Area: CS
- 2249 **Jackson, A.C.** (1915). Great Grey Shrike in East Ross-shire. *Scottish Naturalist*, 1915: 68.  
Class: Bird  
Area: MO
- 2250 **Editorial note.** (1915). [Great Grey Shrike in Pitlochry]. *Scottish Naturalist*, 1915: 68.  
Class: Bird  
Area: TA
- 2251 **Jackson, A.C.** (1915). Black-tailed Godwit in Caithness. *Scottish Naturalist*, 1915: 68.  
Class: Bird  
Area: CS
- 2252 **Rintoul, L.J. and Baxter, E.V.** (1915). Gulls and searchlights. *Scottish Naturalist*, 1915: 68.  
Class: Bird  
Area: Gen FO
- 2253 **Allan, T.** (1915). Glaucous Gulls and Little Auks off the east coast of Ross-shire. *Scottish Naturalist*, 1915: 69.  
Class: Bird  
Area: MO
- 2254 **Rintoul, L.J. and Baxter, E.V.** (1915). Some observations on the nesting habits of Slavonian Grebe. *Scottish Naturalist*, 1915: 69-70.  
Class: Bird  
Area: Gen MO
- 2255 **Maxwell, H.** (1915). Waterfowl and the American pond-weed (*Elodea canadensis*). *Scottish Naturalist*, 1915: 81-83.  
Class: Bird  
Area: Gen SO
- 2256 **Robinson, H.W.** (1915). Linnet in Orkney. *Scottish Naturalist*, 1915: 93.  
Class: Bird  
Area: OR
- 2257 **Ingles, W.M.** (1915). Tawny Owl attacking Sparrows. *Scottish Naturalist*, 1915: 93.  
Class: Bird  
Area: Gen FO
- 2258 **Jackson, A.C.** (1915). Uncommon birds on the Beaully Firth. *Scottish Naturalist*, 1915: 93.  
Class: Bird  
Area: MO
- 2259 **Jackson, A.C.** (1915). Gadwall nesting in Caithness. *Scottish Naturalist*, 1915: 94.  
Class: Bird  
Area: CS
- 2260 **Robinson, H.W.** (1915). Goosander in Orkney. *Scottish Naturalist*, 1915: 94.  
Class: Bird  
Area: OR
- 2261 **Beveridge, F.S.** (1915). Whimbrels at Musselburgh in winter. *Scottish Naturalist*, 1915: 94.  
Class: Bird  
Area: Gen FO

- 2262 **Best, M.G.S.** (1915). Gulls and searchlights. *Scottish Naturalist*, 1915: 94-95.  
Class: Bird  
Area: Gen
- 2263 **MacKeith, T.T.** (1915). Irruption of Little Auks. *Scottish Naturalist*, 1915: 95.  
Class: Bird  
Area: CL
- 2264 **Bartholomew, J.** (1915). Irruption of Little Auks. *Scottish Naturalist*, 1915: 95.  
Class: Bird  
Area: SO CL
- 2265 **Editorial comment.** (1915). The Parrot Crossbill. *Scottish Naturalist*, 1915: 97-98.  
Class: Bird  
Area: Gen MO NW
- 2266 **Clarke, W.E.** (1915). On the occurrence of the Eastern Short-toed Lark at Fair Isle: an addition to the British avifauna. *Scottish Naturalist*, 1915: 100-101.  
Class: Bird  
Area: FI
- 2267 **Clarke, W.E.** (1915). Notes on the migratory birds observed at Fair Isle in 1914. *Scottish Naturalist*, 1915: 101-105.  
Class: Bird  
Area: FI
- 2268 **Bruce, S.** (1915). Uncommon bird visitors in Shetland. *Scottish Naturalist*, 1915: 115.  
Class: Bird  
Area: SH
- 2269 **Coates, H.** (1915). Tengmalm's Owl in Perthshire. *Scottish Naturalist*, 1915: 100-115-116.  
Class: Bird  
Area: TA
- 2270 **Robinson, H.W.** (1915). Goosanders in Orkney. *Scottish Naturalist*, 1915: 116.  
Class: Bird  
Area: OR
- 2271 **Robinson, H.W.** (1915). Unrecorded Ivory Gull from Orkney. *Scottish Naturalist*, 1915: 116.  
Class: Bird  
Area: OR
- 2272 **Baxter, E.V. and Rintoul, L.J.** (1915). Absence of Eider in east Fife, winter, 1914-15. *Scottish Naturalist*, 1915: 116-117.  
Class: Bird  
Area: FO TA
- 2273 **Robertson, J. and MacKeith, T.T.** (1915). The birds of Renfrewshire. *Scottish Naturalist*, 1915: 124-127, 244-250, 268-275, [357].  
Class: Bird  
Area: CL
- 2274 **Thomson, A.L.** (1915). Ornithological records from the "Dee" area. *Scottish Naturalist*, 1915: 127-129.  
Class: Bird  
Area: DE
- 2275 **Evans, W.** (1915). Lesser Shrew in Haddingtonshire. *Scottish Naturalist*, 1915: 142.  
Class: Mamm  
Area: FO
- 2276 **Bruce, S.** (1915). Barred Warbler in Shetland in June. *Scottish Naturalist*, 1915: 143.  
Class: Bird  
Area: SH

- 2277 **Robinson, H.W.** (1915). Tengmalm's Owl in Shetland. *Scottish Naturalist*, 1915: 143.  
Class: Bird  
Area: SH
- 2278 **Robinson, H.W.** (1915). Unrecorded King Eider from Orkney. *Scottish Naturalist*, 1915: 143.  
Class: Bird  
Area: OR
- 2279 **Fowler, A.** (1915). Little Auk on west coast of Ross-shire. *Scottish Naturalist*, 1915: 143-144.  
Class: Bird  
Area: NW
- 2280 **Baxter, E.V. and Rintoul, L.J.** (1915). Report on Scottish ornithology in 1914, including migration. *Scottish Naturalist*, 1915: 145-236.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2281 **Tulloch, J.S.** (1915). Nesting of the Gannet in Shetland: an extension of its breeding range. *Scottish Naturalist*, 1915: 251.  
Class: Bird  
Area: SH
- 2282 **Robertson, J.** (1915). Water-Shrew in Renfrewshire. *Scottish Naturalist*, 1915: 262-263.  
Class: Mamm  
Area: CL
- 2283 **Bedford, Duchess of** (1915). Late occurrence of the Fieldfare in S.W. Scotland. *Scottish Naturalist*, 1915: 263, 356.  
Class: Bird  
Area: SO
- 2284 **Horsfield, H.K.** (1915). Subaquatic movements of the Dipper. *Scottish Naturalist*, 1915: 263-264.  
Class: Bird  
Area: Gen TA
- 2285 **Robinson, H.W.** (1915). Absence of young Eider drakes in Orkney in winter. *Scottish Naturalist*, 1915: 264.  
Class: Bird  
Area: OR
- 2286 **Taylor, W.** (1915). Angel-Fish off the Elginshire coast. *Scottish Naturalist*, 1915: 264.  
Class: Fish  
Area: MO
- 2287 **Wilson, R.** (1915). Grey Seals at Skerryvore. *Scottish Naturalist*, 1915: 282.  
Class: Mamm  
Area: AG IH
- 2288 **Erskine, M.** (1915). Sea-birds and oil. *Scottish Naturalist*, 1915: 282-283.  
Class: Bird  
Area: Gen FO TA
- 2289 **Baigrie, S.** (1915). Sea-birds and oil. *Scottish Naturalist*, 1915: 283.  
Class: Bird  
Area: Gen FO
- 2290 **Rintoul, L.J. and Baxter, E.V.** (1915). Sea-birds and oil. *Scottish Naturalist*, 1915: 284.  
Class: Bird  
Area: Gen FO

- 2291 **Evans, W.** (1915). Coloration of mouth of young Hawfinches. *Scottish Naturalist*, 1915: 284, [307].  
Class: Bird  
Area: Gen FO
- 2292 **Macdonald, A.** (1915). Pied Flycatcher at Stonehaven. *Scottish Naturalist*, 1915: 284-285.  
Class: Bird  
Area: DE
- 2293 **Gladstone, H.S.** (1915). Pied Flycatcher in Dumfriesshire. *Scottish Naturalist*, 1915: 285.  
Class: Bird  
Area: SO
- 2294 **Blackwood, G.G.** (1915). Crested Tit in Nairnshire. *Scottish Naturalist*, 1915: 285.  
Class: Bird  
Area: MO
- 2295 **Rintoul, L.J. and Baxter, E.V.** (1915). Spring moult of Common and Black-headed Gulls. *Scottish Naturalist*, 1915: 285-286.  
Class: Bird  
Area: Gen FO
- 2296 **Evans, W.** (1915). The spring moult of the Black-headed Gull. *Scottish Naturalist*, 1915: 286-287.  
Class: Bird  
Area: Gen TW FO
- 2297 **Clarke, W.E.** (1915). The Wren of St. Kilda: Its status, plumages, and habits. *Scottish Naturalist*, 1915: 291-296.  
Class: Bird  
Area: SK
- 2298 **Taylor, W.** (1915). The history of the Triassic reptile *Scleromochlus taylori* (A. Smith Woodward). *Scottish Naturalist*, 1915: 296-299.  
Class: Rept  
Area: MO
- 2299 **Watt, H.B.** (1915). The Water-Shrew in Renfrewshire. *Scottish Naturalist*, 1915: 307.  
Class: Mamm  
Area: CL
- 2300 **Ticehurst, C.B.** (1915). Birds and oil. *Scottish Naturalist*, 1915: 307.  
Class: Bird  
Area: Gen
- 2301 **Ticehurst, C.B.** (1915). Coloration of the mouth in young Hawfinches. *Scottish Naturalist*, 1915: 307.  
Class: Bird  
Area: Gen
- 2302 **Evans, W.** (1915). [Coloration of the mouth in young Hawfinches]. *Scottish Naturalist*, 1915: 307-308  
Class: Bird  
Area: Gen
- 2303 **Holmes, G.** (1915). Alpine Swift in Wigtownshire. *Scottish Naturalist*, 1915: 308.  
Class: Bird  
Area: SO
- 2304 **Editorial note.** (1915). [Alpine Swifts in Ayrshire]. *Scottish Naturalist*, 1915: 308.  
Class: Bird  
Area: CL

- 2305 Tulloch, J.S. (1915). Disappearance of Terns from the Skerries. *Scottish Naturalist*, 1915: 308-309.  
Class: Bird  
Area: SH
- 2306 Ticehurst, C.B. (1915). Spring moult of Gulls. *Scottish Naturalist*, 1915: 309-310.  
Class: Bird  
Area: Gen
- 2307 Evans, W. (1915). The Fulmar on the south-east coast of Scotland in summer. *Scottish Naturalist*, 1915: 310.  
Class: Bird  
Area: TW FO TA
- 2308 Thomson, A.L. (1915). Aberdeen University Bird-migration Inquiry: Second interim report (1912-14). *Scottish Naturalist*, 1915: 313-317, 339-343.  
Class: Bird  
Area: Gen CL FO TA DE MO AG OH OR SH
- 2309 Mouat, M.E. (1915). Otter (*Lutra vulgaris*) at Barrahead lighthouse. *Scottish Naturalist*, 1915: 333.  
Class: Mamm  
Area: OH
- 2310 Clarke, W.E. (1915). Corn-crake at St. Kilda. *Scottish Naturalist*, 1915: 333.  
Class: Bird  
Area: SK
- 2311 Jackson, A.C. (1915). The down-lining of ducks' nests. *Scottish Naturalist*, 1915: 333-334.  
Class: Bird  
Area: Gen
- 2312 Baxter, E.V. and Rintoul, L.J. (1915). Black-headed Gull (*Larus ridibundus*) breeding while still in immature plumage. *Scottish Naturalist*, 1915: 334.  
Class: Bird  
Area: Gen FO
- 2313 Evans, W. (1915). Spring moult of gulls. *Scottish Naturalist*, 1915: 334.  
Class: Bird  
Area: Gen
- 2314 Evans, W. (1915). White-beaked Dolphin on the Fife coast of the Firth of Forth. *Scottish Naturalist*, 1915: 355.  
Class: Mamm  
Area: FO
- 2315 Malloch, T. (1915). Lesser Shrew in Renfrewshire. *Scottish Naturalist*, 1915: 356.  
Class: Mamm  
Area: CL
- 2316 Bedford, Duchess of (1915). Late occurrence of Fieldfare in S.W. Scotland. *Scottish Naturalist*, 1915: [263], 356.  
Class: Bird  
Area: SO
- 2317 Gladstone, H.S. (1915). Hen-Harrier in Kirkcudbrightshire. *Scottish Naturalist*, 1915: 356.  
Class: Bird  
Area: SO
- 2318 Brown, R. (1915). Albino Black Grouse in Selkirkshire. *Scottish Naturalist*, 1915: 356.  
Class: Bird  
Area: Gen TW

- 2319 **Robertson, J.** (1915). Waders at Balgray reservoir, east Renfrewshire - autumn 1915. *Scottish Naturalist*, 1915: 357.  
Class: Bird  
Area: CL
- 2320 **Ogg, W.** (1915). Great Snipe in Elginshire. *Scottish Naturalist*, 1915: 357.  
Class: Bird  
Area: MO
- 2321 **Robertson, J.** (1915). Iceland Gull on Lochfyne. *Scottish Naturalist*, 1915: 358.  
Class: Bird  
Area: CL AG
- 2322 **Bolam, G.** (1915). Black-headed Gull (*Larus ridibundus*) breeding in immature plumage. *Scottish Naturalist*, 1915: 358.  
Class: Bird  
Area: Gen
- 2323 **Bolam, G.** (1915). [Immature Gannet breeding on the Bass Rock]. *Scottish Naturalist*, 1915: 358.  
Class: Bird  
Area: Gen FO
- 2324 **Robertson, J.** (1915). Arctic Skua in Lanarkshire. *Scottish Naturalist*, 1915: 358.  
Class: Bird  
Area: CL
- 2325 **Rintoul, L.J. and Baxter, E.V.** (1916). Some notes on birds moulting in their winter quarters. *Scottish Naturalist*, 1916: 5-11.  
Class: Bird  
Area: Gen
- 2326 **Editorial comment.** (1916-17). The generic names of the Swallows and Divers. *Scottish Naturalist*, 1916: 22; 1917: 270.  
Class: Bird  
Area: Gen
- 2327 **Beveridge, F.S.** (1916). Birds attracted by lighted tents. *Scottish Naturalist*, 1916: 23.  
Class: Bird  
Area: Gen FO
- 2328 **Nash, J.K.** (1916). Strange diet of the Song Thrush. *Scottish Naturalist*, 1916: 23.  
Class: Bird  
Area: Gen FO
- 2329 **Bain, J.** (1916). Uncommon birds in Orkney. *Scottish Naturalist*, 1916: 23-24.  
Class: Bird  
Area: OR
- 2330 **Thomson, J.G.** (1916). Uncommon birds in Orkney. *Scottish Naturalist*, 1916: 24.  
Class: Bird  
Area: OR
- 2331 **Editorial note.** (1916). Crested Titmouse in East Rosshire. *Scottish Naturalist*, 1916: 24.  
Class: Bird  
Area: MO
- 2332 **Russell, T.W.** (1916). Bee-Eater and Yellow-browed Warbler in Shetland. *Scottish Naturalist*, 1916: 24.  
Class: Bird  
Area: SH

- 2333 Gladstone, H.S. (1916). Great Grey Shrike in Dumfriesshire. *Scottish Naturalist*, 1916: 24.  
Class: Bird  
Area: SO
- 2334 Coates, H. (1916). Black-headed Gulls at Inver, Dunkeld, in winter. *Scottish Naturalist*, 1916: 28.  
Class: Bird  
Area: Gen TA
- 2335 Ticehurst, C.B. (1916). Notes on migrants and moult with special reference to the moults of some of our summer visitants. *Scottish Naturalist*, 1916: 29-38.  
Class: Bird  
Area: Gen OR
- 2336 Bartholomew, J. (1916). Barn Owl in Dumfriesshire. *Scottish Naturalist*, 1916: 38.  
Class: Bird  
Area: SO
- 2337 Editorial note. (1916). Black-tailed Godwits in Moray area in summer. *Scottish Naturalist*, 1916: 38.  
Class: Bird  
Area: MO
- 2338 Editorial note. (1916). Little Stint near Glasgow. *Scottish Naturalist*, 1916: 38.  
Class: Bird  
Area: CL
- 2339 Evans, W. (1916). Birds and aeroplanes. *Scottish Naturalist*, 1916: 39-42.  
Class: Bird  
Area: Gen CL FO
- 2340 Editorial note. (1916). Fox-Shark and Basking Shark off the Ayrshire coast. *Scottish Naturalist*, 1916: 47.  
Class: Fish  
Area: CL
- 2341 Editorial comment. (1916). Bird-parasites and bird-phylogeny. *Scottish Naturalist*, 1916: 51-54.  
Class: Bird  
Area: Gen
- 2342 Clyne, R. (1916). Movements of the Gannet as observed at the Butt of Lewis. *Scottish Naturalist*, 1916: 55-59.  
Class: Bird  
Area: OH
- 2343 Robertson, J. (1916). The "Milkman's Whistle" of the Barn Owl. *Scottish Naturalist*, 1916: 60.  
Class: Bird  
Area: Gen CL
- 2344 Coates, H. (1916). Birds and aeroplanes. *Scottish Naturalist*, 1916: 66.  
Class: Bird  
Area: Gen TA
- 2345 Robertson, J. (1916). Notes on the Gannet. *Scottish Naturalist*, 1916: 66-67.  
Class: Bird  
Area: Gen CL
- 2346 Clarke, W.E. (1916). Notes on the Gannet. *Scottish Naturalist*, 1916: 67.  
Class: Bird  
Area: Gen
- 2347 Berry, W. (1916). Notes on the extension of range of the Crested Tit. *Scottish Naturalist*, 1916: 68.  
Class: Bird  
Area: MO



- 2348 **Baxter, E.V. and Rintoul, L.J.** (1916). Rough-legged Buzzard in east Fife. *Scottish Naturalist*, 1916: 68-69.  
Class: Bird  
Area: FO
- 2349 **Laidlaw, T.G.** (1916). Honey Buzzard in Berwickshire. *Scottish Naturalist*, 1916: 69  
Class: Bird  
Area: TW
- 2350 **Laidlaw, T.G.** (1916). Bernicle Goose in Berwickshire. *Scottish Naturalist*, 1916: 66-69.  
Class: Bird  
Area: TW
- 2351 **Editorial note.** (1916). Landrail at St. Kilda. *Scottish Naturalist*, 1916: 69-70.  
Class: Bird  
Area: SK
- 2352 **Coates, H.** (1916). Little Auks in the Perth district. *Scottish Naturalist*, 1916: 70.  
Class: Bird  
Area: TA
- 2353 **Evans, W.** (1916). Black-tailed Godwit in Forth. *Scottish Naturalist*, 1916: 70.  
Class: Bird  
Area: FO
- 2354 **Clarke, W.E.** (1916). Notes on some Scottish birds observed in 1915. *Scottish Naturalist*, 1916: 75-79.  
Class: Bird  
Area: NW OH SK SH FI
- 2355 **Paterson, G.** (1916). Little Gull at the mouth of the Don. *Scottish Naturalist*, 1916: 79.  
Class: Bird  
Area: DE
- 2356 **Baxter, E.V. and Rintoul, L.J.** (1916). Some notes on the eclipse plumage of the young male Goldeneye. *Scottish Naturalist*, 1916: 93-94.  
Class: Bird  
Area: Gen OH
- 2357 **MacKeith, T.T.** (1916). Swimming of young Lapwings. *Scottish Naturalist*, 1916: 94.  
Class: Bird  
Area: Gen CL
- 2358 **Barnard, L.** (1916). Ivory Gull on the west coast of Scotland. *Scottish Naturalist*, 1916: 95.  
Class: Bird  
Area: NW
- 2359 **Berry, W.** (1916). Ivory Gulls in Inverness-shire. *Scottish Naturalist*, 1916: 95.  
Class: Bird  
Area: MO
- 2360 **Rintoul, L.J. and Baxter, E.V.** (1916). Continental racial forms of Scottish breeding birds and their occurrences in Scotland. *Scottish Naturalist*, 1916: 99-106, 123-128.  
Class: Bird  
Area: Gen SO TW CL FO TA DE MO AG IH OH SK OL OR SH FI
- 2361 **Baxter, E.V. and Rintoul, L.J.** (1916). Comparison of Danish and Scottish ornithological movements in 1914. *Scottish Naturalist*, 1916: 106.  
Class: Bird  
Area: Gen SO FO SH FI

- 2362 **Bartholomew, J.** (1916). Barn Owl in the Glasgow district. *Scottish Naturalist*, 1916: 114.  
Class: Bird  
Area: CL
- 2363 **Baxter, E.V. and Rintoul, L.J.** (1916). Report on Scottish ornithology in 1915, including migration. *Scottish Naturalist*, 1916: 145-218.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2364 **Hinton, M.A.C. and Hony, G.B.** (1916). Notes on two collections of Mice from Lewis, Outer Hebrides. *Scottish Naturalist*, 1916: 221-227.  
Class: Mamm  
Area: OH
- 2365 **Editorial note.** (1916). Cetacea stranded on the Scottish coasts. *Scottish Naturalist*, 1916: 227.  
Class: Mamm  
Area: TA MO CS
- 2366 **Bartholomew, J.** (1916). Tree-Sparrow near Glasgow. *Scottish Naturalist*, 1916: 228.  
Class: Bird  
Area: CL
- 2367 **Kirke, D.J.B.** (1916). House-Sparrows utilising nest of Blackbird. *Scottish Naturalist*, 1916: 228.  
Class: Bird  
Area: Gen FO
- 2368 **Thomson, A.L.** (1916). Wryneck in Aberdeenshire. *Scottish Naturalist*, 1916: 114.  
Class: Bird  
Area: DE
- 2369 **Tait, T.M.** (1916). Goldcrest's unusual nesting-place. *Scottish Naturalist*, 1916: 239-240.  
Class: Bird  
Area: Gen TW
- 2370 **Robertson, J.** (1916). Little Gull near Glasgow. *Scottish Naturalist*, 1916: 240.  
Class: Bird  
Area: CL
- 2371 **Campbell, B.** (1916). Goldfinches in Mid-Lothian. *Scottish Naturalist*, 1916: 240.  
Class: Bird  
Area: FO
- 2372 **Serle, W.** (1916). Early appearance of Swift. *Scottish Naturalist*, 1916: 114.  
Class: Bird  
Area: Gen FO
- 2373 **Wiglesworth, J.** (1916). The Water-Rail at St. Kilda. *Scottish Naturalist*, 1916: 241.  
Class: Bird  
Area: SK
- 2374 **Gladstone, H.S.** (1916). The new "Bibliography of British Ornithology". *Scottish Naturalist*, 1916: 247-248.  
Class: Bird  
Area: Gen
- 2375 **Evans, W.** (1916). The Firth of Forth record of the Levantine Shearwater. *Scottish Naturalist*, 1916: 249-252.  
Class: Bird  
Area: FO

- 2376 **McConachie, W.** (1916). Bird notes from Lauderdale. *Scottish Naturalist*, 1916: 252.  
Class: Bird  
Area: TW
- 2377 **Beveridge, F.S.** (1916). Crossbill in North Uist. *Scottish Naturalist*, 1916: 264.  
Class: Bird  
Area: OH
- 2378 **Bolam, G.** (1916). Lesser Whitethroat in Kirkcudbrightshire. *Scottish Naturalist*, 1916: 264.  
Class: Bird  
Area: SO
- 2379 **Baxter, E.V. and Rintoul, L.J.** (1916). Pied Wagtails' curious nest at Largo. *Scottish Naturalist*, 1916: 264.  
Class: Bird  
Area: Gen FO
- 2380 **Baxter, E.V. and Rintoul, L.J.** (1916). Great Crested Grebes at Kilconquhar Loch. *Scottish Naturalist*, 1916: 264-265.  
Class: Bird  
Area: FO
- 2381 **Baxter, E.V. and Rintoul, L.J.** (1916). Continental Redbreast and Lesser Black-backed Gull in Fife. *Scottish Naturalist*, 1916: 265.  
Class: Bird  
Area: FO
- 2382 **Gaskell, J.H.** (1916). Some notes on birds seen at Raasay. *Scottish Naturalist*, 1916: 269-270.  
Class: Bird  
Area: NW IH
- 2383 **MacKeith, T.T.** (1916). The Capercaillie in Renfrewshire. *Scottish Naturalist*, 1916: 270.  
Class: Bird  
Area: CL
- 2384 **Robertson, J.** (1916). Whinchat imitating Swallow's notes. *Scottish Naturalist*, 1916: 282.  
Class: Bird  
Area: Gen CL
- 2385 **Berry, W.** (1916). Spotted Redshank (*Totanus fuscus*) in Fife. *Scottish Naturalist*, 1916: 287-288.  
Class: Bird  
Area: TA
- 2386 **Mackenzie, D.** (1916). Nightjar in the Island of Lewis. *Scottish Naturalist*, 1916: 288.  
Class: Bird  
Area: OH
- 2387 **Editorial note.** (1916). [Nightjar in the Outer Hebrides]. *Scottish Naturalist*, 1916: 288.  
Class: Bird  
Area: OH
- 2388 **Evans, W.** (1916). The Gadwall in Midlothian. *Scottish Naturalist*, 1916: 289.  
Class: Bird  
Area: FO
- 2389 **Bain, J.** (1916). Pied Wheatear and other rare birds in Orkney. *Scottish Naturalist*, 1916: 293.  
Class: Bird  
Area: OR

- 2390 Clarke, W.E. (1916). On the first winter plumage of the female Pied Wheatear *Oenanthe leucomela*. *Scottish Naturalist*, 1916: 293-294.  
Class: Bird  
Area: Gen OR
- 2391 Kirk, C. (1916). Hoopoe in Ayrshire. *Scottish Naturalist*, 1916: 294.  
Class: Bird  
Area: CL
- 2392 Robinson, H.W. (1916). Cumberland-bred Black-headed Gulls nesting in Scotland. *Scottish Naturalist*, 1916: 298.  
Class: Bird  
Area: SO FO TA
- 2393 Begg, W. (1917). Autumn migration at Little Ross lighthouse, Kirkcudbrightshire. *Scottish Naturalist*, 1917: 3-5.  
Class: Bird  
Area: SO
- 2394 Begg, W. (1917). Common Shrew in Raasay. *Scottish Naturalist*, 1917: 6.  
Class: Mamm  
Area: NW IH
- 2395 Baigrie, S. (1917). Red-breasted Flycatcher and Black Redstart on the Isle of May. *Scottish Naturalist*, 1917: 6.  
Class: Bird  
Area: FO
- 2396 Robertson, J. (1917). Lapwing's unusual nesting site. *Scottish Naturalist*, 1917: 6.  
Class: Bird  
Area: Gen CL
- 2397 Macdougall, J.P. (1917). Striped Wrasse in Kerrera Sound. *Scottish Naturalist*, 1917: 18.  
Class: Fish  
Area: AG
- 2398 Editorial note. (1917). [West of Scotland records of the Striped Wrasse]. *Scottish Naturalist*, 1917: 18.  
Class: Fish  
Area: CL NW AG IH OH
- 2399 Rintoul, L.J. and Baxter, E.V. (1917). On the pale-breasted or American Brent Goose in Scotland. *Scottish Naturalist*, 1917: 25-26.  
Class: Bird  
Area: CL FO TA MO NW IH OH SH FI
- 2400 Begg, W. (1917). Siberian Chiffchaff (*Phylloscopus collybita tristis*) at Little Ross lighthouse, Kirkcudbrightshire. *Scottish Naturalist*, 1917: 33.  
Class: Bird  
Area: SO
- 2401 Editorial note. (1917). [Scottish records of the Siberian Chiffchaff]. *Scottish Naturalist*, 1917: 33.  
Class: Bird  
Area: FO OR SH
- 2402 Robertson, J. (1917). Early appearance of Swift. *Scottish Naturalist*, 1917: 33.  
Class: Bird  
Area: Gen CL
- 2403 Campbell, J. (1917). Black-headed Gulls at the Flannan Isles. *Scottish Naturalist*, 1917: 34.  
Class: Bird  
Area: OL

- 2404 **Robinson, H.W.** (1917). English-bred Black-headed Gulls recovered in Scotland. *Scottish Naturalist*, 1917: 34.  
Class: Bird  
Area: Gen SO TW CL FO TA DE AG
- 2405 **Gowan, J.** (1917). Albino Ringed Plover. *Scottish Naturalist*, 1917: 47.  
Class: Bird  
Area: Gen MO
- 2406 **Editorial note.** (1917). Dwarf eggs of birds. *Scottish Naturalist*, 1917: 47-48.  
Class: Bird  
Area: Gen
- 2407 **Clarke, W.E.** (1917). An overlooked occurrence of the Black Lark in Great Britain. *Scottish Naturalist*, 1917: 49-50.  
Class: Bird  
Area: Gen
- 2408 **Sykes, C.** (1917). Hawfinches and Goldfinches near Musselburgh. *Scottish Naturalist*, 1917: 50.  
Class: Bird  
Area: FO
- 2409 **Collinge, W.E.** (1917). The economic status of wild birds. *Scottish Naturalist*, 1917: 51-58.  
Class: Bird  
Area: Gen
- 2410 **Boase, H.** (1917). Observations on some habits of the Coot. *Scottish Naturalist*, 1917: 59-64.  
Class: Bird  
Area: Gen TA
- 2411 **Jackson, A.C.** (1917). Occurrence of the Red-necked Grebe in Moray area. *Scottish Naturalist*, 1917: 69.  
Class: Bird  
Area: MO
- 2412 **Rintoul, L.J. and Baxter, E.V.** (1917). Red-necked Grebe in Largo bay. *Scottish Naturalist*, 1917: 69.  
Class: Bird  
Area: FO
- 2413 **Craig, J.** (1917). Persecution of Rooks by Carrion Crows at Beith. *Scottish Naturalist*, 1917: 69.  
Class: Bird  
Area: Gen CL
- 2414 **Mackenzie, D.** (1917). Bittern in the Island of Lewis. *Scottish Naturalist*, 1917: 70.  
Class: Bird  
Area: OH
- 2415 **Editorial note.** (1917). [Records of the Bittern in the Outer Hebrides]. *Scottish Naturalist*, 1917: 70.  
Class: Bird  
Area: OH
- 2416 **Baxter, E.V. and Rintoul, L.J.** (1917). Little Gull in the Tay area. *Scottish Naturalist*, 1917: 69.  
Class: Bird  
Area: TA
- 2417 **Chapman, A.** (1917). Brent Geese. *Scottish Naturalist*, 1917: 73-76.  
Class: Bird  
Area: Gen

- 2418 **Editorial comment.** (1917). Light-bellied and Dark-bellied Brent Geese. *Scottish Naturalist*, 1917: 75-76.  
Class: Bird  
Area: Gen
- 2419 **Evans, W.** (1917). Brent Geese, both dark and light-breasted, in the Forth, etc. *Scottish Naturalist*, 1917: 76-77.  
Class: Bird  
Area: TW FO TA MO
- 2420 **Robinson, H.W.** (1917). Recovery of Black-headed Gulls marked in Scotland. *Scottish Naturalist*, 1917: 78.  
Class: Bird  
Area: Gen SO CL DE
- 2421 **Brown, A.** (1917). Birds killed by oil at St. Andrews in 1915. *Scottish Naturalist*, 1917: 78.  
Class: Bird  
Area: Gen TA
- 2422 **Editorial comment.** (1917). European forms of the Cormorant. *Scottish Naturalist*, 1917: 90-91.  
Class: Bird  
Area: Gen
- 2423 **Erskine, M.** (1917). The light-bellied variety of the Brent Goose in Fife. *Scottish Naturalist*, 1917: 91.  
Class: Bird  
Area: FO TA
- 2424 **Jackson, A.C.** (1917). On the capture of a Meadow-pipit by a Common Gull. *Scottish Naturalist*, 1917: 91.  
Class: Bird  
Area: Gen MO
- 2425 **Editorial note.** (1917). Notes on the recovery of ringed birds. *Scottish Naturalist*, 1917: 91-92.  
Class: Bird  
Area: Gen
- 2426 **Cowan, J.** (1917). Migration in Banffshire. *Scottish Naturalist*, 1917: 92-93.  
Class: Bird  
Area: Gen MO
- 2427 **Baxter, E.V.** (1917). Hen-Harrier in Fife. *Scottish Naturalist*, 1917: 93.  
Class: Bird  
Area: FO
- 2428 **Editorial comment.** (1917). Notes on the plumage, etc, of the Little Bustard. *Scottish Naturalist*, 1917: 93.  
Class: Bird  
Area: Gen
- 2429 **Editorial comment.** (1917). Work done by the Watchers' Committee of the R.S.P.B. in Scotland in 1916. *Scottish Naturalist*, 1917: 94.  
Class: Bird  
Area: Gen OR SH
- 2430 **Evans, W.** (1917). Tadpole-fish on the coast of East Lothian, Firth of Forth. *Scottish Naturalist*, 1917: 94.  
Class: Fish  
Area: FO
- 2431 **McWilliam, J.M.** (1917). The Brent Goose in Bute. *Scottish Naturalist*, 1917: 99-100.  
Class: Bird  
Area: CL

- 2432 **Robinson, H.W.** (1917). The status of the Brent Goose in Orkney and Shetland. *Scottish Naturalist*, 1917: 100.  
Class: Bird  
Area: OR SH
- 2433 **Editorial comment.** (1917). Whales stranded on Scottish coasts in 1916. *Scottish Naturalist*, 1917: 101-103.  
Class: Mamm  
Area: Gen SO FO TA OH
- 2434 **Robertson, J.** (1917). Pale-breasted Brent Goose in Ayr, Renfrew, and Bute. *Scottish Naturalist*, 1917: 103.  
Class: Bird  
Area: CL
- 2435 **Haigh, G.H.C.** (1917). Light- and Dark-breasted Brent Geese. *Scottish Naturalist*, 1917: 103-104.  
Class: Bird  
Area: Gen
- 2436 **Baxter, E.V. and Rintoul, L.J.** (1917). Black-headed and Common gulls eating Turnips. *Scottish Naturalist*, 1917: 110.  
Class: Bird  
Area: Gen FO
- 2437 **Sutherland, L.R.** (1917). Healed fracture in tarsus of Golden Plover. *Scottish Naturalist*, 1917: 117.  
Class: Bird  
Area: Gen FO
- 2438 **Oldham, C.** (1917). Red-necked Grebe in the Moray area. *Scottish Naturalist*, 1917: 117.  
Class: Bird  
Area: MO
- 2439 **MacKeith, T.T.** (1917). Moorhens perching on trees. *Scottish Naturalist*, 1917: 117.  
Class: Bird  
Area: Gen CL
- 2440 **Berry, W.V.** (1917). A Chair of Economic Ornithology. *Scottish Naturalist*, 1917: 121-135.  
Class: Bird  
Area: Gen
- 2441 **McGregor, P.J.C.** (1917). Mountain Hare at North Berwick. *Scottish Naturalist*, 1917: 135.  
Class: Mamm  
Area: FO
- 2442 **Coates, H.** (1917). Note on an unrecorded occurrence of remains of the Elk in Perthshire. *Scottish Naturalist*, 1917: 135.  
Class: Mamm  
Area: TA
- 2443 **Beveridge, F.S.** (1917). Bird notes from North Uist. *Scottish Naturalist*, 1917: 136.  
Class: Bird  
Area: OH
- 2444 **Laidlaw, T.G.** (1917). Unusual birds in Berwickshire. *Scottish Naturalist*, 1917: 136.  
Class: Bird  
Area: TW
- 2445 **Editorial note.** (1917). Birds under fire. *Scottish Naturalist*, 1917: 139.  
Class: Bird  
Area: Gen

- 2446 **Clarke, W.E.** (1917). Black Lark - a correction. *Scottish Naturalist*, 1917: 140.  
Class: Bird  
Area: Gen
- 2447 **Wilson, H.W.** (1917). Red-breasted Merganser in east Renfrewshire. *Scottish Naturalist*, 1917: 140.  
Class: Bird  
Area: CL
- 2448 **Editorial note.** (1917). Birds and explosions. *Scottish Naturalist*, 1917: 140.  
Class: Bird  
Area: Gen
- 2449 **Jackson, A.C.** (1917). Note on a Kestrel carrying a young Rabbit. *Scottish Naturalist*, 1917: 140.  
Class: Mamm Bird  
Area: Gen MO
- 2450 **Rintoul, L.J. and Baxter, E.V.** (1917). Report on Scottish ornithology in 1916, including migration. *Scottish Naturalist*, 1917: 145-206.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2451 **Pitt, F.** (1917). Some notes and observations on the Mole in captivity. *Scottish Naturalist*, 1917: 207-213, 231-234.  
Class: Mamm  
Area: Gen
- 2452 **Robinson, H.W.** (1917). An enormous bitch Otter. *Scottish Naturalist*, 1917: 213.  
Class: Mamm  
Area: Gen
- 2453 **Saxby, E.T.** (1917). Little Bittern in Shetland. *Scottish Naturalist*, 1917: 214.  
Class: Bird  
Area: SH
- 2454 **Laidlaw, T.G.** (1917). Rare birds in Berwickshire. *Scottish Naturalist*, 1917: 214.  
Class: Bird  
Area: TW
- 2455 **Campbell, B.** (1917). Hawfinch in Linlithgowshire. *Scottish Naturalist*, 1917: 214.  
Class: Bird  
Area: FO
- 2456 **Millais, J.G.** (1917). Brent Geese in Scotland. *Scottish Naturalist*, 1917: 215-217.  
Class: Bird  
Area: Gen SO FO TA MO CS OR SH
- 2457 **Greenaway, W.H.** (1917). The Cuckoo at Foula Isle. *Scottish Naturalist*, 1917: 217-218.  
Class: Bird  
Area: SH
- 2458 **Hopkins, N.** (1917). Hen-Harrier in Ayrshire. *Scottish Naturalist*, 1917: 218.  
Class: Bird  
Area: CL
- 2459 **Robertson, J.** (1917). Late singing of the Missel-Thrush. *Scottish Naturalist*, 1917: 234.  
Class: Bird  
Area: Gen CL
- 2460 **Thompson, D.W.** (1917-18). On some of the scarcer fishes in the Aberdeen market. *Scottish Naturalist*, 1917: 235-249; 1918: 16-18, 35-46, 59-68.  
Class: Fish  
Area: DE CS OH SK OL OR SH FI



- 2461 **Macdonald, A.** (1917). Gulls devouring turnips. *Scottish Naturalist*, 1917: 250.  
Class: Bird  
Area: Gen DE
- 2462 **Laurence, J.R.** (1917). Gulls devouring turnips. *Scottish Naturalist*, 1917: 250.  
Class: Bird  
Area: Gen OR
- 2463 **Tait, T.** (1917). Stock-Dove in Aberdeenshire. *Scottish Naturalist*, 1917: 250.  
Class: Bird  
Area: DE
- 2464 **Gladstone, H.S.** (1917). *A Bibliography of British Ornithology*, parts I to VI, 1916-17. By W.H. Mullens and H. Kirke Swann. *Scottish Naturalist*, 1917: 253.  
Class: Bird  
Area: Gen
- 2465 **Editorial note.** (1917). Sperm Whale in the Moray Firth. *Scottish Naturalist*, 1917: 254.  
Class: Mamm  
Area: MO
- 2466 **Clarke, W.E.** (1917-18). Wild life in a west highland deer forest. *Scottish Naturalist*, 1917: 255-264, 279-288; 1918: 1-10.  
Class: Mamm Bird Rept Amph  
Area: Gen TA MO CS NW AG
- 2467 **Rintoul, L.J. and Baxter, E.V.** (1917). Autumn displays in our British birds. *Scottish Naturalist*, 1917: 265-270.  
Class: Bird  
Area: Gen FO TA
- 2468 **MacKeith, T.T.** (1917). *Acanthis cannabina* nesting in Renfrewshire. *Scottish Naturalist*, 1917: 275.  
Class: Bird  
Area: CL
- 2469 **Macdonald, A.** (1917). Strange nesting site of the Pied Wagtail. *Scottish Naturalist*, 1917: 275.  
Class: Bird  
Area: Gen DE
- 2470 **Brock, S.E.** (1917). Swallows in Picardy. *Scottish Naturalist*, 1917: 275-276.  
Class: Bird  
Area: Gen
- 2471 **Maxwell, H.** (1917). Nesting of the Kingfisher within the Glasgow boundaries. *Scottish Naturalist*, 1917: 276.  
Class: Bird  
Area: CL
- 2472 **Clarke, W.E.** (1917). Woodcock ringed in Ireland and recovered in Shetland. *Scottish Naturalist*, 1917: 276.  
Class: Bird  
Area: SH
- 2473 **Rintoul, L.J. and Baxter, E.V.** (1917). Migration by river. *Scottish Naturalist*, 1917: 292.  
Class: Bird  
Area: Gen TA
- 2474 **Ogg, W.** (1917). Note on the Water Vole. *Scottish Naturalist*, 1917: 293.  
Class: Mamm  
Area: Gen MO

- 2475 Murray, G.E.G. (1917). Note on the singular nesting of the Tree Creeper. *Scottish Naturalist*, 1917: 293.  
Class: Bird  
Area: Gen TA
- 2476 Mackenzie, D. (1917). Spoonbill in the Outer Hebrides. *Scottish Naturalist*, 1917: 293.  
Class: Bird  
Area: OH
- 2477 Baxter, E.V. and Rintoul, L.J. (1917). Occurrence of the Cuckoo Ray in Forth. *Scottish Naturalist*, 1917: 293.  
Class: Fish  
Area: FO
- 2478 Meek, A. (1918). The migrations of *Chimaera monstrosa*. *Scottish Naturalist*, 1918: 11-16, [16-18].  
Class: Fish  
Area: Gen DE OL OR SH
- 2479 Smalley, F.W. (1918). British Grey Geese. *Scottish Naturalist*, 1918: 18.  
Class: Bird  
Area: Gen SO FO
- 2480 Gladstone H.S. (1918). Late nesting of the Dipper. *Scottish Naturalist*, 1918: 21.  
Class: Bird  
Area: Gen FO
- 2481 Kirke, C. (1918). Swallows building in trees. *Scottish Naturalist*, 1918: 21.  
Class: Bird  
Area: Gen
- 2482 Robertson, J. (1918). The Swift near Glasgow in September. *Scottish Naturalist*, 1918: 21.  
Class: Bird  
Area: CL
- 2483 Webster, P. (1918). Kite in Perthshire. *Scottish Naturalist*, 1918: 21-22.  
Class: Bird  
Area: TA
- 2484 Robertson, J. (1918). Slavonian Grebe in Renfrewshire. *Scottish Naturalist*, 1918: 22.  
Class: Bird  
Area: CL
- 2485 Clarke, W.E. (1918). Variety of Red Grouse. *Scottish Naturalist*, 1918: 22.  
Class: Bird  
Area: CL
- 2486 McWilliam, J.M. (1918). Notes on some of the birds of Bute, including records of their passage to the mainland. *Scottish Naturalist*, 1918: 25-29.  
Class: Bird  
Area: CL
- 2487 Maxwell, H. (1918). The Golden and Amherst Pheasants. *Scottish Naturalist*, 1918: 30.  
Class: Bird  
Area: Gen CL FO TA
- 2488 Mackenzie, O.H. (1918). Vanishing birds, and birds that have already vanished, on the west coast of Ross-shire. *Scottish Naturalist*, 1918: 31-34.  
Class: Bird  
Area: NW
- 2489 Simpson, H.D. (1918). Hawfinch in Peeblesshire. *Scottish Naturalist*, 1918: 34.  
Class: Bird  
Area: TW

- 2490 **Campbell, B.** (1918). A late Swift. *Scottish Naturalist*, 1918: 34.  
Class: Bird  
Area: Gen FO
- 2491 **Serle, W.** (1918). Stonechat nesting in King's Park, Edinburgh. *Scottish Naturalist*, 1918: 47.  
Class: Bird  
Area: FO
- 2492 **Evans, W.** (1918). [Breeding status of Stonechat in Edinburgh area]. *Scottish Naturalist*, 1918: 47.  
Class: Bird  
Area: FO
- 2493 **Evans, W.** (1918). Early references to the bird-life of the Isle of May. *Scottish Naturalist*, 1918: 49-58.  
Class: Bird  
Area: FO
- 2494 **Macdonald, A.** (1918). Crossbills feeding on Rowans. *Scottish Naturalist*, 1918: 71.  
Class: Bird  
Area: Gen DE
- 2495 **Beveridge, F.S.** (1918). The Grey Lag Goose in North Uist. *Scottish Naturalist*, 1918: 73-74.  
Class: Bird  
Area: OH
- 2496 **Gladstone, H.S.** (1918). Agricultural damage by vermin and birds. *Scottish Naturalist*, 1918: 75-78.  
Class: Mam Bird  
Area: Gen
- 2497 **Ellison, G. and Towers, A.** (1918). White variety of the Orkney Vole. *Scottish Naturalist*, 1918: 47.  
Class: Mamm  
Area: OR
- 2498 **Grieve, S.** (1918). Vanishing game birds in Argyllshire. *Scottish Naturalist*, 1918: 92-93.  
Class: Bird  
Area: AG
- 2499 **Baxter, E.V. and Rintoul, L.J.** (1918). Scarcity of winter visitors in Fife. *Scottish Naturalist*, 1918: 93-94.  
Class: Bird  
Area: FO
- 2500 **Bonar, H.N.** (1918). Extension of the range of the Great Spotted Woodpecker in the Tay area. *Scottish Naturalist*, 1918: 94.  
Class: Bird  
Area: TA
- 2501 **Hay, L.C.** (1918). Cuckoo reared in a window-box. *Scottish Naturalist*, 1918: 94-95.  
Class: Bird  
Area: Gen FO
- 2502 **Ritchie, J.** (1918). Cave-hunting in Scotland. *Scottish Naturalist*, 1918: 97-102.  
Class: Mamm Bird Amph  
Area: Gen CL FO TA CS NW
- 2503 **Holmes, H.** (1918). Wood-Warbler and Little Stint in the Outer Hebrides. *Scottish Naturalist*, 1918: 102.  
Class: Bird  
Area: OH

- 2504 Macdonald, D. (1918). Swans on Possil Marsh. *Scottish Naturalist*, 1918: 102.  
Class: Bird  
Area: CL
- 2505 Collinge, W.E. (1918). On the value of the different methods of estimating the stomach contents of wild birds. *Scottish Naturalist*, 1918: 103-108.  
Class: Bird  
Area: Gen
- 2506 Boase, H. (1918). The westward flight of the Swallow, House-Martin and Sand-Martin on the Tay estuary in autumn. *Scottish Naturalist*, 1918: 109-112.  
Class: Bird  
Area: TA
- 2507 Baxter, E.V. (1918). Blue Shark in Largo bay. *Scottish Naturalist*, 1918: 112.  
Class: Fish  
Area: FO
- 2508 Chapman, A. (1918). Notes and observations on the birds of North Uist in May 1883. *Scottish Naturalist*, 1918: 121-132.  
Class: Bird  
Area: IH OH
- 2509 Macdonald, A. (1918). The Stock-Dove in lower Deeside. *Scottish Naturalist*, 1918: 132.  
Class: Bird  
Area: DE
- 2510 Younger, R.J. (1918). Lapwings' nest with five eggs. *Scottish Naturalist*, 1918: 139.  
Class: Bird  
Area: Gen TA
- 2511 Smalley, F.W. (1918). Observations on the Grey Lag Goose. *Scottish Naturalist*, 1918: 139-140.  
Class: Bird  
Area: Gen
- 2512 Boase, H. (1918). Description of aberrant hen Capercaillie from Afleck, Forfarshire. *Scottish Naturalist*, 1918: 140-141.  
Class: Bird  
Area: TA DE
- 2513 Baxter, E.V. and Rintoul, L.J. (1918). Report on Scottish ornithology in 1917, including migration. *Scottish Naturalist*, 1918: 145-196.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2514 Thompson, D.W. (1918-19). On whales landed at the Scottish whaling stations, especially during the years 1908-1914. *Scottish Naturalist*, 1918: 197-208, 221-237; 1919: 1-16, 37-46.  
Class: Mamm  
Area: CS OH SK OL OR SH
- 2515 Pitt, F. (1918). Seasonal changes in the coloration of the Pine Marten. *Scottish Naturalist*, 1918: 209-212.  
Class: Mamm  
Area: Gen
- 2516 Watt, H.B. (1918). Roe Deer in Bute. *Scottish Naturalist*, 1918: 212.  
Class: Mamm  
Area: CL
- 2517 Ritchie, J. (1918). [Roe Deer in Bute]. *Scottish Naturalist*, 1918: 212.  
Class: Mamm  
Area: Gen CL

- 2518 **Beveridge, F.S.** (1918). The Grey Lag Goose. *Scottish Naturalist*, 1918: 213-215.  
Class: Bird  
Area: OH
- 2519 **Macdonald, A.** (1918). Nests of Cole-Tit and Tree-Creeper. *Scottish Naturalist*, 1918: 215.  
Class: Bird  
Area: DE
- 2520 **Mackessack, R.H.** (1918). Crested Titmouse in west Elgin. *Scottish Naturalist*, 1918: 216.  
Class: Bird  
Area: MO
- 2521 **Serle, W.** (1918). Tufted Duck nesting on Duddingston Loch. *Scottish Naturalist*, 1918: 216.  
Class: Bird  
Area: FO
- 2522 **Beveridge, F.S.** (1918). Little Stint in Outer Hebrides. *Scottish Naturalist*, 1918: 216.  
Class: Bird  
Area: OH
- 2523 **MacKeith, T.T.** (1918). Moorhen nesting in trees. *Scottish Naturalist*, 1918: 216-217.  
Class: Bird  
Area: Gen CL
- 2524 **Mahood, A.E.** (1918). Banffshire birds. *Scottish Naturalist*, 1918: 239-242.  
Class: Bird  
Area: DE
- 2525 **Macdonald, A.** (1918). A new nesting site for *Larus ridibundus*. *Scottish Naturalist*, 1918: 242.  
Class: Bird  
Area: DE
- 2526 **Robertson, J.** (1918). Nesting of the Woodcock within the Glasgow boundaries. *Scottish Naturalist*, 1918: 242-243.  
Class: Bird  
Area: CL
- 2527 **Maxwell, H.** (1918). Woodcock carrying its young. *Scottish Naturalist*, 1918: 243.  
Class: Bird  
Area: Gen SO
- 2528 **Maxwell, H.** (1918). Nesting of the Barn Owl. *Scottish Naturalist*, 1918: 243-244.  
Class: Mamm Bird  
Area: SO
- 2529 **Beveridge, F.S.** (1918-19). The birds of North Uist. *Scottish Naturalist*, 1918: 245-254; 1919: 17-24, 94, 195-196.  
Class: Bird  
Area: OH
- 2530 **Ritchie, J.** (1918). The food of some wild birds. *Scottish Naturalist*, 1918: 255-258.  
Class: Bird  
Area: Gen
- 2531 **Marr, M.J.** (1918). Pied variety of the Shrew. *Scottish Naturalist*, 1918: 266.  
Class: Mamm  
Area: Gen FO

- 2532 **Berry, W.** (1918). Gadwall (*A. strepera*) nesting in Fife. *Scottish Naturalist*, 1918: 266.  
Class: Bird  
Area: FO TA
- 2533 **Bartholomew, J.** (1918). Black Tern near Glasgow. *Scottish Naturalist*, 1918: 266.  
Class: Bird  
Area: CL
- 2534 **Ewart, R.W.T.** (1918). Bird notes from the Montrose district. *Scottish Naturalist*, 1918: 267.  
Class: Bird  
Area: TA
- 2535 **Gladstone, H.S.** (1918). Curlew-Sandpiper in Kirkcudbrightshire. *Scottish Naturalist*, 1918: 267.  
Class: Bird  
Area: SO
- 2536 **Robertson, J.** (1918). An October Swift at Glasgow. *Scottish Naturalist*, 1918: 273.  
Class: Bird  
Area: Gen CL
- 2537 **Ogg, W.** (1918). The Snowy Owl in Elgin. *Scottish Naturalist*, 1918: 274.  
Class: Bird  
Area: DE
- 2538 **Paterson, E.G.** (1918). Snowy Owl, etc., in Aberdeenshire. *Scottish Naturalist*, 1918: 274.  
Class: Bird  
Area: DE
- 2539 **Chapman, A.** (1918). Woodcock carrying its young. *Scottish Naturalist*, 1918: 274.  
Class: Bird  
Area: Gen
- 2540 **Robertson, J.** (1918). Yellow Wagtail in Bute. *Scottish Naturalist*, 1918: 286.  
Class: Bird  
Area: CL
- 2541 **Clarke, W.E.** (1919). A note on the identification of ducks' eggs. *Scottish Naturalist*, 1919: 24.  
Class: Bird  
Area: Gen FO
- 2542 **Clarke, W.E.** (1919). An old-time record of the breeding of the White Stork in Scotland. *Scottish Naturalist*, 1919: 25-26.  
Class: Bird  
Area: FO
- 2543 **Wilson, W.** (1919). Common Guillemot inland in southern Scotland. *Scottish Naturalist*, 1919: 28.  
Class: Bird  
Area: CL
- 2544 **Hopkins, N.** (1919). Late nesting of the Wood-Pigeon. *Scottish Naturalist*, 1919: 29.  
Class: Bird  
Area: Gen CL
- 2545 **McConachie, W.** (1919). Bird notes from Lauderdale. *Scottish Naturalist*, 1919: 29.  
Class: Bird  
Area: TW

- 2546 **Mackenzie, W.** (1919). Recovery of marked Gull. *Scottish Naturalist*, 1919: 29.  
Class: Bird  
Area: TA
- 2547 **Wilson, W.** (1919). Starlings and Sparrow-Hawk. *Scottish Naturalist*, 1919: 30.  
Class: Bird  
Area: Gen CL
- 2548 **Editorial comment.** (1919). Whales stranded on British coasts. *Scottish Naturalist*, 1919: 31.  
Class: Mamm  
Area: Gen SO
- 2549 **Ritchie, J.** (1919). Animals and Man. *Scottish Naturalist*, 1919: 33-36.  
Class: Mamm  
Area: Gen
- 2550 **Leschallas, J.H.P.** (1919). Albino Otter. *Scottish Naturalist*, 1919: 36.  
Class: Mamm  
Area: CL AG
- 2551 **Baxter, E.V. and Rintoul, L.J.** (1919). A crèch of House-Mice. *Scottish Naturalist*, 1919: 36.  
Class: Mamm  
Area: FO
- 2552 **Maxwell, H.** (1919). The Golden Eagle in Galloway. *Scottish Naturalist*, 1919: 47-48.  
Class: Bird  
Area: SO
- 2553 **Bartholomew, J.** (1919). Bank Voles in Clyde. *Scottish Naturalist*, 1919: 48.  
Class: Mamm  
Area: CL
- 2554 **Evans, W.** (1919). The Great Crested Grebe in Forth. *Scottish Naturalist*, 1919: 49-50.  
Class: Bird  
Area: FO
- 2555 **Malloch, P.D.** (1919). Waxwing on Deeside and Goosanders on the Deveron. *Scottish Naturalist*, 1919: 50.  
Class: Bird  
Area: DE
- 2556 **Evans, W.** (1919). Woodcock and the safety of their young. *Scottish Naturalist*, 1919: 51-54.  
Class: Bird  
Area: Gen FO
- 2557 **Serle, W.** (1919). Whooper Swans at Duddingston Loch. *Scottish Naturalist*, 1919: 54.  
Class: Bird  
Area: FO
- 2558 **Laidlaw, T.G.** (1919). Sparrow-Hawk and Wood-Pigeons. *Scottish Naturalist*, 1919: 61.  
Class: Bird  
Area: TW
- 2559 **Jourdain, F.C.R.** (1919). An old reference to the Hebridean Thrush (*Turdus ph. hebridensis*). *Scottish Naturalist*, 1919: 62.  
Class: Bird  
Area: OH
- 2560 **Robertson, J.** (1919). The Goldfinch in east Renfrewshire. *Scottish Naturalist*, 1919: 63.  
Class: Bird  
Area: CL

- 2561 Rintoul, L.J. and Baxter, E.V. (1919). Hebridean or Continental Song Thrush? *Scottish Naturalist*, 1919: 66.  
Class: Bird  
Area: Gen
- 2562 Baxter, E.V. and Rintoul, L.J. (1919-20). On the Great Crested Grebe as a Scottish breeding species. *Scottish Naturalist*, 1919: 67-77, [197-198]; 1920: 5-6.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OR SH
- 2563 Harting, J.E. (1919). The Little Ringed Plover in North Uist. *Scottish Naturalist*, 1919: 78.  
Class: Bird  
Area: OH
- 2564 Smalley, F.W. (1919). A note on the identification of duck's eggs. *Scottish Naturalist*, 1919: 86.  
Class: Bird  
Area: Gen
- 2565 Best, M.G.S. (1919). Smews off the Aberdeenshire coast. *Scottish Naturalist*, 1919: 94.  
Class: Bird  
Area: DE
- 2566 Brooksbank, G. (1919). Woodcock and the safety of their young. *Scottish Naturalist*, 1919: 95-96.  
Class: Bird  
Area: Gen TA
- 2567 Rintoul, L.J. and Baxter, E.V. (1919). Report on Scottish ornithology in 1918, including migration. *Scottish Naturalist*, 1919: 97-144.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2568 Guthrie, D. (1919-20). Some bird notes from South Uist. *Scottish Naturalist*, 1919: 145-150, 187-192; 1920: 45-48.  
Class: Bird  
Area: OH
- 2569 Anderson, P. (1919). White Snipe and Ruff in Tiree. *Scottish Naturalist*, 1919: 156.  
Class: Bird  
Area: AG IH
- 2570 Ewart, R.W.T. (1919). Capercaillie in Montrose. *Scottish Naturalist*, 1919: 156.  
Class: Bird  
Area: TA
- 2571 Orde, A.J.C. (1919). Fulmars nesting at Haskier. *Scottish Naturalist*, 1919: 166.  
Class: Bird  
Area: OH
- 2572 Bartholomew, J. (1919). Tree-Sparrows nesting near Glasgow. *Scottish Naturalist*, 1919: 166.  
Class: Bird  
Area: CL
- 2573 MacKeith, T.T. (1919). The Nightjar in Renfrewshire. *Scottish Naturalist*, 1919: 166.  
Class: Bird  
Area: CL
- 2574 Campbell, B. (1919). Quail in Midlothian. *Scottish Naturalist*, 1919: 166.  
Class: Bird  
Area: FO



- 2575 **Gladstone, H.S.** (1919). Observations on Carrion-Crows. *Scottish Naturalist*, 1919: 166.  
Class: Bird  
Area: Gen SO
- 2576 **Smalley, F.W.** (1919). Mallard, Wigeon, and Lesser Black-backed Gull in North Uist. *Scottish Naturalist*, 1919: 169-170.  
Class: Bird  
Area: OH
- 2577 **Greenaway, W.H.** (1919). The Fulmar Petrel at Foula Isle during winter. *Scottish Naturalist*, 1919: 170.  
Class: Bird  
Area: SH
- 2578 **Gladstone, H.S.** (1919). Hawfinch nesting in Dumfriesshire. *Scottish Naturalist*, 1919: 171.  
Class: Bird  
Area: SO
- 2579 **Macdonald, D.** (1919). Wigeon nesting in Ross-shire. *Scottish Naturalist*, 1919: 171.  
Class: Bird  
Area: MO NW
- 2580 **Hinton, M.A.C.** (1919). The Field Mouse of Foula. *Scottish Naturalist*, 1919: 177-181.  
Class: Mamm  
Area: SH
- 2581 **Bartholomew, J.** (1919). Number of young in Stoat's family. *Scottish Naturalist*, 1919: 181.  
Class: Mamm  
Area: Gen CL
- 2582 **Editorial note.** (1919). [Number of young in Stoat's family]. *Scottish Naturalist*, 1919: 181.  
Class: Mamm  
Area: Gen
- 2583 **Baxter, E.G. and Rintoul, L.J.** (1919). Behaviour of birds under abnormal conditions. *Scottish Naturalist*, 1919: 182.  
Class: Bird  
Area: Gen
- 2584 **Clarke, W.E.** (1919). The Starlings of Shetland, Fair Isle, and St. Kilda. *Scottish Naturalist*, 1919: 183-185.  
Class: Bird  
Area: SK SH FI
- 2585 **Kirk, C.** (1919). Great Spotted Woodpecker in Argyll. *Scottish Naturalist*, 1919: 185.  
Class: Bird  
Area: CL AG
- 2586 **Beveridge, F.S.** (1919). The status of the Redshank in the Outer Hebrides. *Scottish Naturalist*, 1919: 185-186.  
Class: Bird  
Area: OH
- 2587 **Kirk, C.** (1919). Hawfinch in Dumbartonshire. *Scottish Naturalist*, 1919: 194.  
Class: Bird  
Area: CL
- 2588 **Kirke, D.J.B.** (1919). Nesting of the Pied Flycatcher and Garden Warbler in Ross-shire. *Scottish Naturalist*, 1919: 194.  
Class: Bird  
Area: MO NW

- 2589 **Malcolm, G.W.** (1919). Unusual nesting-place of Grey Wagtail. *Scottish Naturalist*, 1919: 195.  
Class: Bird  
Area: CL AG
- 2590 **Gladstone, H.S.** (1919). Albino Spotted Flycatcher. *Scottish Naturalist*, 1919: 195.  
Class: Bird  
Area: SO
- 2591 **Thomson, A.L.** (1919). Pied Flycatcher in Aberdeenshire. *Scottish Naturalist*, 1919: 195.  
Class: Bird  
Area: DE
- 2592 **Robertson, J.** (1919). The Whinchat as imitator. *Scottish Naturalist*, 1919: 195.  
Class: Bird  
Area: Gen CL
- 2593 **Beveridge, F.S.** (1919). Golden Eagle in North Uist. *Scottish Naturalist*, 1919: 195-196.  
Class: Bird  
Area: OH
- 2594 **Macdonald, D.** (1919). The Whooper Swan in Ross-shire in June. *Scottish Naturalist*, 1919: 196.  
Class: Bird  
Area: Gen MO
- 2595 **Clarke, W.E.** (1919). Wild swans observed in the Western Highlands in summer. *Scottish Naturalist*, 1919: 196-197.  
Class: Bird  
Area: MO
- 2596 **Currie, J.** (1919). Common Scoter on Duddingston Loch in May. *Scottish Naturalist*, 1919: 197.  
Class: Bird  
Area: FO
- 2597 **Robinson, H.W.** (1919). The Great Crested Grebe in Scotland. *Scottish Naturalist*, 1919: 197.  
Class: Bird  
Area: TW FO OR
- 2598 **Hunter, D.G.** (1919). Black-tailed Godwit in Forfarshire. *Scottish Naturalist*, 1919: 198.  
Class: Bird  
Area: TA
- 2599 **Marshall, J.M.** (1919). Woodcock and young. *Scottish Naturalist*, 1919: 198.  
Class: Bird  
Area: Gen TA
- 2600 **Lees, H.H.G.** (1920). New breeding place of the Great Crested Grebe in Selkirkshire. *Scottish Naturalist*, 1920: 5-6.  
Class: Bird  
Area: TW
- 2601 **Hunter, D.G.** (1920). Great Crested Grebes in Forfarshire. *Scottish Naturalist*, 1920: 6.  
Class: Bird  
Area: TA
- 2602 **Cranma, J.** (1920). Arrival and breeding of Great Crested Grebes at Dupplin Lochs. *Scottish Naturalist*, 1920: 6.  
Class: Bird  
Area: TA

- 2603 **Baxter, E.V. and Rintoul, L.J.** (1920). On the Report of the Departmental Committee on the Protection of Wild Birds. *Scottish Naturalist*, 1920: 7-12.  
Class: Bird  
Area: Gen
- 2604 **Anderson, J.A.** (1920). The American Wigeon in Stirlingshire. *Scottish Naturalist*, 1920: 13.  
Class: Bird  
Area: CL
- 2605 **Rintoul, L.J. and Baxter, E.V.** (1920). American Wigeon in Fife. *Scottish Naturalist*, 1920: 13-14.  
Class: Bird  
Area: TA
- 2606 **Robertson, J.** (1920). Mountain Hare on the shore in summer. *Scottish Naturalist*, 1920: 14.  
Class: Mamm  
Area: CL AG
- 2607 **Baxter, E.V. and Rintoul, L.J.** (1920). The Gadwall as a Scottish breeding species. *Scottish Naturalist*, 1920: 15-20.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS AG IH OH OR SH
- 2608 **Reid, C.C.** (1920). Glaucous Gulls in Kinross-shire. *Scottish Naturalist*, 1920: 20.  
Class: Bird  
Area: FO
- 2609 **Tulloch, J.S.** (1920). Bird notes from Shetland. *Scottish Naturalist*, 1920: 28.  
Class: Bird  
Area: SH
- 2610 **Kay, T.G.** (1920). Reed-Warbler in Shetland. *Scottish Naturalist*, 1920: 28.  
Class: Bird  
Area: SH
- 2611 **Campbell, B.** (1920). Skipper or Saury in the Firth of Forth. *Scottish Naturalist*, 1920: 28.  
Class: Fish  
Area: FO
- 2612 **Beveridge, G.** (1920). Skipper or Saury in the Outer Hebrides. *Scottish Naturalist*, 1920: 29.  
Class: Fish  
Area: OH
- 2613 **Editorial note.** (1920). [First record of Skipper for Outer Hebrides]. *Scottish Naturalist*, 1920: 29.  
Class: Fish  
Area: OH
- 2614 **Baxter, E.V. and Rintoul, L.J.** (1920). The Wigeon as a Scottish breeding species. *Scottish Naturalist*, 1920: 33-42.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH OR SH
- 2615 **Robertson, J.** (1920). The Garden-Warbler and the Blackcap in the Clyde area. *Scottish Naturalist*, 1920: 43-44.  
Class: Bird  
Area: CL
- 2616 **Robertson, J.** (1920). Peregrine preying on Merlin. *Scottish Naturalist*, 1920: 48.  
Class: Bird  
Area: CL

- 2617 **Robertson, J.** (1920). Spotted Redshank in east Renfrewshire. *Scottish Naturalist*, 1920: 48.  
Class: Bird  
Area: CL
- 2618 **Jackson, A.C.** (1920). Red-backed Shrike in the Moray area. *Scottish Naturalist*, 1920: 54.  
Class: Bird  
Area: MO
- 2619 **Butterfield, E.P.** (1920). Imitative powers of the Whinchat. *Scottish Naturalist*, 1920: 54.  
Class: Bird  
Area: Gen
- 2620 **Beveridge, G.** (1920). Whooper Swan in Scotland in summer. *Scottish Naturalist*, 1920: 54.  
Class: Bird  
Area: Gen OH
- 2621 **Simpson, H.D.** (1920). Choughs in Peeblesshire. *Scottish Naturalist*, 1920: 55.  
Class: Bird  
Area: TW
- 2622 **Editorial note.** (1920). [Protection of Chough]. *Scottish Naturalist*, 1920: 55.  
Class: Bird  
Area: TW
- 2623 **Smalley, F.W.** (1920). Occurrences of the American Wigeon in Scotland. *Scottish Naturalist*, 1920: 55-56.  
Class: Bird  
Area: Gen SO
- 2624 **Robertson, J.** (1920). Ringed Plover nesting inland in Clyde. *Scottish Naturalist*, 1920: 56.  
Class: Bird  
Area: CL
- 2625 **Hopkins, N.** (1920). Green Sandpiper in Ayrshire. *Scottish Naturalist*, 1920: 56-57.  
Class: Bird  
Area: CL
- 2626 **Cranma, J.** (1920). Winter bird notes from central Perthshire. *Scottish Naturalist*, 1920: 57.  
Class: Bird  
Area: TA
- 2627 **Editorial comment.** (1920). Cetacea stranded during 1918. *Scottish Naturalist*, 1920: 59.  
Class: Mamm  
Area: Gen CL TA DE CS AG OH OR SH
- 2628 **Editorial comment.** (1920). Scottish Freshwater Fisheries. *Scottish Naturalist*, 1920: 60-61.  
Class: Fish  
Area: Gen
- 2629 **Ritchie, J.** (1920). Discovery of horn-sheath of the prehistoric Celtic Shorthorn Ox in Peeblesshire. *Scottish Naturalist*, 1920: 65-67.  
Class: Mamm  
Area: TW
- 2630 **Clarke, W.E.** (1920). Nesting of the Wild Swan in west Perthshire. *Scottish Naturalist*, 1920: 68.  
Class: Bird  
Area: Gen TA

- 2631 **Place, E.H.** (1920). Nesting of the Wild Swan in west Perthshire. *Scottish Naturalist*, 1920: 68.  
Class: Bird  
Area: Gen TA
- 2632 **Collinge, W.E.** (1920). On the proposed new subspecies of the Little Owl (*Carine noctua (scopoli)*). *Scottish Naturalist*, 1920: 69-70.  
Class: Bird  
Area: Gen
- 2633 **Laidlaw, T.G.** (1920). Cuckoo's eggs in the nest of Common Sandpiper. *Scottish Naturalist*, 1920: 70.  
Class: Bird  
Area: TW
- 2634 **Evans, W.** (1920). Breeding colonies of the Black-headed Gull in the Forth area. *Scottish Naturalist*, 1920: 71-83.  
Class: Bird  
Area: CL FO
- 2635 **Clarke, W.E.** (1920). Some further notes on "Blue" Fulmar. *Scottish Naturalist*, 1920: 83-84.  
Class: Bird  
Area: Gen SK
- 2636 **Evans, W.** (1920). Nesting of the Shoveler in the Lothians. *Scottish Naturalist*, 1920: 84.  
Class: Bird  
Area: FO
- 2637 **Macdonald, D.** (1920). Black Terns on the Kelvin. *Scottish Naturalist*, 1920: 84.  
Class: Bird  
Area: CL
- 2638 **Cochrane, A.** (1920). Northern Bullfinch in East Lothian. *Scottish Naturalist*, 1920: 89.  
Class: Bird  
Area: FO
- 2639 **Robinson, H.W.** (1920). The protection of Terns. *Scottish Naturalist*, 1920: 90.  
Class: Bird  
Area: Gen
- 2640 **Editorial note.** (1920). [The protection of Terns]. *Scottish Naturalist*, 1920: 90.  
Class: Bird  
Area: Gen
- 2641 **Beveridge, F.S.** (1920). Ring Ouzel in Outer Hebrides. *Scottish Naturalist*, 1920: 93.  
Class: Bird  
Area: OH
- 2642 **Leschallas, J.H.P.** (1920). Great Spotted Woodpecker in Argyll. *Scottish Naturalist*, 1920: 93.  
Class: Bird  
Area: CL AG
- 2643 **Editorial note.** (1920). [Another record of the Great Spotted Woodpecker in Argyll]. *Scottish Naturalist*, 1920: 93.  
Class: Bird  
Area: CL AG
- 2644 **Rintoul, L.J. and Baxter, E.V.** (1920). Report on Scottish ornithology in 1919, including migration. *Scottish Naturalist*, 1920: 97-144.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

- 2645 **Begg, W.** (1920). Spring migration at Little Ross in 1920. *Scottish Naturalist*, 1920: 145-149.  
Class: Bird  
Area: SO
- 2646 **Beveridge, G.** (1920). The changing habits of birds. *Scottish Naturalist*, 1920: 149-150.  
Class: Bird  
Area: Gen OH
- 2647 **Clarke, W.E.** (1920). Ringed Plover breeding inland in Midlothian. *Scottish Naturalist*, 1920: 150.  
Class: Bird  
Area: FO
- 2648 **Clarke, W.E.** (1920). The attempted breeding of the Bee-eater (*Merops apiaster*) in Midlothian. *Scottish Naturalist*, 1920: 151-153.  
Class: Bird  
Area: FO
- 2649 **Cumming, H.G.** (1920). Garganey near Glasgow. *Scottish Naturalist*, 1920: 153.  
Class: Bird  
Area: CL
- 2650 **Baxter, N.E.** (1920). Wigeon breeding in West Ross. *Scottish Naturalist*, 1920: 153.  
Class: Bird  
Area: NW
- 2651 **Bartholomew, J.** (1920). Wigeon near Glasgow. *Scottish Naturalist*, 1920: 154.  
Class: Bird  
Area: CL
- 2652 **Clarke, W.E.** (1920). Cuckoo's egg in a Song-Thrush's nest. *Scottish Naturalist*, 1920: 154.  
Class: Bird  
Area: Gen TA
- 2653 **Clarke, W.E.** (1920). Greenland Falcon in Orkney. *Scottish Naturalist*, 1920: 154.  
Class: Bird  
Area: OR
- 2654 **MacGillivray, W.L.** (1920). Albino Rock-Dove in Outer Hebrides. *Scottish Naturalist*, 1920: 154.  
Class: Bird  
Area: OH
- 2655 **Kirk, C.** (1920). Corncrake - late nesting - in Glen Shira, Argyllshire. *Scottish Naturalist*, 1920: 154.  
Class: Bird  
Area: CL AG
- 2656 **Johnson, N.M.** (1920). Unusual abundance of Purple Sandpipers at Kirkcaldy. *Scottish Naturalist*, 1920: 154.  
Class: Bird  
Area: FO
- 2657 **Rintoul, L.J. and Baxter, E.V.** (1920). The Shoveler as a Scottish breeding species. *Scottish Naturalist*, 1920: 155-164, [195-196].  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH OR
- 2658 **Macdonald, A.** (1920). Crossbills in Dee. *Scottish Naturalist*, 1920: 168.  
Class: Bird  
Area: DE

- 2659 **Bedford, Duchess of** (1920). Common Crane in Kirkcudbright. *Scottish Naturalist*, 1920: 168.  
Class: Bird  
Area: SO
- 2660 **Raeburn, H.** (1920). The Fulmar Petrel breeding in the Forth area. *Scottish Naturalist*, 1920: 170.  
Class: Bird  
Area: FO
- 2661 **Baxter, E.V. and Rintoul, L.J.** (1920). Fulmars breeding at Fowlsheugh, Kincardineshire. *Scottish Naturalist*, 1920: 170-171.  
Class: Bird  
Area: SO
- 2662 **Gowan, J.** (1920). Fulmars at Troup Head, Banffshire. *Scottish Naturalist*, 1920: 171.  
Class: Bird  
Area: DE
- 2663 **Editorial note.** (1920). Otter captured at Musselburgh. *Scottish Naturalist*, 1920: 171.  
Class: Mamm  
Area: FO
- 2664 **Editorial comment.** (1920). The status of Scottish Wild Cats. *Scottish Naturalist*, 1920: 171.  
Class: Mamm  
Area: Gen
- 2665 **Editorial comment.** (1920). Distribution of Scottish Crested Tit. *Scottish Naturalist*, 1920: 172-173.  
Class: Bird  
Area: Gen MO
- 2666 **Hunter, D.G.** (1920). Crested Tit in Forfarshire. *Scottish Naturalist*, 1920: 178.  
Class: Bird  
Area: TA
- 2667 **Hunter, D.G.** (1920). Black-tailed Godwits in Forfarshire. *Scottish Naturalist*, 1920: 178.  
Class: Bird  
Area: TA
- 2668 **Jamieson, H.** (1920). Appearance of the Walrus off the Shetland Isles. *Scottish Naturalist*, 1920: 179-180.  
Class: Mamm  
Area: SH
- 2669 **Hodgkin, C. and Hodgkin, T.E.** (1920). The breeding of the Brambling in Scotland. *Scottish Naturalist*, 1920: 181-182.  
Class: Bird  
Area: Gen TA
- 2670 **Hopkins, N.** (1920). Blue-headed Wagtail in Ayrshire. *Scottish Naturalist*, 1920: 182.  
Class: Bird  
Area: CL
- 2671 **Robinson, H.W.** (1920). Unrecorded Greenland and Iceland Falcons in Orkney. *Scottish Naturalist*, 1920: 182.  
Class: Bird  
Area: OR
- 2672 **Hunter, D.G.** (1920). Nest of Hawfinch in Aberdeenshire. *Scottish Naturalist*, 1920: 183-184.  
Class: Bird  
Area: DE

- 2673 **Macdonald, A.** (1920). Nesting of the White Wagtail on lower Deeside. *Scottish Naturalist*, 1920: 184.  
Class: Bird  
Area: DE
- 2674 **Blackwood, G.G.** (1920). Notes on the breeding habits of the Dotterel (*Eudromias morinellus*) in Scotland. *Scottish Naturalist*, 1920: 185-194.  
Class: Bird  
Area: DE MO
- 2675 **Greenaway, W.H.** (1920). A remarkable bird group. *Scottish Naturalist*, 1920: 194.  
Class: Bird  
Area: SH
- 2676 **Wilson, W.** (1920). Turtle Dove in Linlithgowshire. *Scottish Naturalist*, 1920: 194.  
Class: Bird  
Area: FO
- 2677 **Hunter, D.G.** (1920). Starlings as mimics. *Scottish Naturalist*, 1920: 195.  
Class: Bird  
Area: Gen TA
- 2678 **Hunter, D.G.** (1920). Grey Lag Geese in south-eastern Forfarshire. *Scottish Naturalist*, 1920: 195.  
Class: Bird  
Area: TA
- 2679 **Robertson, J.** (1920). Shoveler in Clyde. *Scottish Naturalist*, 1920: 195-196.  
Class: Bird  
Area: CL
- 2680 **Gladstone, H.S.** (1920). Shoveler breeding in Solway. *Scottish Naturalist*, 1920: 196.  
Class: Bird  
Area: SO
- 2681 **White, A.** (1920). Gannet with black eyes on Bass Rock. *Scottish Naturalist*, 1920: 197.  
Class: Bird  
Area: Gen FO
- 2682 **Hunter, D.G.** (1920). Green Sandpiper in Forfarshire. *Scottish Naturalist*, 1920: 197.  
Class: Bird  
Area: TA
- 2683 **Editorial comment.** (1921). Suggestions for a census of Scottish colonial breeding birds. *Scottish Naturalist*, 1921: 2-3.  
Class: Bird  
Area: Gen
- 2684 **Campbell, B.** (1921). Late breeding of Red Squirrel. *Scottish Naturalist*, 1921: 3.  
Class: Mamm  
Area: Gen TA
- 2685 **Trail, H.** (1921). Fulmar Petrel at Troup Head. *Scottish Naturalist*, 1921: 4.  
Class: Bird  
Area: MO
- 2686 **Gladstone, H.S.** (1921). Black-tailed Godwit in Kirkcudbrightshire. *Scottish Naturalist*, 1921: 4.  
Class: Bird  
Area: SO



- 2687 **Malloch, T.** (1921). White-fronted Goose and Leach's Fork-tailed Petrel in Renfrewshire. *Scottish Naturalist*, 1921: 4.  
Class: Bird  
Area: CL
- 2688 **Ritchie, J.** (1921). The Walrus in British waters. *Scottish Naturalist*, 1921: 5-9, 77-86.  
Class: Mamm  
Area: Gen MO CS NW IH OH OR SH
- 2689 **Editorial note.** (1921). Glossy Ibises in Scotland in 1920. *Scottish Naturalist*, 1921: 10.  
Class: Bird  
Area: DE SH
- 2690 **Saxby, T.E.** (1921). Glossy Ibis in Unst, Shetland. *Scottish Naturalist*, 1921: 10.  
Class: Bird  
Area: SH
- 2691 **Lumsden, J.F.** (1921). Glossy Ibises in Aberdeenshire. *Scottish Naturalist*, 1921: 10.  
Class: Bird  
Area: DE
- 2692 **Beveridge, G.** (1921). Ravens in North Uist. *Scottish Naturalist*, 1921: 10.  
Class: Bird  
Area: OH
- 2693 **Laidlaw, T.G.** (1921). Green Sandpiper in Berwickshire. *Scottish Naturalist*, 1921: 10.  
Class: Bird  
Area: TW
- 2694 **Brock, S.E.** (1921). Bird-associations in Scotland. *Scottish Naturalist*, 1921: 11-21, 49-58.  
Class: Bird  
Area: Gen
- 2695 **MacKeith, T.T.** (1921). Blackcap Warbler at Kilmacolm. *Scottish Naturalist*, 1921: 21.  
Class: Bird  
Area: SO CL
- 2696 **Evans, W.** (1921). The Palmated Newt in Argyllshire. *Scottish Naturalist*, 1921: 21.  
Class: Bird  
Area: CL AG
- 2697 **Collinge, W.E.** (1921). The need for a bird census. *Scottish Naturalist*, 1921: 22-24.  
Class: Bird  
Area: Gen
- 2698 **Laidlaw, T.G.** (1921). Gadwall in Berwickshire. *Scottish Naturalist*, 1921: 24.  
Class: Bird  
Area: TW
- 2699 **Gladstone, H.S.** (1921). Late nesting of Mallard. *Scottish Naturalist*, 1921: 24.  
Class: Bird  
Area: Gen SO
- 2700 **Gillespie, T.H.** (1921). Notes from The Scottish Zoological Park. *Scottish Naturalist*, 1921: 31-32, 63-64, 95-96, 127-128, 163-164, 189-190.  
Class: Mamm Bird Rept  
Area: Gen
- 2701 **Editorial comment.** (1921). A Scottish Naturalists' Union. *Scottish Naturalist*, 1921: 33-35.  
Class: Mamm Bird Rept Amph Fish  
Area: Gen

- 2702 **Ritchie, J.** (1921). The golden-toothed Sheep of Aberdeenshire. *Scottish Naturalist*, 1921: 36.  
Class: Mamm  
Area: Gen DE
- 2703 **Editorial note.** (1921). Visitation of Waxwings. *Scottish Naturalist*, 1921: 36.  
Class: Bird  
Area: CL
- 2704 **Ingles, W.M.** (1921). Waxwings in Haddingtonshire. *Scottish Naturalist*, 1921: 36.  
Class: Bird  
Area: FO
- 2705 **Gladstone, H.S.** (1921). Waxwings in Dumfriesshire. *Scottish Naturalist*, 1921: 36.  
Class: Bird  
Area: SO
- 2706 **Baxter, E.V. and Rintoul, L.J.** (1921). The Pintail as a Scottish breeding species. *Scottish Naturalist*, 1921: 37-42.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH OR SH
- 2707 **Holmes, H.** (1921). Breeding of Shoveler in 1899. *Scottish Naturalist*, 1921: 42.  
Class: Bird  
Area: SO
- 2708 **Editorial note.** (1921). Goldfinch immigration to Dumfriesshire. *Scottish Naturalist*, 1921: 42.  
Class: Bird  
Area: SO
- 2709 **Clarke, W.E.** (1921). Great Snow Goose in Solway. *Scottish Naturalist*, 1921: 48.  
Class: Bird  
Area: SO
- 2710 **Editorial comment.** (1921). The extermination of the old Scottish fauna. *Scottish Naturalist*, 1921: 65-66.  
Class: Mamm  
Area: Gen MO CS NW
- 2711 **Maxwell, H.** (1921). How Hedgehogs climb. *Scottish Naturalist*, 1921: 67.  
Class: Mamm  
Area: Gen SO
- 2712 **Editorial note.** (1921). Birds in a storm in the Outer Hebrides. *Scottish Naturalist*, 1921: 67-68.  
Class: Bird  
Area: OH
- 2713 **Clarke, W.E.** (1921). The Greater Snow Goose in the Scottish Solway area: a first record for Great Britain. *Scottish Naturalist*, 1921: 69-70.  
Class: Bird  
Area: SO
- 2714 **Gladstone, H.S.** (1921). Waxwing in Kirkcudbrightshire. *Scottish Naturalist*, 1921: 70.  
Class: Bird  
Area: SO
- 2715 **Bolam, G.** (1921). Small birds in the garden. *Scottish Naturalist*, 1921: 71-75.  
Class: Bird  
Area: Gen TW

- 2716 Rintoul, L.J. and Baxter, E.V. (1921). Tree-Creepers on the Isle of May. *Scottish Naturalist*, 1921: 75.  
Class: Bird  
Area: FO
- 2717 Stenhouse, J.H. (1921). Lapland Bluethroat at Fair Isle. *Scottish Naturalist*, 1921: 76.  
Class: Bird  
Area: FI
- 2718 Laidlaw, T.G. (1921). The Marsh Titmouse in Berwickshire. *Scottish Naturalist*, 1921: 86.  
Class: Bird  
Area: TW
- 2719 Editorial comment. (1921). The Protection of Wild Birds. *Scottish Naturalist*, 1921: 97-98.  
Class: Bird  
Area: Gen MO
- 2720 Eckford, R. (1921). Great extinct Wild Ox, *Bos primigenius*, in Peeblesshire. *Scottish Naturalist*, 1921: 104.  
Class: Mamm  
Area: TW
- 2721 Boase, H. (1921). Common Scoter in Perthshire. *Scottish Naturalist*, 1921: 104.  
Class: Bird  
Area: TA
- 2722 Baxter, E.V. and Rintoul, L.J. (1920). Report on Scottish ornithology in 1920, including migration. *Scottish Naturalist*, 1921: 105-120, 135-158.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2723 Tomlinson, M.R. (1921). Quail in Midlothian. *Scottish Naturalist*, 1921: 125.  
Class: Bird  
Area: FO
- 2724 Gladstone, H.S. (1921). Turtle Dove in Kirkcudbrightshire. *Scottish Naturalist*, 1921: 125.  
Class: Bird  
Area: SO
- 2725 Gladstone, H.S. (1921). Decrease of Ring-Ouzel. *Scottish Naturalist*, 1921: 125.  
Class: Bird  
Area: SO
- 2726 Hunter, D.G. (1921). Nesting of Fulmar Petrel on Forfarshire coast. *Scottish Naturalist*, 1921: 125-126.  
Class: Bird  
Area: TA
- 2727 Evans, W. (1921). The Fulmar colony at St Abb's Head. *Scottish Naturalist*, 1921: 126.  
Class: Bird  
Area: TW
- 2728 Maxwell, H. (1921). Golden Oriole in Wigtownshire. *Scottish Naturalist*, 1921: 132.  
Class: Bird  
Area: SO
- 2729 Laidlaw, T.G. (1921). Bittern in Berwickshire. *Scottish Naturalist*, 1921: 132.  
Class: Bird  
Area: TW

- 2730 Collinge, W.E. (1921). Winter occurrence of the Common Tern in Scotland. *Scottish Naturalist*, 1921: 133.  
Class: Bird  
Area: Gen TA DE
- 2731 Leschallas, J.H.P. (1921). Nesting of Great Spotted Woodpecker in Argyllshire. *Scottish Naturalist*, 1921: 134.  
Class: Bird  
Area: CL AG
- 2732 Tomlinson, M.R. (1921). Nesting of Great Spotted Woodpecker in Perthshire. *Scottish Naturalist*, 1921: 134.  
Class: Bird  
Area: TA
- 2733 Malloch, T. (1921). Six eggs in an Oystercatcher's nest. *Scottish Naturalist*, 1921: 134.  
Class: Bird  
Area: Gen CL
- 2734 Sykes, C. (1921). Wryneck in Midlothian. *Scottish Naturalist*, 1921: 158.  
Class: Bird  
Area: FO
- 2735 Beveridge, G. (1921). Greenland Falcon and Pink-footed Geese on North Uist. *Scottish Naturalist*, 1921: 158.  
Class: Bird  
Area: OH
- 2736 Larnach, W. (1921). Fulmars on the Arbroath cliffs. *Scottish Naturalist*, 1921: 158.  
Class: Bird  
Area: TA
- 2737 Carmichael, J. (1921). Large prehistoric antlers of Red Deer, from Barry, Forfarshire. *Scottish Naturalist*, 1921: 161.  
Class: Mamm  
Area: TA
- 2738 Editorial note. (1921). Large prehistoric antlers of Red Deer. *Scottish Naturalist*, 1921: 161.  
Class: Mamm  
Area: Gen
- 2739 Ritchie, J. (1921). "Blue-mouth" (*Scorpaena dactyloptera*) off Dunbar. *Scottish Naturalist*, 1921: 161.  
Class: Fish  
Area: FO
- 2740 Editorial note. (1921). Redstart common in Glengarry. *Scottish Naturalist*, 1921: 162.  
Class: Bird  
Area: MO
- 2741 Ritchie, J. (1921). Great extinct Ox or Urus in Linlithgowshire. *Scottish Naturalist*, 1921: 168.  
Class: Mamm  
Area: FO
- 2742 Gladstone, H.S. (1921). The last of the indigenous Scottish Capercaillies. *Scottish Naturalist*, 1921: 169-177.  
Class: Bird  
Area: Gen
- 2743 Wilson, W. (1921). Hoopoe in Aberdeenshire. *Scottish Naturalist*, 1921: 178.  
Class: Bird  
Area: DE

- 2744 **Clarke, W.E. and Stenhouse, J.H.** (1921). The Eastern Lesser Whitethroat, an addition to the British avifauna; and the Yellow-legged Herring Gull, a new record for Scotland, at Fair Isle. *Scottish Naturalist*, 1921: 179-180.  
Class: Bird  
Area: FI
- 2745 **Clarke, W.E.** (1921). Iceland Falcon at Sule Skerry. *Scottish Naturalist*, 1921: 185.  
Class: Bird  
Area: OR
- 2746 **Fairbairn, A.** (1921). Great or Solitary Snipe in Ayrshire. *Scottish Naturalist*, 1921: 185.  
Class: Bird  
Area: CL
- 2747 **Editorial note.** (1921). Pale grey phase of Great Snipe. *Scottish Naturalist*, 1921: 185.  
Class: Bird  
Area: Gen CL
- 2748 **Editorial comment.** (1922). Bird-catching. *Scottish Naturalist*, 1922: 1-3.  
Class: Bird  
Area: Gen
- 2749 **Editorial comment.** (1922). Disturbance of nesting Whooper Swan. *Scottish Naturalist*, 1922: 3-4.  
Class: Bird  
Area: Gen
- 2750 **Ritchie, J.** (1922). Extraordinary adaptability of a Stoat. *Scottish Naturalist*, 1922: 5-7.  
Class: Mamm  
Area: Gen FO
- 2751 **Hunter, D.G.** (1922). New heronry in Forfarshire. *Scottish Naturalist*, 1922: 8.  
Class: Bird  
Area: TA
- 2752 **Macdonald, A.** (1922). Heronries in Dee area. *Scottish Naturalist*, 1922: 8.  
Class: Bird  
Area: TA
- 2753 **Beveridge, G.** (1922). Leach's Petrels at North Uist. *Scottish Naturalist*, 1922: 8.  
Class: Bird  
Area: OH
- 2754 **Editorial note.** (1922). Large Skate off Harris. *Scottish Naturalist*, 1922: 8.  
Class: Fish  
Area: OH
- 2755 **Evans, W.** (1922). Edinburgh rookeries in 1921. *Scottish Naturalist*, 1922: 9-12.  
Class: Bird  
Area: FO
- 2756 **Wild, O.H.** (1922). A Scottish method of bird-catching. *Scottish Naturalist*, 1922: 13-15.  
Class: Bird  
Area: Gen FO
- 2757 **Jourdain, F.C.R.** (1922). Earliest breeding dates of Wigeon, Shoveler, and other ducks in Scotland. *Scottish Naturalist*, 1922: 15-16.  
Class: Bird  
Area: Gen CL MO CS AG
- 2758 **Robinson, H.W.** (1922). An optical illusion regarding Herring Gulls. *Scottish Naturalist*, 1922: 16.  
Class: Bird  
Area: Gen OR

- 2759 **Evans, W.** (1922). Mallophaga (bird-lice) on a Fulmar from the Forth. *Scottish Naturalist*, 1922: 27-28.  
Class: Bird  
Area: Gen FO
- 2760 **Gillespie, T.H.** (1922). Notes from The Scottish Zoological Park. *Scottish Naturalist*, 1922: 31-32, 63-64, 95-96, 131-132, 167-168, 203-204.  
Class: Mamm Bird Rept  
Area: Gen
- 2761 **Editorial comment.** (1922). The Grey Seals of Haskeir. *Scottish Naturalist*, 1922: 33-35.  
Class: Mamm  
Area: OH
- 2762 **Gladstone, H.S.** (1922). Fox playing with Collie. *Scottish Naturalist*, 1922: 36.  
Class: Mamm  
Area: Gen SO
- 2763 **Editorial note.** (1922). Wild Cat in Ross-shire. *Scottish Naturalist*, 1922: 36.  
Class: Mamm  
Area: NW
- 2764 **Calderwood, W.L.** (1922). The homing of the Salmon. *Scottish Naturalist*, 1922: 37-43.  
Class: Fish  
Area: Gen CL TA DE MO CS NW AG OH
- 2765 **Blackwood, G.G.** (1922). Status of the Garden Warbler and of the Blackcap in Peeblesshire. *Scottish Naturalist*, 1922: 43-44.  
Class: Bird  
Area: TW
- 2766 **Ritchie, J.** (1922). The history of feathers, with special reference to the Mallard. *Scottish Naturalist*, 1922: 45-49.  
Class: Bird  
Area: Gen
- 2767 **Johnston, R.** (1922). Common Bittern in Berwickshire. *Scottish Naturalist*, 1922: 49.  
Class: Bird  
Area: TW
- 2768 **Blackwood, G.G.** (1922). Greenland Falcon in Forfarshire. *Scottish Naturalist*, 1922: 49.  
Class: Bird  
Area: TA
- 2769 **Hunter, D.G.** (1922). Hobby in Forfarshire. *Scottish Naturalist*, 1922: 49-50.  
Class: Bird  
Area: TA
- 2770 **Hunter, D.G.** (1922). Osprey in Forfarshire. *Scottish Naturalist*, 1922: 50.  
Class: Bird  
Area: TA
- 2771 **Maxwell, H.** (1922). The Bittern - a coincidence. *Scottish Naturalist*, 1922: 50.  
Class: Bird  
Area: Gen
- 2772 **Berry, W.** (1922). The rarity of the Bean Goose on the east coast. *Scottish Naturalist*, 1922: 59.  
Class: Bird  
Area: TA
- 2773 **Begg, W.** (1922). Increase and decrease of birds in the Ross of Mull. *Scottish Naturalist*, 1922: 60.  
Class: Bird  
Area: AG IH

- 2774 **Editorial comment.** (1922). Scotland and the fur supply. *Scottish Naturalist*, 1922: 65-66.  
Class: Mamm  
Area: Gen
- 2775 **Bartholomew, J.** (1922). Adaptability of Stoat. *Scottish Naturalist*, 1922: 68.  
Class: Mamm  
Area: Gen CL
- 2776 **Ritchie, J.** (1922). The great extinct Ox or Urus in Peeblesshire. *Scottish Naturalist*, 1922: 68.  
Class: Mamm  
Area: TW
- 2777 **Rintoul, L.J. and Baxter, E.V.** (1922). Report on Scottish ornithology in 1921, including migration. *Scottish Naturalist*, 1922: 69-84, 109-129.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2778 **Evans, W.** (1922). An uncommon Wrasse, *Crenilabrus melops*, from the coast of East Lothian. *Scottish Naturalist*, 1922: 92.  
Class: Fish  
Area: FO
- 2779 **Blackwood, G.G.** (1922). Ray's Wagtail in Ayrshire. *Scottish Naturalist*, 1922: 93-94.  
Class: Bird  
Area: CL
- 2780 **Beveridge, G.** (1922). Greenland Falcon in N. Uist. *Scottish Naturalist*, 1922: 94.  
Class: Bird  
Area: OH
- 2781 **Berry, W.** (1922). Geese on the east coast. *Scottish Naturalist*, 1922: 94.  
Class: Bird  
Area: TA
- 2782 **Editorial comment.** (1922). The naturalisation of animals. *Scottish Naturalist*, 1922: 97-98.  
Class: Mamm  
Area: Gen
- 2783 **Maxwell, H.** (1922). Nesting of the Golden Eagle in Galloway. *Scottish Naturalist*, 1922: 99-100.  
Class: Bird  
Area: SO
- 2784 **McConachie, W.** (1922). Bird notes from the Highlands. *Scottish Naturalist*, 1922: 100.  
Class: Bird  
Area: TA MO NW AG
- 2785 **Waterston, J.** (1922). On the Ischnocera (bird lice or Mallophaga) parasitic upon British Grouse. *Scottish Naturalist*, 1922: 101-104.  
Class: Bird  
Area: Gen
- 2786 **Evans, W.** (1922). Notes on the breeding of the Goosander and the Red-breasted Merganser in the Forth area; a retrospect. *Scottish Naturalist*, 1922: 105-108.  
Class: Bird  
Area: FO
- 2787 **Ritchie, J.** (1922-23). The great Waxwing invasion of 1921. *Scottish Naturalist*, 1922: 133-142, 193-201, 1923: 23-29.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG OH OR

- 2788 Cuthbertson, A. (1922). Breeding-stations of the Black-headed Gull in Dumbartonshire. *Scottish Naturalist*, 1922: 143-145.  
Class: Bird  
Area: CL
- 2789 Stenhouse, J.H. (1922). On the dark phase of the young of the Starling. *Scottish Naturalist*, 1922: 145-146.  
Class: Bird  
Area: Gen FO
- 2790 Watson R.M. (1922). Nesting of Slavonian Grebe in Scotland. *Scottish Naturalist*, 1922: 146.  
Class: Bird  
Area: MO
- 2791 Meinertzhagen, A.C. and Meinertzhagen, R. (1922). Curlew Sandpiper and Ortolan Bunting in Ross-shire. *Scottish Naturalist*, 1922: 165.  
Class: Bird  
Area: MO
- 2792 Editorial note. (1922). Buzzards, Ravens, etc., in Perthshire. *Scottish Naturalist*, 1922: 165.  
Class: Bird  
Area: TA
- 2793 Maxwell, H. (1922). Food of the Goldfinch (*Carduelis elegans*). *Scottish Naturalist*, 1922: 173-174.  
Class: Bird  
Area: Gen SO
- 2794 Russell, W.M. (1922). Great Snipe in Kirkcudbrightshire. *Scottish Naturalist*, 1922: 174.  
Class: Bird  
Area: SO
- 2795 Robertson, J. (1922). Garganey in Dumbartonshire. *Scottish Naturalist*, 1922: 174.  
Class: Bird  
Area: CL
- 2796 Thomson, S.M. (1922). Greenshank in Linlithgowshire. *Scottish Naturalist*, 1922: 174.  
Class: Bird  
Area: FO
- 2797 Editorial note. (1922). Greenshank in Linlithgowshire. *Scottish Naturalist*, 1922: 174.  
Class: Bird  
Area: FO
- 2798 McConachie, W. (1922). The Raven in the Lammermoors. *Scottish Naturalist*, 1922: 191-192.  
Class: Bird  
Area: TW
- 2799 Editorial comment. (1923). The open winter and animal life. *Scottish Naturalist*, 1923: 1-3.  
Class: Bird  
Area: Gen
- 2800 Buchanan, M.G. (1923). Spread of Great Spotted Woodpecker in Argyllshire. *Scottish Naturalist*, 1923: 4.  
Class: Bird  
Area: CL



- 2801 **Editorial note.** (1923). Spread of Great Spotted Woodpecker in Argyllshire. *Scottish Naturalist*, 1923: 4.  
Class: Bird  
Area: CL
- 2802 **Bedford, Duchess of** (1923). Grey Phalarope in Wigtownshire. *Scottish Naturalist*, 1923: 4.  
Class: Bird  
Area: SO
- 2803 **McIntosh, W.C.** (1923). A century of zoology in Edinburgh. *Scottish Naturalist*, 1923: 5-13, 37-46.  
Class: Mamm Bird Rept Amph Fish  
Area: Gen FO
- 2804 **Rintoul, L.J.** (1923). Yellow-browed Warbler in east Fife. *Scottish Naturalist*, 1923: 14.  
Class: Bird  
Area: FO
- 2805 **Scott, G.G.** (1923). Whooper Swan in Edinburgh. *Scottish Naturalist*, 1923: 14.  
Class: Bird  
Area: FO
- 2806 **Editorial note.** (1923). Seagull over thirty years of age. *Scottish Naturalist*, 1923: 14.  
Class: Bird  
Area: Gen FO
- 2807 **Ritchie, J.** (1923). Migration in the sea. *Scottish Naturalist*, 1923: 15-17.  
Class: Fish  
Area: Gen DE MO CS OR SH
- 2808 **Wilson, R.W.S.** (1923). Garganey in Lanarkshire. *Scottish Naturalist*, 1923: 17.  
Class: Bird  
Area: CL
- 2809 **Rintoul, L.J. and Baxter, E.V.** (1923). Birds singing on autumn migration. *Scottish Naturalist*, 1923: 17.  
Class: Bird  
Area: Gen FO
- 2810 **Tait, T.** (1923). Gudgeon (*Gobio fluviatilis*) in Don. *Scottish Naturalist*, 1923: 18.  
Class: Fish  
Area: DE
- 2811 **Ritchie, J.** (1923). [Gudgeon (*Gobio fluviatilis*) in Don]. *Scottish Naturalist*, 1923: 18.  
Class: Fish  
Area: DE
- 2812 **Meinertzhagen, A.C.** (1923). The sub-species of the Dunlin. *Scottish Naturalist*, 1923: 21-22, 95.  
Class: Bird  
Area: Gen FI
- 2813 **Gillespie, T.H.** (1923). Notes from The Scottish Zoological Park. *Scottish Naturalist*, 1923: 30-32, 98-100, 165-168, 194-195.  
Class: Mamm Bird  
Area: Gen
- 2814 **Editorial comment.** (1923). The winter whiteness of the Stoat. *Scottish Naturalist*, 1923: 33-35.  
Class: Mamm  
Area: Gen

- 2815 **McWilliam, J.M.** (1923). The open winter and early nesting - young Starlings in December. *Scottish Naturalist*, 1923: 46.  
Class: Bird  
Area: CL
- 2816 **Bartholomew, J.** (1923). The open winter and early nesting - young Wood-Pigeons in February. *Scottish Naturalist*, 1923: 46.  
Class: Bird  
Area: CL
- 2817 **McWilliam, J.M.** (1923). Notes on some of the birds of Buteshire and Ayrshire. *Scottish Naturalist*, 1923: 47-53.  
Class: Bird  
Area: CL
- 2818 **Bartholomew, J.** (1923). A well-stocked Mouse nursery. *Scottish Naturalist*, 1923: 53.  
Class: Mamm  
Area: CL
- 2819 **Editorial note.** (1923). A well-stocked Mouse nursery. *Scottish Naturalist*, 1923: 53.  
Class: Mamm  
Area: Gen
- 2820 **Jourdain, F.C.R.** (1923). Supposed breeding of the Blue-headed Wagtail in Scotland. *Scottish Naturalist*, 1923: 53.  
Class: Bird  
Area: Gen TA
- 2821 **Gladstone, H.S.** (1923). Blackgame damaging young Larch. *Scottish Naturalist*, 1923: 54.  
Class: Bird  
Area: Gen SO
- 2822 **Baxter, E.V. and Rintoul, L.J.** (1923). Report on Scottish ornithology in 1922, including migration. *Scottish Naturalist*, 1923: 65-84, 101-122.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2823 **Smith, J.N.D.** (1923). Glandular secretion in the Golden Plover. *Scottish Naturalist*, 1923: 85.  
Class: Bird  
Area: Gen TA
- 2824 **Johnston, N.M.** (1923). Some rookeries in Fifeshire. *Scottish Naturalist*, 1923: 86.  
Class: Bird  
Area: FO
- 2825 **Ritchie, J.** (1923). Spread of American Grey Squirrel in Scotland. *Scottish Naturalist*, 1923: 93-94.  
Class: Mamm  
Area: Gen CL FO
- 2826 **Learmonth, W.** (1923). Hoopoe in Kirkcudbright. *Scottish Naturalist*, 1923: 94.  
Class: Bird  
Area: SO
- 2827 **Nash, J.K.** (1923). Hoopoe in Midlothian. *Scottish Naturalist*, 1923: 94-94.  
Class: Bird  
Area: FO
- 2828 **Meinertzhagen, A.C.** (1923). The sub-species of the Dunlin. *Scottish Naturalist*, 1923: [21-22], 95.  
Class: Bird  
Area: Gen FI

- 2829 **Editorial note.** (1923). The British Common Guillemot. A new sub-species. *Scottish Naturalist*, 1923: 122.  
Class: Bird  
Area: Gen
- 2830 **Meinertzhagen, A.C. and Meinertzhagen, R** (1923). On the occurrence of the Farøe Snipe in the British Isles. *Scottish Naturalist*, 1923: 123.  
Class: Bird  
Area: Gen IH SK
- 2831 **Ritchie, J.** (1923). Winter example of black variety of Mountain Hare. *Scottish Naturalist*, 1923: 124.  
Class: Mamm  
Area: Gen CS
- 2832 **Douglas, W.C.** (1923). Pheasant nesting in tree. *Scottish Naturalist*, 1923: 124.  
Class: Bird  
Area: Gen TA
- 2833 **Maxwell, J.S.** (1923). Abnormal growth of hoofs in Red Deer. *Scottish Naturalist*, 1923: 132.  
Class: Mamm  
Area: Gen MO
- 2834 **Ritchie, J.** (1923). [Abnormal growth of hoofs in Red Deer]. *Scottish Naturalist*, 1923: 132.  
Class: Mamm  
Area: Gen
- 2835 **Gowan, J.** (1923). Turtle Dove in Banffshire. *Scottish Naturalist*, 1923: 132.  
Class: Bird  
Area: DE
- 2836 **Ritchie, J.** (1923). [Increase in number of Turtle Doves seen in Scotland]. *Scottish Naturalist*, 1923: 132.  
Class: Bird  
Area: Gen
- 2837 **Simpson, J.R.** (1923). Pied Flycatcher in Selkirkshire. *Scottish Naturalist*, 1923: 133.  
Class: Bird  
Area: TW
- 2838 **Ritchie, J.** (1923). Müller's Topknot, *Zeugopterus punctatus*, off Shetland. *Scottish Naturalist*, 1923: 133.  
Class: Fish  
Area: SH
- 2839 **Rintoul, L.J. and Baxter, E.V.** (1923). Scandinavian Lesser Black-backed Gull on spring passage at the Isle of May. *Scottish Naturalist*, 1923: 134.  
Class: Bird  
Area: FO
- 2840 **Bain, J.** (1923). Manx Shearwaters at the lantern at Hyskeir. *Scottish Naturalist*, 1923: 134.  
Class: Bird  
Area: IH
- 2841 **Craw, J.H.** (1923). Great-spotted Woodpecker in north Perthshire. *Scottish Naturalist*, 1923: 134.  
Class: Bird  
Area: TA
- 2842 **Robinson, H.W.** (1923). Little Stints in Orkney. *Scottish Naturalist*, 1923: 134.  
Class: Bird  
Area: OR

- 2843 **Hamilton, D.** (1923). Early arrival and late stay of Swifts. *Scottish Naturalist*, **1923**: 139.  
Class: Bird  
Area: Gen FO
- 2844 **Gill, E.L.** (1923). Late stay of Swifts near Edinburgh. *Scottish Naturalist*, **1923**: 139.  
Class: Bird  
Area: Gen FO
- 2845 **Gordon, S.** (1923). Late Swift in Inverness-shire. *Scottish Naturalist*, **1923**: 140.  
Class: Bird  
Area: MO
- 2846 **Jack, J.** (1923). Hoopoe in Lanarkshire. *Scottish Naturalist*, **1923**: 140.  
Class: Bird  
Area: CL
- 2847 **Hunter, D.J.** (1923). Nesting of Great Spotted Woodpecker in Forfarshire. *Scottish Naturalist*, **1923**: 140.  
Class: Bird  
Area: TA
- 2848 **Stewart, W.** (1923). The Rook in Lanarkshire. *Scottish Naturalist*, **1923**: 141-146.  
Class: Bird  
Area: CL
- 2849 **Evans, W.** (1923). The Eider Duck (*Somateria mollissima*) in the "Forth Area". *Scottish Naturalist*, **1923**: 147-152.  
Class: Bird  
Area: FO
- 2850 **Hamilton, D.** (1923). Goldfinch in Midlothian. *Scottish Naturalist*, **1923**: 152.  
Class: Bird  
Area: FO
- 2851 **Beveridge, G.** (1923). Ruff in North Uist. *Scottish Naturalist*, **1923**: 152.  
Class: Bird  
Area: OH
- 2852 **Gill, E.L.** (1923). Chiffchaff in Argyllshire. *Scottish Naturalist*, **1923**: 152.  
Class: Bird  
Area: CL
- 2853 **Clarke, W.E.** (1923). Little Stints in Orkney in winter. *Scottish Naturalist*, **1923**: 162.  
Class: Bird  
Area: OR
- 2854 **Marwick, J.G.** (1923). Albino Brown Rats in Orkney. *Scottish Naturalist*, **1923**: 172.  
Class: Mamm  
Area: OR
- 2855 **Editorial note.** (1923). [Albino Brown Rats in Orkney]. *Scottish Naturalist*, **1923**: 172.  
Class: Mamm  
Area: Gen OR
- 2856 **Maxwell, H.** (1923). Wild-fowl visitors to Loch of Myrtoun, Wigtownshire. *Scottish Naturalist*, **1923**: 172.  
Class: Bird  
Area: SO
- 2857 **Stenhouse, J.H.** (1923). Bird notes from Fair Isle, 1923. *Scottish Naturalist*, **1923**: 173-174.  
Class: Bird  
Area: FI

- 2858 **Hughes-Onslow, G.** (1923). Red-breasted Merganser in Ayrshire. *Scottish Naturalist*, 1923: 174.  
Class: Bird  
Area: CL
- 2859 **Stables, A.** (1923). Great Crested and Red-necked Grebes in Moray. *Scottish Naturalist*, 1923: 174.  
Class: Bird  
Area: MO
- 2860 **Hunter, D.G.** (1923). Curious nesting habit of Moorhens. *Scottish Naturalist*, 1923: 175-176.  
Class: Bird  
Area: Gen TA
- 2861 **Robinson, H.W.** (1923). Stints in Orkney. *Scottish Naturalist*, 1923: 176.  
Class: Bird  
Area: OR
- 2862 **Baxter, E.V. and Rintoul, L.J.** (1923-24). The spread and distribution of the Woodcock as a breeding bird in Scotland since the beginning of the nineteenth century. *Scottish Naturalist*, 1923: 177-183, 1924: 13-20, 47-51.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH OR SH
- 2863 **McCrinkle, J.** (1923). Black-backed Gull and Black Guillemot in Ayrshire. *Scottish Naturalist*, 1923: 184.  
Class: Bird  
Area: CL
- 2864 **Stables, A.** (1923). Increase of Goldcrests and Long-tailed Tits in Moray. *Scottish Naturalist*, 1923: 184.  
Class: Bird  
Area: MO
- 2865 **Ingles, W.M.** (1923). Tunny in Firth of Forth. *Scottish Naturalist*, 1923: 192.  
Class: Fish  
Area: FO
- 2866 **Editorial note.** (1923). [Scottish records of the Tunny]. *Scottish Naturalist*, 1923: 192.  
Class: Fish  
Area: Gen
- 2867 **Berry, J.** (1924). Combat between Heron and black Water-Vole. *Scottish Naturalist*, 1924: 4.  
Class: Mamm Bird  
Area: Gen TA
- 2868 **Editorial note.** (1924). [Black Water-Vole in Fife]. *Scottish Naturalist*, 1924: 4.  
Class: Mamm  
Area: Gen TA
- 2869 **Clarke, W.E. and Stenhouse, J.H.** (1924). Coues' Redpoll and Eastern Lesser Whitethroat at Fair Isle. *Scottish Naturalist*, 1924: 4.  
Class: Bird  
Area: FI
- 2870 **McWilliam, J.M.** (1924). The roosting habits of the Rooks of Bute. *Scottish Naturalist*, 1924: 5-7.  
Class: Bird  
Area: CL
- 2871 **Blair, H.M.S.** (1924). Iceland Gull on the Argyll coast in summer. *Scottish Naturalist*, 1924: 8.  
Class: Bird  
Area: AG

- 2872 **Stables, A.** (1924). Pratincole in Morayshire. *Scottish Naturalist*, 1924: 8.  
Class: Bird  
Area: MO
- 2873 **Bartholomew, J.** (1924). Colours of Grey Lag-Geese. *Scottish Naturalist*, 1924: 8.  
Class: Bird  
Area: Gen TA
- 2874 **Clarke, W.E.** (1924). The Lesser Snow-Goose in the Outer Hebrides. *Scottish Naturalist*, 1924: 9.  
Class: Bird  
Area: OH
- 2875 **Nicolson, A.J.** (1924). Great Snipe in Shetland. *Scottish Naturalist*, 1924: 10.  
Class: Bird  
Area: SH
- 2876 **Editorial note.** (1924). Great Snipe from Fair Isle. *Scottish Naturalist*, 1924: 10.  
Class: Bird  
Area: FI
- 2877 **Campbell, B.** (1924). Nesting of the Great Spotted Woodpecker in Linlithgowshire and in Inverness-shire. *Scottish Naturalist*, 1924: 10.  
Class: Bird  
Area: FO MO
- 2878 **Editorial note.** (1924). Partial migration of Grouse. *Scottish Naturalist*, 1924: 10.  
Class: Bird  
Area: Gen AG
- 2879 **Evans, W.** (1924). A naturalist's notes on the Old Redford or Bavelaw Wood. *Scottish Naturalist*, 1924: 11-12.  
Class: Bird  
Area: FO
- 2880 **Beveridge, G.** (1924). White-fronted Geese in North Uist. *Scottish Naturalist*, 1924: 28.  
Class: Bird  
Area: OH
- 2881 **Clarke, W.E.** (1924). Immature White-fronted Geese in North Uist and the Firth of Forth. *Scottish Naturalist*, 1924: 28.  
Class: Bird  
Area: FO OH
- 2882 **Campbell, B.** (1924). Goldfinches in Perthshire. *Scottish Naturalist*, 1924: 28.  
Class: Bird  
Area: TA
- 2883 **Gillespie, T.H.** (1924). Notes from The Scottish Zoological Park. *Scottish Naturalist*, 1924: 31-32, 63-64, 191-195.  
Class: Bird  
Area: Gen
- 2884 **Editorial comment.** (1924). Shall the Bittern be allowed to recolonise Scotland? *Scottish Naturalist*, 1924: 33-34.  
Class: Bird  
Area: Gen
- 2885 **Lindsay, Lord.** (1924). Bean Geese in south Fife. *Scottish Naturalist*, 1924: 35.  
Class: Bird  
Area: FO
- 2886 **Rintoul, L.J. and Baxter, E.V.** (1924). Northern Golden Plover in Scotland. *Scottish Naturalist*, 1924: 35-36.  
Class: Bird  
Area: FO

- 2887 **MacKeith, T.T.** (1924). Weasel killed by Barn Owl; and note on the hatching of young Barn Owls. *Scottish Naturalist*, 1924: 36.  
Class: Mamm Bird  
Area: CL
- 2888 **Stables, A.** (1924). Extensive immigration of Wood-Pigeons. *Scottish Naturalist*, 1924: 36.  
Class: Bird  
Area: MO
- 2889 **White, A.** (1924). Recovery of ringed Woodcock. *Scottish Naturalist*, 1924: 36.  
Class: Bird  
Area: TW
- 2890 **Wild, O.H.** (1924). Glaucous Gull in East Lothian. *Scottish Naturalist*, 1924: 36.  
Class: Bird  
Area: FO
- 2891 **Ritchie, J.** (1924). Observations on a Pilot Whale stranded in the Firth of Forth. *Scottish Naturalist*, 1924: 37-43.  
Class: Mamm  
Area: FO
- 2892 **Bell, J.P.F.** (1924). The Bittern in Berwickshire and East Lothian. *Scottish Naturalist*, 1924: 43-44.  
Class: Bird  
Area: TW FO
- 2893 **Gladstone, H.S.** (1924). Bittern and Smew in Kirkcudbright. *Scottish Naturalist*, 1924: 44.  
Class: Bird  
Area: SO
- 2894 **Russell, W.M.** (1924). Bittern in Kirkcudbright. *Scottish Naturalist*, 1924: 44.  
Class: Bird  
Area: SO
- 2895 **Meikle, K.W.** (1924). Bittern in Ayrshire. *Scottish Naturalist*, 1924: 44.  
Class: Bird  
Area: CL
- 2896 **Meinertzhagen, R.** (1924). A note on the Hedge Sparrows (*Accentor modularis*) of the British Islands. *Scottish Naturalist*, 1924: 45-46.  
Class: Bird  
Area: Gen OH
- 2897 **Jamieson, H.** (1924). Breeding of Sandwich Tern in Shetland. *Scottish Naturalist*, 1924: 52.  
Class: Bird  
Area: SH
- 2898 **Editorial note.** (1924). Orkney and Shetland local name for terns. *Scottish Naturalist*, 1924: 52.  
Class: Bird  
Area: OR SH
- 2899 **MacKeith, T.T.** (1924). The Hawfinch in Renfrewshire. *Scottish Naturalist*, 1924: 52.  
Class: Bird  
Area: CL
- 2900 **Malloch, T.** (1924). Smew in Renfrewshire. *Scottish Naturalist*, 1924: 52.  
Class: Bird  
Area: CL
- 2901 **Laing, D.** (1924). Curious capture by Halibut. *Scottish Naturalist*, 1924: 60.  
Class: Fish  
Area: Gen CS

- 2902 **Editorial note.** (1924). [Curious capture by Halibut]. *Scottish Naturalist*, 1924: 60.  
Class: Fish  
Area: Gen
- 2903 **Editorial comment.** (1924). The egg-laying vagaries of birds - a problem for the field-naturalist. *Scottish Naturalist*, 1924: 65-67.  
Class: Bird  
Area: Gen
- 2904 **Editorial comment.** (1924). The preservation of the Wild Cat. *Scottish Naturalist*, 1924: 67.  
Class: Mamm  
Area: Gen
- 2905 **Editorial comment.** (1924). The protection of Lapwings' eggs. *Scottish Naturalist*, 1924: 67.  
Class: Bird  
Area: Gen
- 2906 **Gladstone, J.R.** (1924). Unusual litter of Foxes. *Scottish Naturalist*, 1924: 68.  
Class: Mamm  
Area: Gen TA
- 2907 **Badger, C.W.** (1924). Buff-coloured Common Hare. *Scottish Naturalist*, 1924: 68.  
Class: Mamm  
Area: Gen FO
- 2908 **Editorial note.** (1924). [Buff-coloured Common Hare]. *Scottish Naturalist*, 1924: 68.  
Class: Mamm  
Area: Gen
- 2909 **Stewart, W.** (1924-25). Roosting habits of Lanarkshire Rooks. *Scottish Naturalist*, 1924: 69-74; 1925: 23-24.  
Class: Bird  
Area: CL
- 2910 **Ritchie, J.** (1924). White-beaked Dolphin in Firth of Forth. *Scottish Naturalist*, 1924: 75.  
Class: Mamm  
Area: FO
- 2911 **Rintoul, L.J. and Baxter, E.V.** (1924). Wood-Lark in east Fife. *Scottish Naturalist*, 1924: 75-76.  
Class: Bird  
Area: FO
- 2912 **Wauchope, D.A.** (1924). Black Redstart in Midlothian. *Scottish Naturalist*, 1924: 76.  
Class: Bird  
Area: FO
- 2913 **Bell, J.P.F.** (1924). The Little Owl in Berwickshire. *Scottish Naturalist*, 1924: 76.  
Class: Bird  
Area: TW
- 2914 **Editorial note.** (1924). [Extension of range of Little Owl]. *Scottish Naturalist*, 1924: 76.  
Class: Bird  
Area: Gen TW FO TA
- 2915 **Nash, J.K.** (1924). Observations on the Swift. *Scottish Naturalist*, 1924: 77-83.  
Class: Bird  
Area: Gen FO



- 2916 **Ritchie, J.** (1924). Swallow's nest on branch of tree. *Scottish Naturalist*, 1924: 83-84.  
Class: Bird  
Area: Gen
- 2917 **Bedford, Duchess of** (1924). Alpine Swifts in Wigtownshire. *Scottish Naturalist*, 1924: 84.  
Class: Bird  
Area: SO
- 2918 **Gladstone, H.S.** (1924). Great Bustard in the Orkney Islands. *Scottish Naturalist*, 1924: 89.  
Class: Bird  
Area: OR
- 2919 **Laidlaw, T.G.** (1924). Alleged Scottish record of Green Woodpecker. *Scottish Naturalist*, 1924: 89.  
Class: Bird  
Area: TW
- 2920 **Ingles, W.M.** (1924). Hag-fish in Firth of Forth. *Scottish Naturalist*, 1924: 89.  
Class: Fish  
Area: FO
- 2921 **Editorial note.** (1924). [Hag-fish in Firth of Forth]. *Scottish Naturalist*, 1924: 89.  
Class: Fish  
Area: Gen FO
- 2922 **Watson, W.G.** (1924). Record of a migrant rush at Holy Island, Northumberland, between 8th and 11th November 1923. *Scottish Naturalist*, 1924: 89-91.  
Class: Bird  
Area: Gen
- 2923 **Stenhouse, J.H.** (1924). Notes on rare land birds from Tristan d'Acunha in the Royal Scottish Museum. *Scottish Naturalist*, 1924: 93-96.  
Class: Bird  
Area: Gen
- 2924 **Editorial note.** (1924). Age of Common Gull. *Scottish Naturalist*, 1924: 96.  
Class: Bird  
Area: Gen
- 2925 **Editorial comment.** (1924). Protection required for the Wild Cat. *Scottish Naturalist*, 1924: 97-98.  
Class: Mamm  
Area: Gen
- 2926 **Ritchie, J.** (1924). The Loggerhead Turtle in Scotland. *Scottish Naturalist*, 1924: 99-103, 165.  
Class: Rept  
Area: CL DE IH
- 2927 **Rintoul, L.J. and Baxter, E.V.** (1924). Report on Scottish ornithology in 1923. *Scottish Naturalist*, 1924: 105-120, 137-161.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2928 **Rintoul, L.J. and Baxter, E.V.** (1924). A third record for Britain of the Subalpine Warbler. *Scottish Naturalist*, 1924: 126.  
Class: Bird  
Area: FO
- 2929 **Gordon, S.** (1924). Late migration of Swifts. *Scottish Naturalist*, 1924: 126.  
Class: Bird  
Area: Gen MO

- 2930 **McWilliam, J.M.** (1924). Great Black-backed Gull breeding in Buteshire. *Scottish Naturalist*, 1924: 126.  
Class: Bird  
Area: CL
- 2931 **McWilliam, J.M.** (1924). Great Black-backed Gull nesting in Clyde area. *Scottish Naturalist*, 1924: 126.  
Class: Bird  
Area: CL
- 2932 **Gordon, S.** (1924). Greenshank breeding in Aberdeenshire. *Scottish Naturalist*, 1924: 126.  
Class: Bird  
Area: DE
- 2933 **Ritchie, J.** (1924). Willow-Wren building in tree in Perthshire. *Scottish Naturalist*, 1924: 127.  
Class: Bird  
Area: Gen TA
- 2934 **Bartholomew, J.** (1924). Colour-variety of Rook. *Scottish Naturalist*, 1924: 127.  
Class: Bird  
Area: Gen CL
- 2935 **Editorial note.** (1924). [Colour-variety of Rook]. *Scottish Naturalist*, 1924: 127.  
Class: Bird  
Area: Gen
- 2936 **Gordon, S.** (1924). Abnormally shaped Ptarmigan's eggs. *Scottish Naturalist*, 1924: 127.  
Class: Bird  
Area: Gen MO
- 2937 **Editorial note.** (1924). [Abnormally shaped Ptarmigan's eggs]. *Scottish Naturalist*, 1924: 127.  
Class: Bird  
Area: Gen
- 2938 **Editorial comment.** (1924). The tyranny of names. *Scottish Naturalist*, 1924: 129-130.  
Class: Mamm Bird Rept  
Area: Gen
- 2939 **Meinertzhagen, R.** (1924). A note on Scottish Wrens (*Troglodytes*), with characteristics of a newly defined Hebridean race. *Scottish Naturalist*, 1924: 135.  
Class: Bird  
Area: Gen OH
- 2940 **Hamilton, D.** (1924). Rooks removing nests. *Scottish Naturalist*, 1924: 135-136.  
Class: Bird  
Area: Gen FO
- 2941 **Ritchie, J.P.** (1924). Sandwich Tern breeding on the Clyde. *Scottish Naturalist*, 1924: 136.  
Class: Bird  
Area: CL
- 2942 **Gladstone, H.S.** (1924). Slaughter of Bitterns in Solway area. *Scottish Naturalist*, 1924: 136.  
Class: Bird  
Area: SO
- 2943 **McWilliam, J.M.** (1924). Nesting of the Wigeon on Bute. *Scottish Naturalist*, 1924: 162.  
Class: Bird  
Area: CL

- 2944 **Connell, C.G.** (1924). Late nesting of Coot in Midlothian. *Scottish Naturalist*, 1924: 162, 188.  
Class: Bird  
Area: Gen FO
- 2945 **Gladstone, H.S.** (1924). Return of Curlews to same breeding area. *Scottish Naturalist*, 1924: 162.  
Class: Bird  
Area: Gen SO
- 2946 **Gladstone, H.S.** (1924). Hoopoe in shipyard near Glasgow. *Scottish Naturalist*, 1924: 162.  
Class: Bird  
Area: CL
- 2947 **Hamilton, D.** (1924). Iceland Gull in Midlothian. *Scottish Naturalist*, 1924: 164.  
Class: Bird  
Area: FO
- 2948 **Ritchie, J.P.** (1924). Breeding of Black-headed Gull on Little Cumbraes. *Scottish Naturalist*, 1924: 164.  
Class: Bird  
Area: CL
- 2949 **McWilliam, J.M.** (1924). Breeding of Eider in the Clyde area. *Scottish Naturalist*, 1924: 165.  
Class: Bird  
Area: CL
- 2950 **Ritchie, J.** (1924). Occurrences of Loggerhead Turtle in Scotland. *Scottish Naturalist*, 1924: 165.  
Class: Rept  
Area: OH
- 2951 **Stenhouse, J.H.** (1924). Late appearance of a House Martin. *Scottish Naturalist*, 1924: 172.  
Class: Bird  
Area: Gen FO
- 2952 **Gladstone, H.S.** (1924). The Great Bustard in Scotland. *Scottish Naturalist*, 1924: 173-183.  
Class: Bird  
Area: Gen SO TW CL FO TA MO CS OR
- 2953 **Greenaway, W.H.** (1924). Cinnamon-coloured Sparrow. *Scottish Naturalist*, 1924: 183.  
Class: Bird  
Area: Gen SH
- 2954 **Maxwell, H.** (1924). Pheasants and Lilies. *Scottish Naturalist*, 1924: 183-184.  
Class: Bird  
Area: Gen
- 2955 **Leslie, R.** (1924). Black Redstart in Inner Hebrides. *Scottish Naturalist*, 1924: 184.  
Class: Bird  
Area: IH
- 2956 **Robinson, H.W.** (1924). Swimming of Redshanks. *Scottish Naturalist*, 1924: 184.  
Class: Bird  
Area: Gen
- 2957 **Robinson, H.W.** (1924). Iceland Gulls in East Lothian. *Scottish Naturalist*, 1924: 184.  
Class: Bird  
Area: FO

- 2958 **Beaton, J.** (1924). Albino example of Shag or Scart. *Scottish Naturalist*, 1924: 189.  
Class: Bird  
Area: Gen OH
- 2959 **Editorial note.** (1924). [Albino example of Shag or Scart]. *Scottish Naturalist*, 1924: 189.  
Class: Bird  
Area: Gen
- 2960 **Editorial comment.** (1925). The early spring. *Scottish Naturalist*, 1925: 1-2.  
Class: Bird  
Area: Gen FO
- 2961 **Editorial comment.** (1925). Eagle eccentricities. *Scottish Naturalist*, 1925: 2-3.  
Class: Bird  
Area: Gen TA DE CS IH OH
- 2962 **Calderwood, W.L.** (1925). Malformed Salmon. *Scottish Naturalist*, 1925: 4.  
Class: Fish  
Area: Gen CS
- 2963 **Valpy, E.** (1925). Pine Marten in Argyllshire. *Scottish Naturalist*, 1925: 4.  
Class: Mamm  
Area: AG
- 2964 **Evans, W.** (1925). The Starling (*Sturnus vulgaris*) in the Forth area. *Scottish Naturalist*, 1925: 5-10.  
Class: Bird  
Area: FO
- 2965 **Menzies, W.J.M.** (1925). Bull-headed Sea-Trout in Don. *Scottish Naturalist*, 1925: 10.  
Class: Fish  
Area: Gen DE
- 2966 **Stenhouse, J.H.** (1925). Wilson's Snipe in South Uist: a new British bird. *Scottish Naturalist*, 1925: 11-12.  
Class: Bird  
Area: OH
- 2967 **Gladstone, H.S.** (1925). Cat swimming a river. *Scottish Naturalist*, 1925: 12.  
Class: Mamm  
Area: Gen FO
- 2968 **Connell, C.G.** (1925). Red-crested Pochard (*Netta rufina*, Pallas), a rare Scottish immigrant, in Midlothian. *Scottish Naturalist*, 1925: 21-22.  
Class: Bird  
Area: FO
- 2969 **Hunter, D.G.** (1925). Late occurrence of the Lesser Tern in Forfarshire. *Scottish Naturalist*, 1925: 22.  
Class: Bird  
Area: Gen TA
- 2970 **Hamilton, D. and Nash, J.K.** (1925). Rare Gulls in West Lothian. *Scottish Naturalist*, 1925: 22-23.  
Class: Bird  
Area: FO
- 2971 **Hunter, D.G.** (1925). The Little Gull in Forfarshire. *Scottish Naturalist*, 1925: 23.  
Class: Bird  
Area: TA
- 2972 **Hamilton, D. and Nash, J.K.** (1925). Flocks of Tree Sparrows in Edinburgh district. *Scottish Naturalist*, 1925: 23.  
Class: Bird  
Area: FO

- 2973 **Wilson, J.** (1925). Cinnamon variety of Redwing. *Scottish Naturalist*, 1925: 25.  
Class: Bird  
Area: Gen FI
- 2974 **Gillespie, T.H.** (1925). Notes from The Scottish Zoological Park. *Scottish Naturalist*, 1925: 29-32, 153-157.  
Class: Bird  
Area: Gen
- 2975 **Editorial comment.** (1925). Sunspots and animal plagues. *Scottish Naturalist*, 1925: 33-36.  
Class: Mamm  
Area: Gen
- 2976 **Editorial note.** (1925). Scottish Branch of the Royal Society for the Protection of Birds. *Scottish Naturalist*, 1925: 36.  
Class: Bird  
Area: Gen
- 2977 **Maxwell, H.** (1925). Bold birds and shy ones. *Scottish Naturalist*, 1925: 37-38.  
Class: Bird  
Area: Gen SO
- 2978 **Nash, J.K.** (1925). The Hawfinch in Scotland. *Scottish Naturalist*, 1925: 39-45.  
Class: Bird  
Area: Gen SO TW CL FO TA CS IH FI
- 2979 **Gunnis, F.G.** (1925). Golden Eagle and Fox. *Scottish Naturalist*, 1925: 46.  
Class: Mamm Bird  
Area: Gen CS
- 2980 **Stewart, W.** (1925). Crested Tit in Lanarkshire. *Scottish Naturalist*, 1925: 46.  
Class: Bird  
Area: CL
- 2981 **Ritchie, J.** (1925). Increase of the Mountain Hare in the Scottish Lowlands. *Scottish Naturalist*, 1925: 47-48.  
Class: Mamm  
Area: Gen SO TW CL FO
- 2982 **Berry, W.** (1925). Generic habit exhibited by "domesticated" Mandarin Duck. *Scottish Naturalist*, 1925: 56-57.  
Class: Bird  
Area: Gen TA
- 2983 **Robinson, H.W.** (1925). Albino Shags in Orkney and Shetland. *Scottish Naturalist*, 1925: 57.  
Class: Bird  
Area: OR SH
- 2984 **Ewart, R.N.T.** (1925). Smew in Forfarshire. *Scottish Naturalist*, 1925: 57.  
Class: Bird  
Area: TA
- 2985 **Chatterton, J.M.** (1925). Land Rail in Orkney in winter. *Scottish Naturalist*, 1925: 57-58.  
Class: Bird  
Area: Gen OR
- 2986 **Stenhouse, J.H.** (1925). Faroese Snipe at Fair Isle. *Scottish Naturalist*, 1925: 58.  
Class: Bird  
Area: FI
- 2987 **Gunnis, F.G.** (1925). Grouse, Weasel and Sparrow-Hawk. *Scottish Naturalist*, 1925: 58.  
Class: Mamm Bird  
Area: Gen CS

- 2988 **Beveridge, G.** (1925). Bean Geese in North Uist. *Scottish Naturalist*, 1925: 58.  
Class: Bird  
Area: OH
- 2989 **Editorial comment.** (1925). Whales stranded in Scotland in 1923 and 1924. *Scottish Naturalist*, 1925: 59.  
Class: Mamm  
Area: Gen FO TA CS OH SH
- 2990 **Editorial note.** (1925). The food of the Herring's food. *Scottish Naturalist*, 1925: 59.  
Class: Fish  
Area: Gen
- 2991 **Editorial comment.** (1925). Wanted - A "Nature Monuments Commission". *Scottish Naturalist*, 1925: 65-67.  
Class: Mamm Bird  
Area: Gen
- 2992 **Editorial comment.** (1925). [Mammals of the Lammermoors]. *Scottish Naturalist*, 1925: 67.  
Class: Mamm  
Area: TW
- 2993 **Aikman, J.** (1925). Albino Brown Rats in Kirkcudbrightshire. *Scottish Naturalist*, 1925: 68.  
Class: Mamm  
Area: Gen SO
- 2994 **Editorial note.** (1925). [Albino Brown Rats in Kirkcudbrightshire]. *Scottish Naturalist*, 1925: 68.  
Class: Mamm  
Area: SO
- 2995 **Hamilton, D. and Nash, J.K.** (1925). The Ruddy Sheld-Duck at Duddingston Loch. *Scottish Naturalist*, 1925: 68.  
Class: Bird  
Area: FO
- 2996 **Grimshaw, P.H.** (1925). The food of the Ptarmigan. *Scottish Naturalist*, 1925: 69-70.  
Class: Bird  
Area: Gen NW
- 2997 **Wild, O.H.** (1925). Observations on sea-birds and oil. *Scottish Naturalist*, 1925: 71-72.  
Class: Bird  
Area: Gen FO
- 2998 **Baxter, E.V. and Rintoul, L.J.** (1925). Report on Scottish ornithology in 1924. *Scottish Naturalist*, 1925: 73-88, 109-130.  
Class: Bird  
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI
- 2999 **Hughes-Onslow, J.** (1925). Polygamy amongst Sparrow-Hawks. *Scottish Naturalist*, 1925: 95.  
Class: Bird  
Area: Gen CL
- 3000 **McWilliam, J.M.** (1925). Increase of Eider Ducks in Firth of Clyde. *Scottish Naturalist*, 1925: 95-96.  
Class: Bird  
Area: Gen CL
- 3001 **Gladstone, H.S.** (1925). Pugnacity of the Redbreast. *Scottish Naturalist*, 1925: 96.  
Class: Bird  
Area: Gen SO

- 3002 **Tait, R.L.** (1925). Golden Oriole in Kirkcudbrightshire *Scottish Naturalist*, 1925: 100.  
Class: Bird  
Area: SO
- 3003 **Stenhouse, J.H.** (1925). Mixed plumages in a brood of hybrid Crows. *Scottish Naturalist*, 1925: 101-105.  
Class: Bird  
Area: Gen TA
- 3004 **Stewart, W** (1925). Black-headed Wagtail - first recorded appearance in Scotland. *Scottish Naturalist*, 1925: 107.  
Class: Bird  
Area: SO
- 3005 **Editorial note.** (1925). Greenshank nesting in Scottish Lowlands. *Scottish Naturalist*, 1925: 107.  
Class: Bird  
Area: Gen TW
- 3006 **Stephen, A.C.** (1925). Red Grouse eggs of unusual colour. *Scottish Naturalist*, 1925: 107.  
Class: Bird  
Area: Gen TA
- 3007 **Simpson, J.R.** (1925). Stock Dove's nest under a bridge. *Scottish Naturalist*, 1925: 108.  
Class: Bird  
Area: Gen TW
- 3008 **Gordon, S.** (1925). Birds at high altitudes on Cairngorms. *Scottish Naturalist*, 1925: 108.  
Class: Bird  
Area: Gen MO
- 3009 **Jamieson, H.** (1925). Oystercatcher eating Tern's eggs. *Scottish Naturalist*, 1925: 108.  
Class: Bird  
Area: Gen SH
- 3010 **Faulkner, G.H.** (1925). Amphipod crustaceans attacking Cod ovary. *Scottish Naturalist*, 1925: 131-132.  
Class: Fish  
Area: Gen
- 3011 **Bedford, Duchess of** (1925). Habits of "domesticated" Mandarin Duck. *Scottish Naturalist*, 1925: 132.  
Class: Bird  
Area: Gen
- 3012 **Editorial note.** (1925). Human transport and wild life. *Scottish Naturalist*, 1925: 133-136.  
Class: Bird  
Area: Gen
- 3013 **Editorial note.** (1925). [Vertebrate fauna of Peeblesshire]. *Scottish Naturalist*, 1925: 136.  
Class: Mamm Bird Rept Amph Fish  
Area: TW
- 3014 **Morris, D.B.** (1925). The whale remains of the Carse of Stirling. *Scottish Naturalist*, 1925: 137-140.  
Class: Mamm  
Area: FO

- 3015 **Stenhouse, J.H.** (1925). The Petchora Pipit at Fair Isle: an addition to the British avifauna. *Scottish Naturalist*, 1925: 141-142.  
Class: Bird  
Area: FI
- 3016 **Connell, C.G.** (1925). Bird life on Handa in 1925. *Scottish Naturalist*, 1925: 143-147.  
Class: Bird  
Area: NW
- 3017 **Gordon, A.** (1925). Field Vole at great altitude in Skye. *Scottish Naturalist*, 1925: 147.  
Class: Mamm  
Area: Gen NW IH
- 3018 **Editorial note.** (1925). Survival of Field Voles at high altitudes. *Scottish Naturalist*, 1925: 147.  
Class: Mamm  
Area: Gen
- 3019 **Clarke, W.E.** (1925). Rose-coloured Starling in the Outer Hebrides. *Scottish Naturalist*, 1925: 148.  
Class: Bird  
Area: OH
- 3020 **Clarke, W.E.** (1925). Snow Bunting nesting in southern Inverness-shire. *Scottish Naturalist*, 1925: 148.  
Class: Bird  
Area: MO AG
- 3021 **Booth, H.B.** (1925). Meadow Pipit at high altitude on the Cairngorms. *Scottish Naturalist*, 1925: 148.  
Class: Bird  
Area: MO
- 3022 **Wedderburn, F.L.S.** (1925). Pheasant eating Field Vole. *Scottish Naturalist*, 1925: 152.  
Class: Mamm Bird  
Area: Gen FO
- 3023 **Baxter, E.V.** (1925). Starling feeding young on buds of Nipplewort. *Scottish Naturalist*, 1925: 152.  
Class: Bird  
Area: Gen FO
- 3024 **Bain, J.** (1925). White Wagtail nesting near Oban. *Scottish Naturalist*, 1925: 152.  
Class: Bird  
Area: AG
- 3025 **Hunter, D.G.** (1925). Nesting habits and incubation period of the Redwing. *Scottish Naturalist*, 1925: 158.  
Class: Bird  
Area: Gen
- 3026 **Craw, J.H.** (1925). Hoopoe in Berwickshire. *Scottish Naturalist*, 1925: 158.  
Class: Bird  
Area: TW
- 3027 **Berry, W.** (1925). Strange death of Rook. *Scottish Naturalist*, 1925: 158.  
Class: Bird  
Area: Gen TA
- 3028 **McWilliam, J.M.** (1925). Slow-Worm on Ailsa Craig. *Scottish Naturalist*, 1925: 159.  
Class: Rept  
Area: CL



- 3029 **Editorial comment.** (1925). Scottish wild life reserves. *Scottish Naturalist*, 1925: 165-167.  
Class: Mamm Bird  
Area: Gen
- 3030 **Rintoul, A.J.** (1925). Pied Wagtails hatching and rearing Blackbirds. *Scottish Naturalist*, 1925: 168.  
Class: Bird  
Area: Gen TW
- 3031 **Beveridge, F.S. and Johnson, N.M.** (1925). Black-throated Divers on Dunfermline Loch. *Scottish Naturalist*, 1925: 168.  
Class: Bird  
Area: FO
- 3032 **Wedderburn, C.S.** (1925). Bean Geese in the Tay area. *Scottish Naturalist*, 1925: 168.  
Class: Bird  
Area: TA
- 3033 **Millar, W.M.C.** (1925). A Rat migration. *Scottish Naturalist*, 1925: 169-172.  
Class: Mamm  
Area: Gen
- 3034 **Baxter, E.V.** (1925). Blue Shark in Largo bay. *Scottish Naturalist*, 1925: 172.  
Class: Fish  
Area: FO
- 3035 **Stenhouse, J.H.** (1925). Jerdon's Reed-Warbler, *Acrocephalus agricola*, at Fair Isle; an addition to the British avifauna. *Scottish Naturalist*, 1925: 173-174.  
Class: Bird  
Area: FI
- 3036 **Baxter, E.V. and Rintoul, L.J.** (1925). Fluctuations in breeding birds on the Isle of May. *Scottish Naturalist*, 1925: 175-179.  
Class: Bird  
Area: FO
- 3037 **Baird, A.** (1925). Albino Mole in Berwickshire. *Scottish Naturalist*, 1925: 179.  
Class: Mamm  
Area: Gen TW
- 3038 **Beveridge, G.** (1925). Wood Sandpiper at North Uist. *Scottish Naturalist*, 1925: 179.  
Class: Bird  
Area: OH
- 3039 **Bedford, Duchess of** (1925). Black Redstarts in Wigtonshire. *Scottish Naturalist*, 1925: 179.  
Class: Bird  
Area: SO
- 3040 **Rintoul, L.J. and Baxter, E.V.** (1925). Gulls and corn. *Scottish Naturalist*, 1925: 180.  
Class: Bird  
Area: Gen FO TA
- 3041 **Kennedy, R.** (1925). Rose-coloured Starling in Perthshire. *Scottish Naturalist*, 1925: 180.  
Class: Bird  
Area: TA

## MAMMALS

## SCOTLAND - GENERAL

1861	1865	1886	2017	2065	2068	2108	2167	2169	2192	2433	2449
2451	2452	2466	2474	2496	2502	2515	2517	2531	2548	2549	2581
2582	2627	2664	2684	2688	2700	2701	2702	2710	2711	2738	2750
2760	2762	2774	2775	2782	2803	2813	2814	2819	2825	2831	2833
2834	2855	2867	2868	2904	2906	2907	2908	2925	2938	2967	2975
2979	2981	2987	2989	2991	2993	3017	3018	3022	3029	3033	3037

## SOLWAY

1898	1916	1932	2119	2169	2183	2433	2528	2548	2711	2762	2981
2993	2994										

## TWEED

2068	2169	2241	2629	2720	2776	2981	2992	3013	3037		
------	------	------	------	------	------	------	------	------	------	--	--

## CLYDE

1874	1931	1970	1983	2120	2135	2159	2167	2169	2282	2299	2315
2502	2516	2517	2550	2553	2581	2606	2627	2775	2818	2825	2887
2981											

## FORTH

1865	2053	2275	2314	2433	2441	2502	2531	2551	2663	2741	2750
2803	2825	2891	2907	2910	2967	2981	2989	3014	3022		

## TAY

2192	2365	2433	2442	2466	2502	2627	2684	2737	2867	2868	2906
2989											

## DEE

2627	2702										
------	------	--	--	--	--	--	--	--	--	--	--

## MORAY

2019	2031	2055	2085	2133	2191	2365	2449	2465	2466	2474	2688
2710	2833										

## CAITHNESS AND SUTHERLAND

1861	2191	2365	2466	2502	2514	2627	2688	2710	2831	2979	2987
2989											

## NORTH-WEST HIGHLANDS

1954	2191	2394	2466	2502	2688	2710	2763	3017			
------	------	------	------	------	------	------	------	------	--	--	--

## ARGYLL

1954 1970 2159 2287 2466 2550 2606 2627 2963

## INNER HEBRIDES

2287 2394 2688 3017

## OUTER HEBRIDES

1861 2169 2191 2309 2364 2433 2514 2627 2688 2761 2989

## ST. KILDA

1861 2169 2176 2191 2514

## OUTLIERS

1886 2191 2514

## ORKNEY

1861 1989 2497 2514 2627 2688 2854 2855

## SHETLAND

1861 1886 2169 2514 2580 2627 2668 2688 2989

## FAIR ISLE

1861 2191

## BIRDS

## SCOTLAND - GENERAL

1865	1873	1895	1896	1899	1904	1905	1907	1915	1921	1926	1930
1935	1938	1943	1946	1952	1953	1955	1981	1982	1985	1988	1991
1997	2003	2004	2006	2008	2013	2017	2018	2020	2028	2034	2039
2049	2054	2088	2089	2092	2093	2094	2106	2112	2127	2155	2156
2158	2164	2166	2172	2185	2193	2201	2204	2214	2218	2226	2227
2229	2244	2252	2254	2255	2257	2261	2262	2265	2284	2288	2289
2290	2291	2295	2296	2300	2301	2302	2306	2308	2311	2312	2313
2318	2322	2323	2325	2326	2327	2328	2334	2335	2339	2341	2343
2344	2345	2346	2356	2357	2360	2361	2367	2369	2372	2374	2379
2384	2390	2396	2402	2404	2405	2406	2407	2409	2410	2413	2417
2418	2420	2421	2422	2424	2425	2426	2428	2429	2435	2436	2437
2439	2440	2445	2446	2448	2449	2456	2459	2461	2462	2464	2466
2467	2469	2470	2473	2475	2479	2480	2481	2487	2490	2494	2496
2501	2502	2505	2510	2511	2523	2527	2530	2536	2539	2541	2544
2547	2556	2561	2564	2566	2575	2583	2592	2594	2599	2603	2619
2620	2623	2630	2631	2632	2635	2639	2640	2646	2652	2665	2669
2677	2681	2683	2694	2697	2699	2700	2701	2715	2719	2730	2733
2742	2747	2748	2749	2756	2757	2758	2759	2760	2766	2771	2785
2789	2793	2799	2803	2806	2809	2812	2813	2820	2821	2823	2828
2829	2830	2832	2836	2843	2844	2860	2867	2873	2878	2883	2884
2896	2903	2905	2914	2915	2916	2922	2923	2924	2929	2933	2934
2935	2936	2937	2938	2939	2940	2944	2945	2951	2952	2953	2954
2956	2958	2959	2960	2961	2969	2973	2974	2976	2977	2978	2979
2982	2985	2987	2991	2996	2997	2999	3000	3001	3003	3005	3006
3007	3008	3009	3011	3012	3022	3023	3025	3027	3029	3030	3040

## SOLWAY

1869	1876	1881	1890	1895	1900	1905	1911	1927	1929	1933	1934
1941	1947	1956	1962	1966	1974	1975	1984	1990	1996	2001	2045
2056	2074	2098	2111	2117	2123	2171	2179	2194	2197	2210	2213
2214	2228	2255	2264	2280	2283	2293	2303	2316	2317	2333	2336
2360	2361	2363	2378	2392	2393	2400	2404	2420	2450	2456	2479
2513	2527	2528	2535	2552	2562	2567	2575	2578	2590	2607	2614
2623	2644	2645	2657	2659	2661	2680	2686	2695	2699	2705	2706
2707	2708	2709	2713	2714	2722	2724	2725	2728	2777	2783	2787
2793	2794	2802	2821	2822	2826	2856	2862	2893	2894	2917	2927
2942	2945	2952	2977	2978	2998	3001	3002	3004	3039		

## TWEED

1868	1875	1895	1918	1920	1930	1939	1949	1950	1958	1959	1975
2001	2016	2020	2076	2117	2122	2148	2154	2171	2172	2180	2205
2221	2222	2228	2242	2243	2280	2296	2307	2318	2349	2350	2360
2369	2376	2404	2419	2444	2450	2454	2489	2513	2545	2558	2562
2567	2597	2600	2607	2614	2621	2622	2633	2644	2657	2693	2698



## TAY

1880	1894	1895	1930	1948	1951	1963	2001	2005	2016	2025	2072
2105	2117	2171	2203	2209	2228	2235	2238	2250	2269	2272	2280
2284	2288	2307	2308	2334	2344	2352	2360	2363	2385	2392	2399
2404	2410	2416	2419	2421	2423	2450	2456	2466	2467	2473	2475
2483	2487	2500	2502	2506	2510	2512	2513	2532	2534	2546	2562
2566	2567	2570	2598	2599	2601	2602	2605	2607	2614	2626	2630
2631	2644	2652	2657	2666	2667	2669	2677	2678	2682	2706	2721
2722	2726	2730	2732	2736	2751	2752	2768	2769	2770	2772	2777
2781	2784	2787	2792	2820	2822	2823	2832	2841	2847	2860	2862
2867	2873	2882	2914	2927	2933	2952	2961	2969	2971	2978	2982
2984	2998	3003	3006	3027	3032	3040	3041				

## DEE

1879	1880	1895	1897	1899	1924	1930	2001	2016	2054	2073	2117
2171	2196	2203	2207	2209	2218	2228	2238	2274	2280	2292	2308
2355	2360	2363	2368	2404	2420	2450	2461	2463	2469	2494	2509
2512	2513	2519	2524	2525	2537	2538	2555	2562	2565	2567	2591
2607	2614	2644	2657	2658	2662	2672	2673	2674	2689	2691	2706
2722	2730	2743	2777	2787	2822	2835	2862	2927	2932	2961	2998

## MORAY

1880	1889	1892	1895	1902	1908	1912	1922	1926	1930	1933	1994
2001	2016	2021	2038	2040	2046	2049	2050	2052	2075	2079	2081
2082	2093	2094	2117	2141	2142	2146	2153	2171	2177	2182	2191
2207	2228	2238	2249	2253	2254	2258	2265	2280	2294	2308	2320
2331	2337	2347	2359	2360	2363	2399	2405	2411	2419	2424	2426
2438	2449	2450	2456	2466	2513	2520	2562	2567	2579	2588	2594
2595	2607	2614	2618	2644	2657	2665	2674	2685	2706	2719	2722
2740	2757	2777	2784	2787	2790	2791	2822	2845	2859	2862	2864
2872	2877	2888	2927	2929	2936	2952	2998	3008	3020	3021	

## CAITHNESS AND SUTHERLAND

1880	1895	1914	1930	2001	2010	2027	2064	2069	2096	2117	2153
2191	2228	2248	2251	2259	2280	2363	2450	2456	2466	2502	2513
2562	2567	2607	2614	2644	2657	2706	2722	2757	2777	2787	2822
2862	2927	2952	2961	2978	2979	2987	2998				

## NORTH-WEST HIGHLANDS

1895	1914	1954	2001	2022	2033	2036	2091	2114	2117	2150	2171
2191	2228	2265	2279	2280	2354	2358	2363	2382	2399	2450	2466
2488	2502	2513	2562	2567	2579	2588	2614	2644	2650	2657	2706
2722	2777	2784	2787	2822	2862	2927	2996	2998	3016		

## ARGYLL

1887	1891	1895	1914	1930	1981	2001	2024	2039	2044	2059	2084
2092	2113	2117	2136	2137	2171	2199	2228	2232	2280	2308	2321
2360	2363	2404	2450	2466	2498	2513	2562	2567	2569	2585	2589
2607	2614	2642	2643	2644	2655	2657	2696	2706	2722	2731	2757
2773	2777	2784	2787	2822	2862	2871	2878	2927	2998	3020	3024

## INNER HEBRIDES

1887	1895	1914	1982	2001	2036	2044	2059	2113	2117	2136	2137
2171	2228	2232	2280	2360	2363	2382	2399	2450	2508	2513	2562
2567	2669	2607	2614	2644	2657	2706	2722	2773	2777	2822	2830
2840	2862	2927	2955	2961	2978	2998					

## OUTER HEBRIDES

1867	1895	1914	1930	1937	1938	1945	1955	1961	1964	1976	2001
2008	2030	2037	2063	2086	2087	2091	2099	2103	2117	2126	2127
2134	2143	2144	2152	2171	2188	2191	2202	2208	2228	2233	2240
2280	2308	2342	2354	2356	2360	2363	2377	2386	2387	2399	2414
2415	2443	2450	2476	2495	2503	2508	2513	2518	2522	2529	2559
2563	2567	2568	2571	2576	2586	2593	2607	2614	2620	2641	2644
2646	2654	2657	2692	2706	2712	2722	2735	2753	2777	2780	2787
2822	2851	2862	2874	2880	2881	2896	2927	2939	2958	2961	2966
2988	2998	3019	3038								

## ST. KILDA

1862	1914	1915	2001	2030	2117	2191	2204	2214	2228	2280	2297
2310	2351	2354	2360	2363	2373	2450	2513	2567	2584	2635	2644
2722	2777	2822	2830	2927	2998						

## OUTLIERS

1914	2001	2100	2117	2191	2228	2280	2360	2363	2403	2450	2513
2567	2644	2722	2777	2822	2927	2998					

## ORKNEY

1895	1914	1930	1953	1967	1968	1987	1992	1993	2001	2008	2047
2067	2089	2090	2109	2117	2118	2139	2140	2149	2160	2165	2171
2206	2228	2256	2260	2270	2271	2278	2280	2285	2308	2329	2330
2335	2360	2363	2389	2390	2401	2429	2432	2450	2456	2462	2513
2562	2567	2597	2607	2614	2644	2653	2657	2671	2706	2722	2745
2758	2777	2787	2822	2842	2853	2861	2862	2898	2918	2927	2952
2983	2985	2998	3009								

## SHETLAND

1895	1903	1909	1914	1915	1925	1936	1960	1978	1987	2001	2032
2048	2057	2059	2071	2078	2117	2124	2138	2145	2161	2162	2163
2178	2204	2214	2219	2223	2224	2228	2229	2234	2268	2276	2277
2280	2281	2305	2308	2332	2354	2360	2361	2363	2399	2401	2429
2432	2450	2453	2456	2457	2472	2513	2562	2567	2577	2584	2607
2609	2610	2614	2644	2675	2689	2690	2706	2722	2777	2822	2862
2875	2897	2898	2927	2953	2983	2998	3009				

## FAIR ISLE

1862	1866	1895	1914	1915	2001	2002	2066	2117	2147	2191	2214
2228	2230	2266	2267	2280	2354	2360	2361	2363	2399	2450	2513
2567	2584	2644	2717	2722	2744	2777	2812	2822	2828	2857	2869
2876	2927	2973	2978	2986	2998	3015	3035				



## REPTILES

## SCOTLAND - GENERAL

2017 2466 2700 2701 2760 2803 2938

## SOLWAY

Nil

## TWEED

3013

## CLYDE

2926 3028

## FORTH

2803

## TAY

2466

## DEE

2926

## MORAY

2298 2466

## CAITHNESS AND SUTHERLAND

2466

## NORTH-WEST HIGHLANDS

2466

## ARGYLL

2466

## INNER HEBRIDES

2926

## OUTER HEBRIDES

2950

ST. KILDA  
Nil

OUTLIERS  
Nil

ORKNEY  
Nil

SHETLAND  
Nil

FAIR ISLE  
Nil

## AMPHIBIANS

## SCOTLAND - GENERAL

2017 2466 2502 2701 2803

## SOLWAY

Nil

## TWEED

2231 3013

## CLYDE

2502

## FORTH

2502 2803

## TAY

2175 2466 2502

## DEE

Nil

## MORAY

2189 2466

## CAITHNESS AND SUTHERLAND

2115 2116 2466 2502

## NORTH-WEST HIGHLANDS

2466 2502

## ARGYLL

2466

## INNER HEBRIDES

Nil

## OUTER HEBRIDES

Nil

ST. KILDA  
Nil

OUTLIERS  
Nil

ORKNEY  
Nil

SHETLAND  
Nil

FAIR ISLE  
Nil

## FISHES

## SCOTLAND - GENERAL

1907 2017 2181 2478 2628 2701 2764 2803 2807 2866 2901 2902  
 2921 2962 2965 2990 3010

## SOLWAY

1942 2080 2132 2198

## TWEED

3013

## CLYDE

2181 2190 2340 2398 2764

## FORTH

1872 1893 1907 1980 2014 2217 2430 2477 2507 2611 2739 2778  
 2803 2865 2920 2921 3034

## TAY

1894 2764

## DEE

2157 2168 2460 2478 2764 2807 2810 2811 2965

## MORAY

2157 2191 2239 2286 2764 2807

## CAITHNESS AND SUTHERLAND

2191 2460 2764 2807 2901 2962

## NORTH-WEST HIGHLANDS

2191 2398 2764

## ARGYLL

2181 2397 2398 2764

## INNER HEBRIDES

2398

## OUTER HEBRIDES

2043 2191 2398 2460 2612 2613 2754 2764

## ST. KILDA

2191 2460

## OUTLIERS

2014 2191 2460 2478

## ORKNEY

1989 2460 2478 2807

## SHETLAND

1979 1999 2000 2015 2157 2460 2478 2807 2838

## FAIR ISLE

2191 2460

---

To be continued  
Part 4: 1926-1950

---

*Dr. J.A. Gibson, Scottish Natural History Library,  
Foremount House, KILBARCHAN, Renfrewshire PA10 2EZ.*

**THE SCOTTISH NATURALIST**

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History*  
and *The Western Naturalist*

---

Record of Publication

**The Scottish Naturalist and Journal of the Perthshire  
Society of Natural Science**

1871

**The Scottish Naturalist**

1872-1891

**The Annals of Scottish Natural History**

1892-1911

**The Scottish Naturalist**

1912-1939, 1948-1957, 1961-1964

**The Western Naturalist**

1972-1982

**The Scottish Naturalist**

1983-date

---

Published by The Scottish Natural History Library

---

# THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History*  
and *The Western Naturalist*

---

113th Year

2001

---

## CONTENTS

2001 - Parts 1-2

### **Vertebrate Zoology in the Scottish Naturalist**

#### **Part 3: 1901-1925**

**3b:** *Scottish Naturalist* 1912-1925

By Dr. J.A. Gibson

3-100